



WELDING & SOLDERING

SOUĐAGE & BRASAGE
LASSEN & SOLDEREN
SCHWEISSEN UND LÖTEN
SOLDADURA & SOLDADORES



CORDLESS SCREWDRIVER LI-ION BATTERY - 3.6 V - SEMI-PROFESSIONAL

Tooland
a land of possibilities

FR VISSEUSE SANS FIL - ACCU LI-ION - 3.6 V - SEMI-PROFESSIONNEL
NL OPLAADBARE SCHROEVENDRAAIER - NI-CD 3.6 V - SEMIPROFESSIEONEEL
DE AKKU-SCHRAUBER - LI-ION-AKKU 3.6 V - SEMIPROFESSIEONEEL
ES ATORNILLADOR INALÁMBRICO - BATERÍA LI-ION 3.6 V - SEMI PROFESIONAL

LED work light • rotating handle • comes in BMC with 45 accessories

battery: Li-ION 1300mAh • power supply: 3.6 V • speed: 200 rpm • charging time: 3-5 h



TM81000



5 411244 811003



CORDLESS DRILL - LI- ION BATTERY - 14.4 V

Tooland
a land of possibilities

FR VISSEUSE/FOREUSE - PILE LI-ION - 14.4 V
NL OPLAADBARE SCHROEVENDRAAIER - LI-ION 14.4 V
DE AKKU-BOHRSHRAUBER - LI-ION-AKKU - 14.4 V
ES TALADRO INALÁMBRICO BATERÍA LI-ION -14.4 V

LED work light • soft grip handle • comes in BMC with accessories

battery: Li-ION 1300mAh • power supply: 14.4 V • speed: 0-350/1300 rpm • torque:
20 Nm • charging time: 1 h



TM81001



5 411244 811010



CORDLESS DRILL - LI-ION BATTERY - 18.0 V - SEMI- PROFESSIONAL

Tooland
a land of possibilities

FR VISSEUSE/FOREUSE - PILE LI-ION - 18.0 V - SEMI-PROFESSIONNEL
NL OPLAADBARE SCHROEVENDRAAIER - LI-ION 18.0 V - SEMIPROFESSIEONEEL
DE AKKU-BOHRSHRAUBER - LI-ION-AKKU - 18.0 V - SEMIPROFESSIEONEEL
ES TALADRO INALÁMBRICO BATERÍA LI-ION - 18.0 V - SEMI PROFESIONAL

LED work light • soft grip handle • comes in BMC with accessories

battery: Li-ION 1300mAh • power supply: 18.0 V • speed: 0-350/1250 rpm • charging
time: 1 h • capacity steel: 8 mm • capacity wood: 20 mm



TM81002



5 411244 811027



CORDLESS DRILL - NI-CD BATTERY - 18.0 V - SEMI-PROFESSIONAL

Tooland
a land of possibilities

FR VISSEUSE/FOREUSE - PILE NI-CD - 18.0 V - SEMI-
PROFESSIONNEL
NL OPLAADBARE SCHROEVENDRAAIER - NI-CD 18.0 V - SEMIPROFESSIEONEEL
DE AKKU-BOHRSHRAUBER - NICD-AKKU - 18.0 V - SEMIPROFESSIEONEEL
ES TALADRO INALÁMBRICO BATERIA NI-CD - 18.0 V - SEMI PROFESIONAL

2 batteries • delivered in BMC with accessories

battery: Ni-CD 1200mAh • power supply: 18.0 V • speed: 0-350/0-950 rpm • charging
time: 1 h • capacity steel: 8 mm • capacity wood: 20 mm • capacity: 10 mm • torque
settings: 15+1



TM81004



5 411244 811041

**IMPACT DRILL - 850 W - SEMI-PROFESSIONAL****Tooland**
a land of possibilitiesFR FOREUSE À PERCUSSION - 850 W - SEMI-PROFESSIONNEL
NL KLOPBOORMACHINE - 850 W - SEMIPROFESSIEEEL
DE SCHLAGBOHRMASCHINE - 850 W - SEMIPROFESSIEEEL
ES TALADRO PERCUTOR - 850 W - SEMI PROFESIONAL

soft grip • delivered in BMC with accessories • left/right drilling

power supply: 230 VAC 50 Hz • power consumption: 850 W • speed: 0-2700 rpm
• capacity steel: 10 mm • capacity wood: 25 mm • capacity concrete: 13 mm

TM81006



5 411244 811065

**IMPACT DRILL - 1100 W - SEMI-PROFESSIONAL****Tooland**
a land of possibilitiesFR FOREUSE À PERCUSSION - 1100 W - SEMI-PROFESSIONNEL
NL KLOPBOORMACHINE - 1100 W - SEMIPROFESSIEEEL
DE SCHLAGBOHRMASCHINE - 1100 W - SEMIPROFESSIEEEL
ES TALADRO PERCUTOR - 1100 W - SEMI PROFESIONAL

soft grip • delivered in BMC with accessories

power supply: 230 VAC 50 Hz • power consumption: 1100 W • speed: 0-1000/2000 rpm
• capacity steel: 13 mm • capacity wood: 25 mm • capacity concrete: 16 mm

TM81007



5 411244 811072

**ANGLE GRINDER - 900 W - SEMI-PROFESSIONAL****Tooland**
a land of possibilitiesFR MEULEUSE D'ANGLE - 900 W - SEMI-PROFESSIONNEL
NL HAAKSE SLIJPER - 900 W - SEMIPROFESSIEEEL
DE WINKELSCHLEIFER - 900 W - SEMIPROFESSIEEEL
ES AMOLADORA ANGULAR - 900 W - SEMI PROFESIONAL

soft grip • spindle lock

power supply: 230 VAC 50 Hz • power consumption: 900 W • speed: 12000 rpm
• diameter: 115 mm

TM81012



5 411244 811126

**JIG SAW - 800 W - SEMI-PROFESSIONAL****Tooland**
a land of possibilitiesFR SCIE SAUTEUSE - 800 W - SEMI-PROFESSIONNEL
NL DECOUPEERZAAG - 800 W - SEMIPROFESSIEEEL
DE STICHSÄGE - 800 W - SEMIPROFESSIEEEL
ES SIERRA DE CALAR - 800 W - SEMI PROFESIONAL

soft grip • 3 saw blades included • laser perfection

power supply: 230 VAC 50 Hz • power consumption: 800 W • speed: 800/3000 rpm
• capacity steel: 8 mm • capacity wood: 80 mm

TM81017



5 411244 811171

**MINI SANDER - 160 W - SEMI-PROFESSIONAL****Tooland**
a land of possibilitiesFR MINI-PONCEUSE - 160 W - SEMI-PROFESSIONNEL
NL HANDPALMSCHUURMACHINE - 160 W - SEMIPROFESSIEEEL
DE MINI-SCHLEIFMASCHINE - 160 W - SEMIPROFESSIEEEL
ES MINI LIJADORA - 160 W - SEMI PROFESIONAL

soft grip • dust collector included • sanding paper included

power supply: 230 VAC 50 Hz • power consumption: 160 W • speed: 11500 rpm • sanding surface: 140 x 140 x 90 mm



TM81024



5 411244 811249



FINISHING SANDER - 200 W

Toolland
a land of possibilities

FR PONCEUSE VIBRANTE - 200 W
NL VLAKSCHUURMACHINE - 200 W
DE SCHWINGSCHLEIFER - 200 W
ES LIJADORA ORBITAL - 200 W

soft grip • dust collector included • sanding paper included

power supply: 230 VAC 50 Hz • power consumption: 200 W • speed: 12000 rpm
• sanding surface: 187 x 90 mm



TM81026



5 411244 810266



BELT SANDER - 900 W - SEMI-PROFESSIONAL

Toolland
a land of possibilities

FR PONCEUSE À BANDE - 900 W - SEMI-PROFESSIONNEL
NL BANDSCHUURMACHINE 900 W - SEMIPROFESSIEEEL
DE BANDSCHLEIFER - 900 W - SEMIPROFESSIEEEL
ES LIJADORA DE BANDA - 900 W - SEMI PROFESIONAL

dust bag included • sanding paper included

power supply: 230 VAC 50 Hz • power consumption: 900 W • speed: 200/420 rpm
• dimensions of sanding belt: 533 x 76 cm • sanding surface: 165 x 76 mm



TM81027



5 411244 810273



BISCUIT JOINER - 900 W - SEMI-PROFESSIONAL

Toolland
a land of possibilities

FR FRAISEUSE À LAMELLES - 900 W - SEMI-PROFESSIONNEL
NL LAMELLENFREES - 900 W - SEMIPROFESSIEEEL
DE FLACHDÜBELFRÄSE - 900 W - SEMIPROFESSIEEEL
ES ENGALLETADORA - 900 W - SEMI PROFESIONAL

dust bag included

power supply: 230 VAC 50 Hz • power consumption: 900 W • speed: 12000 rpm
• diameter saw blade: 100 mm • maximum cutting depth: 19 mm • angle: 0-90°/90°-135°



TM81031



5 411244 810310



MITRE SAW - 1800 W - SEMI-PROFESSIONAL

Toolland
a land of possibilities

FR SCIE À ONGLETS - 1800 W - SEMI-PROFESSIONNEL
NL KAP-EN VERSTEKZAAG - 1800 W - SEMIPROFESSIEEEL
DE GEHRUNGSSÄGE - 1800 W - SEMIPROFESSIEEEL
ES SIERRA DE INGLETES - 1800 W - SEMI PROFESIONAL

laser perfection • dust bag included

power supply: 230 VAC 50 Hz • power consumption: 1800 W • speed: 4800 rpm
• maximum cutting depth: 50 mm • maximum cutting width: 165 mm • saw blade: 255 x 30 mm



TM81032



5 411244 810334

**PROFESSIONAL DRILL/GRINDER PROXXON
IBS/E + 34 accessories**

FR MEULEUSE-PERCEUSE INDUSTRIELLE IBS/E + 34 accessoires
 NL INDUSTRIE-BOOR/SLIJPER IBS/E + 34 accessoires
 DE INDUSTRIE-BOHRSCHEIFER IBS/E + mit 34 Einsatzwerkzeugen
 ES TALADRO/RECTIFICADOR PROFESSIONAL IBS/E + 34 accesorios

For drilling, milling, grinding, polishing, cleaning, cutting, carving, engraving and signing. For precision mechanics, model builders, jewellers, opticians, artists and electronic enthusiasts. This high-revving, special balanced, low noise DC motor has fullwave electronic speed control. The ground steel spindle runs in a ball bearing

ball bearing spindle of ground steel with lock button for rapid cutter changing • quiet, powerful 100W motor with full wave electronics for speeds between 5,000 and 20,000rpm
 • streamlined head of die-cast aluminium for exact bearing seats and optimal stability
 • quality without compromise: isolation according to class 2 requirements • supplied with 34 bits and cutters in a stable plastic case

speed: 5.000 to 20.000rpm • power consumption (max): 100W, 220 - 240V • length: 230mm • weight: 500g



PROXXON1



4 006274 284814

**SOLDERING IRON - 40 W**

FR FER À SOUDER - 40 W
 NL SOLDEERBOUT - 40 W
 DE LÖTKOLBEN - 40 W
 ES SOLDADOR - 40 W

power supply: 230 VAC 50 Hz • power consumption: 40 W



TL74056



5 411244 740563

Toolland
a land of possibilities**HEAT GUN 2000 W**

FR PISTOLET À AIR CHAUD 2000 W
 NL HETELUCHTPISTOOL 2000 W
 DE HEIßLUFTPISTOLE 2000 W
 ES PISTOLA DE AIRE CALIENTE 2000 W

For thawing, drying, speeding up the drying process of glued connections, shaping, and dust-free removal of paint.

2 heat settings • included accessories: ◦ 4 nozzles ◦ scraper ◦ scraper hook ◦ putty knife

input voltage: 230 VAC 50 Hz • max. power: 2000 W • power cord length: 1.8 m • air flow:
 ◦ setting I: 250 L/min ◦ setting II: 550 L/min • temperature: ◦ setting I: 350 °C ◦ setting II:
 550 °C • dimensions: 260 x 90 x 210 mm • weight: 630 g



PHG2



5 410329 587383

PEREL®**HEAT GUN 2000 W**

FR PISTOLET À AIR CHAUD 2000 W
 NL HETELUCHTPISTOOL 2000 W
 DE HEIßLUFTPISTOLE 2000 W
 ES PISTOLA DE AIRE CALIENTE 2000 W

For thawing, drying, speeding up the drying process of glued connections, shaping, and dust-free removal of paint.

2 heat settings • variable temperature and airflow control • LCD display with temperature and airflow indication • soft TPR grip • included accessories: ◦ 4 nozzles ◦ 3 scrapers
 ◦ scraper hook ◦ putty knife

input voltage: 230 VAC 50 Hz • max. power: 2000 W • power cord length: 1.8 m • air flow:
 ◦ setting I: 250 L/min ◦ setting II: 250-550 L/min • temperature: ◦ setting I: 50 °C (cool-air stage) ◦ setting II: 50-600 °C (hot-air stage) • dimensions: 260 x 90 x 210 mm • weight: 730 g



PHG3



5 410329 587406

PEREL®



WALL PAPER STEAMER

Tooland
a land of possibilities

FR DÉCOLLEUSE À PAPIER PEINT
NL BEHANGAFSTOMER
DE DAMPF-TAPETENABLÖSER
ES MÁQUINA PARA DESEMPAPELAR A VAPOR

steam wallpaper off a wall in a comfortable and quick way • can be used as a regular steam cleaner

power: 2200 W • tank capacity: 4.5 L • working time: 70 min • steam plate size: 28 x 20 cm • tube length: 3 m • power cord: 3 m H05RN-F 3G1.0mm² • power supply: 230 VAC 50 Hz • power consumption: 2.000 W • autonomy: 125 min • steam plate dimensions: 27.5 x 19.5 cm • IP rating: IPX4



TM76073



5 411244 760738



BASIC METAL DETECTOR

PEREL®

FR DETECTEUR DE METAUX - MODELE DE BASE
NL METAALDETECTOR - BASISMODEL
DE METALDETEKTOR - BASISMODELL
ES DETECTOR DE METALES - MODELO BÁSICO

hunt for coins, relics, jewellery, gold and silver just about anywhere • 3-tone audio discriminator • headphones output • VU-meter • waterproof search head (20cm Ø) • adjustable stem

power supply: 3 x 9V-battery (not incl.) • frequency: 15KHz ±2KHz • sensitivity: 16cm for a € 2 coin (Ø 25mm, in 'all metal' mode) • 3-tone audio discrimination: ◦ low: 400Hz + 60Hz ◦ medium: 700Hz + 105Hz ◦ high: 1500Hz + 225Hz • operating temperature: 0°C ~ 40°C • dimensions (LxWxH): 92~121 x 20 x 18.5cm • weight: ±1.26kg



CMD01N



5 410329 455682



METAL DETECTOR WITH LCD

PEREL®

FR DÉTECTEUR DE MÉTAUX AVEC AFFICHEUR LCD
NL METAALDETECTOR MET LCD-SCHERM
DE METALDETEKTOR MIT LCD-DISPLAY
ES DETECTOR DE METALES CON DISPLAY LC

200 mm waterproof search head • large LCD display • target ID • depth readout • sensitivity control • motion search modes: all metal, discriminate, notch • variable discrimination • variable notch • 3-tone audio discrimination • volume adjustment • low-battery indicator

LCD: 75 x 40 mm • searchcoil size: Ø 20 cm • 3.5 mm headphone jack • power supply: 2 x 9 V battery (not included) • sensitivity adjustment: 10 levels • sensitivity: 15 cm • multitone indication: 3 tones • depth indication: 12 segments • operating temperature range: 0 °C to 40 °C • storage temperature range: -20°C to 60 °C



CMD02



5 410329 396800



ACCESSORIES

ACCESSOIRES
ACCESSOIRES
ZUBEHÖR
ACCESSORIOS



**PADDLE - Ø 120 mm - FOR
TM76091 AND TM81033**

FR TURBINE - Ø 120 mm - POUR TM76091 ET TM81033
NL MENGER - Ø 120 mm - VOOR TM76091 EN TM81033
DE WENDELRÜHRER - Ø 120 mm - FÜR TM76091 UND TM81033
ES VARRILA MEZCLADOR - Ø 120 mm - FÜR TM76091 UND TM81033

for TM76091 and TM81033

diameter: 120 mm

Toolland
a land of possibilities



TL74058



5 411244 740587



DRILL STAND 51CM

PEREL®

FR SUPPORT POUR PERCEUSE - 51 cm
NL STANDAARD VOOR BOORMACHINE - 51 cm
DE STÄNDER FÜR BOHRMASCHINE - 51 cm
ES SOPORTE PARA TALADRO - 51 cm

sturdy cast-iron base with holes for secure bench mounting • for drills with 38mm or 43mm collar • adjustable drill depth with rule and stop

column height: 510mm • column-to-drill centre: 105mm • max. drill depth: 60mm • base: 155x155mm • weight: 2930g



WPST4



5 410329 437763



**ANGLE GRINDER
STAND 115/125 mm**

PEREL®

FR SUPPORT POUR MEULEUSE D'ANGLE 115/125 mm
NL STANDAARD VOOR HAAKSE SLIJPMACHINE 115/125 mm
DE TRENNSTÄNDER FÜR WINKELSCHLEIFER 115/125 mm
ES SOPORTE PARA AMOLADORA ANGULAR 115/125 mm

suitable for angle grinders with 115/125mm disc • base with holes for secure bench mounting • adjustable holding angle • easy to assemble

dimensions: ○ base: 245 x 245mm ○ height: ±280mm • weight: 2035g



WPST1



5 410329 437732



**ANGLE GRINDER STAND
180/230 mm**

PEREL®

FR SUPPORT POUR MEULEUSE D'ANGLE 180/230 mm
NL STANDAARD VOOR HAAKSE SLIJPMACHINE 180/230 mm
DE TRENNSTÄNDER FÜR WINKELSCHLEIFER 180/230 mm
ES SOPORTE PARA AMOLADORA ANGULAR 180/230 mm

suitable for angle grinders with 180/230mm disc • base with holes for secure bench mounting • adjustable holding angle • easy to assemble

dimensions: ○ base: 285 x 285mm ○ height: ±380mm • weight: 2970g



WPST2



5 410329 437749



ANGLE GRINDER SUPPORT

- max. SIZE 125 mm

Toolland
a land of possibilities

FR STANDARD POUR MEULEUSE D'ANGLE - TAILLE MAX. 125 mm

NL STANDAARD VOOR HAAKSE SLIJPER - max. AFMETING 125 mm

DE TRENNSTÄNDER FÜR WINKELSCHLEIFER - MAX. 125 mm

ES SOPORTE PARA AMOLADORA ANGULAR - MÁX. 125 mm

adjustable angle • easy assembly

size angle grinder: 115 and 125 mm



PM3115



5 411244 311503



ANGLE GRINDER SUPPORT

- max. SIZE 230 mm

Toolland
a land of possibilities

FR SUPPORT POUR MEULEUSE D'ANGLE - TAILLE MAX. 230 mm

NL STANDAARD VOOR HAAKSE SLIJPER - max. AFMETING 230 mm

DE TRENNSTÄNDER FÜR WINKELSCHLEIFER - MAX. 230 mm

ES SOPORTE PARA AMOLADORA ANGULAR - MÁX. 230 mm

adjustable angle • easy assembly

size angle grinder: 180 and 230 mm



PM3230



5 411244 323001



DRILL MACHINE SUPPORT

Toolland
a land of possibilities

FR SUPPORT POUR FOREUSE

NL STANDAARD VOOR BOORMACHINE

DE HALTERUNG FÜR BOHRMASCHINE

ES SOPORTE PARA TALADRO

base with holes for secure bench mounting • for drills with 38 mm or 43 mm collar
• adjustable drill depth with rule and stop

column height: 400 mm • column-to-drill centre: 105 mm • max. drill depth: 60 mm • base: 145 x 145 mm • weight: 1385 g



PM3300



5 411244 330009



CONCRETE DRILL BITS

- 4, 5, 6, 8, 10 mm

PEREL

FR FORETS À BÉTON - 4, 5, 6, 8, 10 mm

NL STEENBOREN - 4, 5, 6, 8, 10 mm

DE STEINBOHRER - 4, 5, 6, 8, 10 mm

ES BROCAS PARA HORMIGÓN - 4, 5, 6, 8, 10 mm

made of high carbon steel with industrial grade carbide tip • sandblasted surface finish to prevent rust • milled slow spiral for quick, easy debris removal • for: concrete, reinforced concrete, brick, masonry, ... • can also be used on impact drills

set contains: ○ 1x: Ø4 x 76mm ○ 1x: Ø5 x 86mm ○ 1x: Ø6 x 101mm ○ 1x: Ø8 x 121mm
○ 1x: Ø10 x 122mm



PDS1C



5 410329 432263



HSS TWIST DRILL BITS

- 4, 5, 6, 8, 10 mm

PEREL

FR FORETS HÉLICOÏDAUX EN ACIER RAPIDE (HSS) - 4, 5, 6, 8, 10 mm

NL HSS SPIRAALBOREN IN SNELSTAAL - 4, 5, 6, 8, 10 mm

DE SPIRALBOHRER AUS SCHNELLARBEITSSTAHL (HSS) - 4, 5, 6, 8, 10 mm

ES BROCAS HELICOIDALES DE ACERO RÁPIDO (HSS) - 4, 5, 6, 8, 10 mm

135 degree split point • starts on contact in all types of metal, no walking or skating • fully ground body, bright finish for the most accurate hole dimensions and high concentricity
• hardened high speed steel body provides additional safeguard • for: steel, cast steel, malleable iron, sintered metal, non-ferrous metal and plastic

set contains: ○ 1x: Ø4 x 75mm ○ 1x: Ø5 x 86mm ○ 1x: Ø6 x 94mm ○ 1x: Ø8 x 116mm
○ 1x: Ø10 x 120mm



PDS1M



5 410329 432256

**HSS BRAD POINT WOOD DRILL BITS - 4, 5, 6, 8, 10 mm****PEREL®**

FR FORETS À BOIS HSS 'BRAD POINT' - 4, 5, 6, 8, 10 mm
 NL HSS 'BRAD POINT' HOUTBOREN - 4, 5, 6, 8, 10 mm
 DE BRAD POINT' HOLZBOHRER AUS SCHNELLARBEITSSTAHL (HSS) - 4, 5, 6, 8, 10 mm
 ES BROCAS DE MADERA DE ACERO RÁPIDO (HSS) 'BRAD POINT' - 4, 5, 6, 8, 10 mm

made of high speed steel (HSS) • brad point and two shouldered cutting spurs • much longer cutting life than high carbon steel wood bits • accurate, splinter-free holes • for: soft wood, hard wood, plywood and hardboard

set contains: ○ 1x: Ø4 x 74mm ○ 1x: Ø5 x 86mm ○ 1x: Ø6 x 92mm ○ 1x: Ø8 x 117mm
 ○ 1x: Ø10 x 130mm



PDS1W



5 410329 432270

**SPARE STONE - FOR VL6000 - 100 x 10 x 3.2 mm****Toolland**
a land of possibilities

FR PIERRE DE RECHANGE - POUR VL6000 - 100 x 10 x 3.2 mm
 NL RESERVESTEEN - VOOR VL6000 - 100 x 10 x 3.2 mm
 DE ERSATZSTEIN - FÜR VL6000 - 100 x 10 x 3.2 mm
 ES PIEDRA DE RECAMBIO - PARA VL6000 - 100 x 10 x 3.2 mm

dimensions: 100 x 10 x 3.2 mm



EHBE777



5 411244 607774

**SPARE STONE - FOR VL6000 - 100 x 10 x 4.5 mm****Toolland**
a land of possibilities

FR PIERRE DE RECHANGE - POUR VL6000 - 100 x 10 x 4.5 mm
 NL RESERVESTEEN - VOOR VL6000 - 100 x 10 x 4.5 mm
 DE ERSATZSTEIN - FÜR VL6000 - 100 x 10 x 4.5 mm
 ES PIEDRA DE RECAMBIO - PARA VL6000 - 100 x 10 x 4.5 mm

dimensions: 100 x 10 x 4.5 mm




EHBE999



5 411244 609990

**COLLOMIX • MIXING TOOLS**

COLLOMIX • MALAXEURS
 COLLOMIX • MINGGEREEDSCHAP
 COLLOMIX • MISCHWERKZEUGE
 COLLOMIX • HERRAMIENTAS DE MEZCLA

**STIRRER - TYPE MKN - Ø 120 mm - M14 - NEGATIVE****Collomix®**

FR TURBINE POUR MALAXEUR - TYPE MKN - Ø 120 mm - M14 - NÉGATIVE
 NL MENGSTAAF - TYPE MKN - Ø 120 mm - M14 - NEGATIEF
 DE RÜHRER - TYP MKN - Ø 120 mm - M14
 ES VARILLA MEZCLADORA - TIPO MKN - Ø 120 mm - M14


model: MKN 120 M • mixing volume: 15-25 kg • paddle Ø: 120 mm • length: 590 mm • min. size drill chuck: - • mixer connection: M14 • output: 1000 W



COMKN120M14



4 011024

**STIRRER - TYPE MKN - Ø 135 mm - HEXAFIX - NEGATIVE****Collomix®**

FR TURBINE POUR MALAXEUR - TYPE MKN - Ø 135 mm - HEXAFIX - NÉGATIVE
 NL MENGSTAAF - TYPE MKN - Ø 135 mm - HEXAFIX - NEGATIEF
 DE RÜHRER - TYP MKN - Ø 135 mm - HEXAFIX
 ES VARILLA MEZCLADORA - TIPO MKN - Ø 135 mm - HEXAFIX

model: MKN 140 HF • mixing volume: 20-40 kg • paddle Ø: 135 mm • length: 590 mm • min. size drill chuck: 16 mm • mixer connection: HEXAFIX® • output: 1300 W



COMKN140HF



4 011024

**STIRRER - TYPE MKN - Ø 135 mm - M14 - NEGATIVE****Collomix®**

FR TURBINE POUR MALAXEUR - TYPE MKN - Ø 135 mm - M14 - NÉGATIVE
 NL MENGSTAAF - TYPE MKN - Ø 135 mm - M14 - NEGATIEF
 DE RÜHRER - TYP MKN - Ø 135 mm - M14
 ES VARILLA MEZCLADORA - TIPO MKN - Ø 135 mm - M14


model: MKN 140 M • mixing volume: 20-40 kg • paddle Ø: 135 mm • length: 590 mm • min. size drill chuck: - • mixer connection: M14 • output: 1300 W



COMKN140M14



4 011024

**STIRRER - TYPE WK - Ø 90 mm - 10 mm****Collomix®**

FR TURBINE POUR MALAXEUR - TYPE WK - Ø 90 mm - 10 mm
 NL MENGSTAAF - TYPE WK - Ø 90 mm - 10 mm
 DE COLLOMIX-RÜHRWERK - TYP WK - Ø 90 mm - 10 mm
 ES VARILLA MEZCLADORA - TIPO WK - Ø 90 mm - 10 mm

model: WK 90/500 S • mixing volume: 7-10 kg • paddle Ø: 90 mm • length: 500 mm • min. size drill chuck: 10 mm • mixer connection: - • output: 700 W



COWK90500S



4 011024 412072



STIRRER - TYPE WK - Ø 70 mm - 10 mm

FR TURBINE POUR MALAXEUR - TYPE WK - Ø 70 mm - 10 mm
NL MENGSTAAF - TYPE WK - Ø 70 mm - 10 mm
DE RÜHRER - TYP WK - Ø 70 mm - 10 mm
ES VARILLA MEZCLADORA - TIPO WK - Ø 70 mm - 10 mm


model: WK 70 S • mixing volume: 7 kg • paddle Ø: 70 mm • length: 400 mm
• min. size drill chuck: 10 mm • mixer connection: - • output: 400 W



COWK070S



4 011024 411006



STIRRER - TYPE WK - Ø 90 mm - 10 mm

FR TURBINE POUR MALAXEUR - TYPE WK - Ø 90 mm - 10 mm
NL MENGSTAAF - TYPE WK - Ø 90 mm - 10 mm
DE COLLOMIX-RÜHRWERK - TYP WK - Ø 90 mm - 10 mm
ES MEZCLADOR - TIPO WK - Ø 90 mm - 10 mm

perfect for concrete, screed, tile adhesive, epoxy resin and sand, mortar, plaster • capacity: 7 - 10 kg

length: 400 mm • stirrer diameter: 90 mm • shaft diameter: 10 mm • length: 400 mm • min. size drill chuck: 10 mm • mixer connection: - • output: 700 W



COWK090S



4 011024 412003



STIRRER - TYPE WK - Ø 100 mm - 13 mm

FR TURBINE POUR MALAXEUR - TYPE WK - Ø 100 mm - 13 mm
NL MENGSTAAF - TYPE WK - Ø 100 mm - 13 mm
DE RÜHRER - TYP WK - Ø 100 mm - 13 mm
ES VARILLA MEZCLADORA - TIPO WK - Ø 100 mm - 13 mm

model: WK 100 S • mixing volume: 10-15 kg • paddle Ø: 100 mm • length: 590 mm • min. size drill chuck: 13 mm • mixer connection: - • output: 800 W



COWK100S



4 011024 412584



STIRRER - TYPE WK - Ø 120 mm - 13 mm

FR TURBINE POUR MALAXEUR - TYPE WK - Ø 120 mm - 13 mm
NL MENGSTAAF - TYPE WK - Ø 120 mm - 13 mm
DE COLLOMIX-RÜHRWERK - TYP WK - Ø 120 mm - 13 mm
ES MEZCLADOR - TIPO WK - Ø 120 mm - 13 mm

perfect for concrete, screed, tile adhesive, epoxy resin and sand, mortar, plaster • capacity: 10 - 15 kg


length: 590 mm • stirrer diameter: 120 mm • shaft diameter: 13 mm • length: 590 mm • min. size drill chuck: 13 mm • mixer connection: - • output: 1000 W



COWK120S



4 011024 412508



STIRRER - TYPE WK - Ø 135 mm

FR TURBINE POUR MALAXEUR - TYPE WK - Ø 135 mm
NL MENGSTAAF - TYPE WK - Ø 135 mm
DE RÜHRER - TYP WK - Ø 135 mm
ES VARILLA MEZCLADORA - TIPO WK - Ø 135 mm

width: 135 mm • mixing volume: 16-30 kg • paddle Ø: 135 mm • length: 590 mm • min. size drill chuck: 13 mm • mixer connection: - • output: 600 W



COWK135S



4 011024 413000



STIRRER - TYPE WK - Ø 120 mm - HEXAFIX

FR TURBINE POUR MALAXEUR - TYPE WK - Ø 120 mm - HEXAFIX
NL MENGSTAAF - TYPE WK - Ø 120 mm - HEXAFIX
DE RÜHRER - TYP WK - Ø 120 mm - HEXAFIX
ES VARILLA MEZCLADORA - TIPO WK - Ø 120 mm - HEXAFIX


model: WK 120 HF • mixing volume: 15-25 kg • paddle Ø: 120 mm • length: 590 mm • min. size drill chuck: 16 mm • mixer connection: HEXAFIX® • output: 1000 W



COWK120HF



4 011024 401120



STIRRER - TYPE WK - Ø 140 mm - HEXAFIX

FR TURBINE POUR MALAXEUR - TYPE WK - Ø 140 mm - HEXAFIX
NL MENGSTAAF - TYPE WK - Ø 140 mm - HEXAFIX
DE RÜHRER - TYP WK - Ø 140 mm - HEXAFIX
ES VARILLA MEZCLADORA - TIPO WK - Ø 140 mm - HEXAFIX


model: WK 140 HF • mixing volume: 25-35 kg • paddle Ø: 135 mm • length: 590 mm • min. size drill chuck: 16 mm • mixer connection: HEXAFIX® • output: 1300 W



COWK140HF



4 011024 401137



STIRRER - TYPE WK - Ø 160 mm - HEXAFIX

FR TURBINE POUR MALAXEUR - TYPE WK - Ø 160 mm - HEXAFIX
NL MENGSTAAF - TYPE WK - Ø 160 mm - HEXAFIX
DE RÜHRER - TYP WK - Ø 160 mm - HEXAFIX
ES VARILLA MEZCLADORA - TIPO WK - Ø 160 mm - HEXAFIX


model: WK 160 HF • mixing volume: 35-60 kg • paddle Ø: 160 mm • length: 590 mm • min. size drill chuck: 16 mm • mixer connection: HEXAFIX® • output: 1600 W



COWK160HF



4 011024 401236



STIRRER - TYPE WK - Ø 120 mm - M14

FR TURBINE POUR MALAXEUR - TYPE WK - Ø 120 mm - M14
NL MENGSTAAF - TYPE WK - Ø 120 mm - M14
DE RÜHRER - TYP WK - Ø 120 mm - M14
ES VARILLA MEZCLADORA - TIPO WK - Ø 120 mm - M14

model: WK 120 M • mixing volume: 15-25 kg • paddle Ø: 120 mm • length: 590 mm • min. size drill chuck: - • mixer connection: M14 • output: 1000 W



COWK120M14



Collomix®

4 011024

**STIRRER - TYPE WK - Ø 135 mm - M14**

FR TURBINE POUR MALAXEUR - TYPE WK - Ø 135 mm - M14
 NL MENGSTAAF - TYPE WK - Ø 135 mm - M14
 DE RÜHRER - TYP WK - Ø 135 mm - M14
 ES VARILLA MEZCLADORA - TIPO WK - Ø 135 mm - M14

model: WK 140 M • mixing volume: 25-35 kg • paddle Ø: 135 mm • length: 590 mm • min. size drill chuck: - • mixer connection: M14 • output: 1300 W



COWK140M14

Collomix®



4 011024

**STIRRER - TYPE WK - Ø 160 mm - M14**

FR TURBINE POUR MALAXEUR - TYPE WK - Ø 160 mm - M14
 NL MENGSTAAF - TYPE WK - Ø 160 mm - M14
 DE RÜHRER - TYP WK - Ø 160 mm - M14
 ES VARILLA MEZCLADORA - TIPO WK - Ø 160 mm - M14

model: WK 160 M • mixing volume: 30-50 kg • paddle Ø: 160 mm • length: 590 mm • min. size drill chuck: - • mixer connection: M14 • output: -



COWK160M14

Collomix®



4 011024

**STIRRER - TYPE MK - Ø 100 mm - 13 mm**

FR TURBINE POUR MALAXEUR - TYPE MK - Ø 100 mm - 13 mm
 NL MENGSTAAF - TYPE MK - Ø 100 mm - 13 mm
 DE RÜHRER - TYP MK - Ø 100 mm - 13 mm
 ES VARILLA MEZCLADORA - TIPO MK - Ø 100 mm - 13 mm

model: MK 100 S • mixing volume: 10-15 kg • paddle Ø: 100 mm • length: 590 mm • min. size drill chuck: 13 mm • mixer connection: - • output: 700 W




COMK100S

Collomix®



4 011024 417008

**STIRRER - TYPE MK - Ø 120 mm - HEXAFIX**

FR TURBINE POUR MALAXEUR - TYPE MK - Ø 120 mm - HEXAFIX
 NL MENGSTAAF - TYPE MK - Ø 120 mm - HEXAFIX
 DE RÜHRER - TYP MK - Ø 120 mm - HEXAFIX
 ES VARILLA MEZCLADORA - TIPO MK - Ø 120 mm - HEXAFIX

model: MK 120 HF • mixing volume: 15-25 kg • paddle Ø: 120 mm • length: 590 mm • min. size drill chuck: 16 mm • mixer connection: HEXAFIX® • output: 1000 W




COMK120HF

Collomix®



4 011024 401144

**STIRRER - TYPE MK - Ø 140 mm - HEXAFIX**

FR TURBINE POUR MALAXEUR - TYPE MK - Ø 140 mm - HEXAFIX
 NL MENGSTAAF - TYPE MK - Ø 140 mm - HEXAFIX
 DE RÜHRER - TYP MK - Ø 140 mm - HEXAFIX
 ES VARILLA MEZCLADORA - TIPO MK - Ø 140 mm - HEXAFIX

model: MK 140 HF • mixing volume: 20-40 kg • paddle Ø: 135 mm • length: 590 mm • min. size drill chuck: 16 mm • mixer connection: HEXAFIX® • output: 1300 W




COMK140HF

Collomix®



4 011024 401151

**STIRRER - TYPE MK - Ø 160 mm - HEXAFIX**

FR TURBINE POUR MALAXEUR - TYPE MK - Ø 160 mm - HEXAFIX
 NL MENGSTAAF - TYPE MK - Ø 160 mm - HEXAFIX
 DE RÜHRER - TYP MK - Ø 160 mm - HEXAFIX
 ES VARILLA MEZCLADORA - TIPO MK - Ø 160 mm - HEXAFIX

model: MK 160 HF • mixing volume: 30-60 kg • paddle Ø: 160 mm • length: 590 mm • min. size drill chuck: 16 mm • mixer connection: HEXAFIX® • output: 1600 W




COMK160HF

Collomix®



4 011024 401168

**STIRRER - TYPE MK - Ø 120 mm - M14**

FR TURBINE POUR MALAXEUR - TYPE MK - Ø 120 mm - M14
 NL MENGSTAAF - TYPE MK - Ø 120 mm - M14
 DE RÜHRER - TYP MK - Ø 120 mm - M14
 ES VARILLA MEZCLADORA - TIPO MK - Ø 120 mm - M14

model: MK 120 M • mixing volume: 15-25 kg • paddle Ø: 120 mm • length: 590 mm • min. size drill chuck: - • mixer connection: M14 • output: 1000 W




COMK120M14

Collomix®



4 011024 417190

**STIRRER - TYPE MK - Ø 135 mm - M14**

FR TURBINE POUR MALAXEUR - TYPE MK - Ø 135 mm - M14
 NL MENGSTAAF - TYPE MK - Ø 135 mm - M14
 DE RÜHRER - TYP MK - Ø 135 mm - M14
 ES VARILLA MEZCLADORA - TIPO MK - Ø 135 mm - M14

model: MK 140 M • mixing volume: 20-40 kg • paddle Ø: 135 mm • length: 590 mm • min. size drill chuck: - • mixer connection: M14 • output: 1300 W



COMK140M14

Collomix®



4 011024 417497

**STIRRER - TYPE MK - Ø 160 mm - M14**

FR TURBINE POUR MALAXEUR - TYPE MK - Ø 160 mm - M14
 NL MENGSTAAF - TYPE MK - Ø 160 mm - M14
 DE RÜHRER - TYP MK - Ø 160 mm - M14
 ES VARILLA MEZCLADORA - TIPO MK - Ø 160 mm - M14

model: MK 160 M • mixing volume: 30-60 kg • paddle Ø: 160 mm • length: 590 mm • min. size drill chuck: - • mixer connection: M14 • output: 1600 W




COMK160M14

Collomix®



4 011024 417596



**STIRRER - TYPE MKN - Ø 120 mm
- HEXAFIX - NEGATIVE**

FR TURBINE POUR MALAXEUR - TYPE MKN
- Ø 120 mm - HEXAFIX - NÉGATIVE
NL MENGSTAAF - TYPE MKN - Ø 120 mm - HEXAFIX - NEGATIEF
DE RÜHRER - TYP MKN - Ø 120 mm - HEXAFIX
ES VARILLA MEZCLADORA - TIPO MKN - Ø 120 mm - HEXAFIX

model: MKN 120 HF • mixing volume: 15-25 kg • paddle Ø: 120 mm
• length: 590 mm • min. size drill chuck: 16 mm • mixer connection:
HEXAFIX® • output: 1000 W




COMKN120HF

Collomix®



4 011024



**STIRRER - TYPE MKN - Ø 160 mm
- HEXAFIX - NEGATIVE**

FR TURBINE POUR MALAXEUR - TYPE MKN
- Ø 160 mm - HEXAFIX - NÉGATIVE
NL MENGSTAAF - TYPE MKN - Ø 160 mm - HEXAFIX - NEGATIEF
DE RÜHRER - TYP MKN - Ø 160 mm - HEXAFIX
ES VARILLA MEZCLADORA - TIPO MKN - Ø 160 mm - HEXAFIX

model: MKN 160 HF • mixing volume: 30-60 kg • paddle Ø: 160 mm
• length: 590 mm • min. size drill chuck: 16 mm • mixer connection:
HEXAFIX® • output: 1600 W



COMKN160HF

Collomix®



4 011024



**STIRRER - TYPE MKN - Ø
160 mm - M14 - NEGATIVE**

FR TURBINE POUR MALAXEUR - TYPE
MKN - Ø 160 mm - M14 - NÉGATIVE
NL MENGSTAAF - TYPE MKN - Ø 160 mm - M14 - NEGATIEF
DE RÜHRER - TYP MKN - Ø 160 mm - M14
ES VARILLA MEZCLADORA - TIPO MKN - Ø 160 mm - M14

model: MKN 160 M • mixing volume: 30-60 kg • paddle Ø: 160 mm • length:
590 mm • min. size drill chuck: - • mixer connection: M14 • output: 1600 W



COMKN160M14

Collomix®



4 011024



STIRRER - TYPE LX - Ø 90 mm

FR TURBINE POUR MALAXEUR - TYPE LX - Ø 90 mm
NL MENGSTAAF - TYPE LX - Ø 90 mm
DE RÜHRER - TYP LX - Ø 90 mm
ES VARILLA MEZCLADORA - TIPO LX - Ø 90 mm

model: LX 90 S • mixing volume: 5-15 kg • paddle Ø: 90 mm • length:
500 mm • min. size drill chuck: 10 mm • mixer connection: - • output: 500 W



COLX90S

Collomix®



4 011024 409508



STIRRER - TYPE LX - Ø 120 mm

FR TURBINE POUR MALAXEUR - TYPE LX - Ø 120 mm
NL MENGSTAAF - TYPE LX - Ø 120 mm
DE RÜHRER - TYP LX - Ø 120 mm
ES VARILLA MEZCLADORA - TIPO LX - Ø 120 mm

model: LX 120 S • mixing volume: 15-25 kg • paddle Ø: 120 mm • length:
590 mm • min. size drill chuck: 13 mm • mixer connection: - • output:
1000 W



COLX120S

Collomix®



4 011024 409607



**STIRRER - TYPE LX - Ø
120 mm - HEXAFIX**

FR TURBINE POUR MALAXEUR - TYPE LX - Ø 120 mm - HEXAFIX
NL MENGSTAAF - TYPE LX - Ø 120 mm - HEXAFIX
DE RÜHRER - TYP LX - Ø 120 mm - HEXAFIX
ES VARILLA MEZCLADORA - TIPO LX - Ø 120 mm - HEXAFIX

model: LX 120 HF • mixing volume: 15-25 kg • paddle Ø: 120 mm • length:
590 mm • min. size drill chuck: 16 mm • mixer connection: HEXAFIX®
• output: 1000 W



COLX120HF

Collomix®



4 011024 401083



**STIRRER - TYPE DLX - Ø
120 mm - HEXAFIX**

FR TURBINE POUR MALAXEUR - TYPE DLX - Ø 120 mm - HEXAFIX
NL MENGSTAAF - TYPE DLX - Ø 120 mm - HEXAFIX
DE RÜHRER - TYP DLX - Ø 120 mm - HEXAFIX
ES VARILLA MEZCLADORA - TIPO DLX - Ø 120 mm - HEXAFIX

model: DLX 120 HF • mixing volume: 15-30 kg • paddle Ø: 120 mm
• length: 590 mm • min. size drill chuck: 16 mm • mixer connection:
HEXAFIX® • output: 1000 W



CODLX120HF

Collomix®



4 011024 401090



**STIRRER - TYPE DLX - Ø
150 mm - HEXAFIX**

FR TURBINE POUR MALAXEUR - TYPE DLX - Ø 150 mm - HEXAFIX
NL MENGSTAAF - TYPE DLX - Ø 150 mm - HEXAFIX
DE RÜHRER - TYP DLX - Ø 150 mm - HEXAFIX
ES VARILLA MEZCLADORA - TIPO DLX - Ø 150 mm - HEXAFIX

model: DLX 152 HF • mixing volume: 30-50 kg • paddle Ø: 150 mm
• length: 590 mm • min. size drill chuck: 16 mm • mixer connection:
HEXAFIX® • output: 1300 W



CODLX152HF

Collomix®



4 011024 409836



STIRRER - TYPE LX - Ø 120 mm - M14

FR TURBINE POUR MALAXEUR - TYPE LX - Ø 120 mm - M14
NL MENGSTAAF - TYPE LX - Ø 120 mm - M14
DE RÜHRER - TYP LX - Ø 120 mm - M14
ES VARILLA MEZCLADORA - TIPO LX - Ø 120 mm - M14

model: LX 120 M • mixing volume: 15-25 kg • paddle Ø: 120 mm • length:
590 mm • min. size drill chuck: - • mixer connection: M14 • output: 1000 W



COLX120M14

Collomix®



4 011024 409706

**STIRRER - TYPE DLX - Ø 150 mm - M14**

FR TURBINE POUR MALAXEUR - TYPE DLX - Ø 150 mm - M14
 NL MENGSTAAF - TYPE DLX - Ø 150 mm - M14
 DE RÜHRER - TYP DLX - Ø 150 mm - M14
 ES VARILLA MEZCLADORA - TIPO DLX - Ø 150 mm - M14

model: DLX 152 M • mixing volume: 30-50 kg • paddle Ø: 150 mm • length: 590 mm • min. size drill chuck: - • mixer connection: M14 • output: 1300 W



CODLX152M14

Collomix®



4 011024

409843

**STIRRER - TYPE KR - Ø 90 mm - 13 mm**

FR TURBINE POUR MALAXEUR - TYPE KR - Ø 90 mm - 13 mm
 NL MENGSTAAF - TYPE KR - Ø 90 mm - 13 mm
 DE RÜHRER - TYP KR - Ø 90 mm - 13 mm
 ES VARILLA MEZCLADORA - TIPO KR - Ø 90 mm - 13 mm

model: KR 90 S • mixing volume: 5-15 kg • paddle Ø: 90 mm • length: 590 mm • min. size drill chuck: 13 mm • mixer connection: - • output: 800 W




COKR90S

Collomix®



4 011024 416216

**STIRRER - TYPE KR - Ø 120 mm - 13 mm**

FR TURBINE POUR MALAXEUR - TYPE KR - Ø 120 mm - 13 mm
 NL MENGSTAAF - TYPE KR - Ø 120 mm - 13 mm
 DE RÜHRER - TYP KR - Ø 120 mm - 13 mm
 ES VARILLA MEZCLADORA - TIPO KR - Ø 120 mm - 13 mm

model: KR 120 S • mixing volume: 15-25 kg • paddle Ø: 120 mm • length: 590 mm • min. size drill chuck: 13 mm • mixer connection: - • output: 1000 W




COKR120S

Collomix®



4 011024 416308

**STIRRER - TYPE KR - Ø 120 mm - HEXAFIX**

FR TURBINE POUR MALAXEUR - TYPE KR - Ø 120 mm - HEXAFIX
 NL MENGSTAAF - TYPE KR - Ø 120 mm - HEXAFIX
 DE RÜHRER - TYP KR - Ø 120 mm - HEXAFIX
 ES VARILLA MEZCLADORA - TIPO KR - Ø 120 mm - HEXAFIX

model: KR 120 HF • mixing volume: 15-25 kg • paddle Ø: 120 mm • length: 590 mm • min. size drill chuck: 16 mm • mixer connection: HEXAFIX® • output: 1000 W



COKR120HF

Collomix®



4 011024 401205

**STIRRER - TYPE KR - Ø 140 mm - HEXAFIX**

FR TURBINE POUR MALAXEUR - TYPE KR - Ø 140 mm - HEXAFIX
 NL MENGSTAAF - TYPE KR - Ø 140 mm - HEXAFIX
 DE RÜHRER - TYP KR - Ø 140 mm - HEXAFIX
 ES VARILLA MEZCLADORA - TIPO KR - Ø 140 mm - HEXAFIX

model: KR 140 HF • mixing volume: 25-35 kg • paddle Ø: 140 mm • length: 590 mm • min. size drill chuck: 16 mm • mixer connection: HEXAFIX® • output: 1300 W



COKR140HF

Collomix®



4 011024 401212

**STIRRER - TYPE KR - Ø 160 mm - HEXAFIX**

FR TURBINE POUR MALAXEUR - TYPE KR - Ø 160 mm - HEXAFIX
 NL MENGSTAAF - TYPE KR - Ø 160 mm - HEXAFIX
 DE RÜHRER - TYP KR - Ø 160 mm - HEXAFIX
 ES VARILLA MEZCLADORA - TIPO KR - Ø 160 mm - HEXAFIX

model: KR 160 HF • mixing volume: 35-50 kg • paddle Ø: 160 mm • length: 590 mm • min. size drill chuck: 16 mm • mixer connection: HEXAFIX® • output: 1600 W




COKR160HF

Collomix®



4 011024 401229

**STIRRER - TYPE KR - Ø 120 mm - M14**

FR TURBINE POUR MALAXEUR - TYPE KR - Ø 120 mm - M14
 NL MENGSTAAF - TYPE KR - Ø 120 mm - M14
 DE RÜHRER - TYP KR - Ø 120 mm - M14
 ES VARILLA MEZCLADORA - TIPO KR - Ø 120 mm - M14

model: KR 120 M • mixing volume: 15-25 kg • paddle Ø: 120 mm • length: 590 mm • min. size drill chuck: - • mixer connection: M14 • output: 1000 W




COKR120M14

Collomix®



4 011024 416315

**STIRRER - TYPE KR - Ø 140 mm - M14**

FR TURBINE POUR MALAXEUR - TYPE KR - Ø 140 mm - M14
 NL MENGSTAAF - TYPE KR - Ø 140 mm - M14
 DE RÜHRER - TYP KR - Ø 140 mm - M14
 ES VARILLA MEZCLADORA - TIPO KR - Ø 140 mm - M14

model: KR 140 M • mixing volume: 25-35 kg • paddle Ø: 140 mm • length: 590 mm • min. size drill chuck: - • mixer connection: M14 • output: 1300 W



COKR140M14

Collomix®



4 011024 416353

**STIRRER - TYPE KR - Ø 160 mm - M14**

FR TURBINE POUR MALAXEUR - TYPE KR - Ø 160 mm - M14
 NL MENGSTAAF - TYPE KR - Ø 160 mm - M14
 DE RÜHRER - TYP KR - Ø 160 mm - M14
 ES VARILLA MEZCLADORA - TIPO KR - Ø 160 mm - M14

model: KR 160 M • mixing volume: 35-50 kg • paddle Ø: 160 mm • length: 590 mm • min. size drill chuck: - • mixer connection: M14 • output: 1600 W



COKR160M14

Collomix®



4 011024 416360

**STIRRER - TYPE MM - Ø 85 mm - M14**

FR TURBINE POUR MALAXEUR - TYPE MM - Ø 85 mm - M14
 NL MENGSTAAF - TYPE MM - Ø 85 mm - M14
 DE RÜHRER - TYP MM - Ø 85 mm - M14
 ES VARILLA MEZCLADORA - TIPO MM - Ø 85 mm - M14

model: MM 85 S • mixing volume: 5-10 kg • paddle Ø: 85 mm • length: 400 mm • min. size drill chuck: 10 mm • mixer connection: - • output: 500 W



COMM085S

Collomix®



4 011024 416506



STIRRER - TYPE MM - Ø
105 mm - 13 mm

FR TURBINE POUR MALAXEUR - TYPE MM - Ø 105 mm - 13 mm
NL MENGSTAAF - TYPE MM - Ø 105 mm - 13 mm
DE RÜHRER - TYP MM - Ø 105 mm - 13 mm
ES VARILLA MEZCLADORA - TIPO MM - Ø 105 mm - 13 mm

model: MM 115 S • mixing volume: 10-15 kg • paddle Ø: 105 mm • length: 590 mm • min. size drill chuck: 13 mm • mixer connection: - • output: 750 W




COMM115S



4 011024 416520

Collomix®



STIRRER - TYPE MM - Ø 105 mm - M14

FR TURBINE POUR MALAXEUR - TYPE MM - Ø 105 mm - M14
NL MENGSTAAF - TYPE MM - Ø 105 mm - M14
DE RÜHRER - TYP MM - Ø 105 mm - M14
ES VARILLA MEZCLADORA - TIPO MM - Ø 105 mm - M14

model: MM 115 M • mixing volume: 10-15 kg • paddle Ø: 105 mm • length: 590 mm • min. size drill chuck: - • mixer connection: M14 • output: 750 W



COMM115M14



4 011024 416599

Collomix®



STIRRER - TYPE KRK - Ø
60 mm - 10 mm

FR TURBINE POUR MALAXEUR - TYPE KRK - Ø 60 mm - 10 mm
NL MENGSTAAF - TYPE KRK - Ø 60 mm - 10 mm
DE RÜHRER - TYP KRK - Ø 60 mm - 10 mm
ES VARILLA MEZCLADORA - TIPO KRK - Ø 60 mm - 10 mm

model: KRK 60 • mixing volume: 5 kg • paddle Ø: 60 mm • length: 350 mm • min. size drill chuck: 10 mm • mixer connection: - • output: 500 W



COKRK060



4 011024 400000

Collomix®



STIRRER - TYPE KRK - Ø
80 mm - 10 mm

FR TURBINE POUR MALAXEUR - TYPE KRK - Ø 80 mm - 10 mm
NL MENGSTAAF - TYPE KRK - Ø 80 mm - 10 mm
DE RÜHRER - TYP KRK - Ø 80 mm - 10 mm
ES VARILLA MEZCLADORA - TIPO KRK - Ø 80 mm - 10 mm

model: KRK 80 S • mixing volume: 5-15 kg • paddle Ø: 80 mm • length: 400 mm • min. size drill chuck: 10 mm • mixer connection: - • output: 500 W



COKRK080S



4 011024 400055

Collomix®



STIRRER - TYPE FM - Ø 60 mm

FR TURBINE POUR MALAXEUR - TYPE FM - Ø 60 mm
NL MENGSTAAF - TYPE FM - Ø 60 mm
DE RÜHRER - TYP FM - Ø 60 mm
ES VARILLA MEZCLADORA - TIPO FM - Ø 60 mm

model: FM 60 S • mixing volume: 5 kg • paddle Ø: 60 mm • length: 400 mm • min. size drill chuck: 10 mm • mixer connection: - • output: 500 W



COFM060S



4 011024 408808

Collomix®



STIRRER - TYPE FM - Ø 80 mm

FR TURBINE POUR MALAXEUR - TYPE FM - Ø 80 mm
NL MENGSTAAF - TYPE FM - Ø 80 mm
DE RÜHRER - TYP FM - Ø 80 mm
ES VARILLA MEZCLADORA - TIPO FM - Ø 80 mm

model: FM 80 S • mixing volume: 5-10 kg • paddle Ø: 80 mm • length: 400 mm • min. size drill chuck: 10 mm • mixer connection: - • output: 500 W



COFM080S



4 011024 408815

Collomix®



STIRRER - TYPE FM - Ø 100 mm

FR TURBINE POUR MALAXEUR - TYPE FM - Ø 100 mm
NL MENGSTAAF - TYPE FM - Ø 100 mm
DE RÜHRER - TYP FM - Ø 100 mm
ES VARILLA MEZCLADORA - TIPO FM - Ø 100 mm

model: FM 100 S • mixing volume: 10-25 kg • paddle Ø: 100 mm • length: 590 mm • min. size drill chuck: 13 mm • mixer connection: - • output: 800 W



COFM100S



4 011024 408822

Collomix®



STIRRER - TYPE FM - Ø 100 mm - M14

FR TURBINE POUR MALAXEUR - TYPE FM - Ø 100 mm - M14
NL MENGSTAAF - TYPE FM - Ø 100 mm - M14
DE RÜHRER - TYP FM - Ø 100 mm - M14
ES VARILLA MEZCLADORA - TIPO FM - Ø 100 mm - M14

model: FM 100 M • mixing volume: 10-25 kg • paddle Ø: 100 mm • length: 590 mm • min. size drill chuck: - • mixer connection: M14 • output: 800 W



COFM100M14



4 011024 408846

Collomix®



STIRRER - TYPE FM - Ø 120 mm - M14

FR TURBINE POUR MALAXEUR - TYPE FM - Ø 120 mm - M14
NL MENGSTAAF - TYPE FM - Ø 120 mm - M14
DE RÜHRER - TYP FM - Ø 120 mm - M14
ES VARILLA MEZCLADORA - TIPO FM - Ø 120 mm - M14

model: FM 120 M • mixing volume: 20-30 kg • paddle Ø: 120 mm • length: 590 mm • min. size drill chuck: - • mixer connection: M14 • output: 1000 W



COFM120M14



4 011024 408860

Collomix®



STIRRER - TYPE FM - Ø 120 mm

FR TURBINE POUR MALAXEUR - TYPE FM - Ø 120 mm
NL MENGSTAAF - TYPE FM - Ø 120 mm
DE RÜHRER - TYP FM - Ø 120 mm
ES VARILLA MEZCLADORA - TIPO FM - Ø 120 mm

model: FM 120 S • mixing volume: 20-30 kg • paddle Ø: 120 mm • length: 590 mm • min. size drill chuck: 13 mm • mixer connection: - • output: 1000 W



COFM120S



4 011024 408839

Collomix®



STIRRER - TYPE RK - Ø 60 mm

FR TURBINE POUR MALAXEUR - TYPE RK - Ø 60 mm
 NL MENGSTAAF - TYPE RK - Ø 60 mm
 DE RÜHRER - TYP RK - Ø 60 mm
 ES VARILLA MEZCLADORA - TIPO RK - Ø 60 mm

model: - ● mixing volume: - ● paddle Ø: - ● length: - ● min. size drill chuck:
 - ● mixer connection: - ● output: -



CORK060

Collomix®



STIRRER - TYPE FM - Ø 120 mm - HEXAFIX

FR TURBINE POUR MALAXEUR - TYPE FM - Ø 120 mm - HEXAFIX
 NL MENGSTAAF - TYPE FM - Ø 120 mm - HEXAFIX
 DE RÜHRER - TYP FM - Ø 120 mm - HEXAFIX
 ES VARILLA MEZCLADORA - TIPO - Ø 120 mm - HEXAFIX

model: FM 120 HF ● mixing volume: 20-30 kg ● paddle Ø: 120 mm ● length:
 590 mm ● min. size drill chuck: 16 mm ● mixer connection: HEXAFIX®
 ● output: 1000 W



COFM120HF



4 011024 401021

Collomix®



STIRRER - TYPE RK - Ø 120 mm - INOX

FR TURBINE POUR MALAXEUR - TYPE RK - Ø 120 mm - INOX
 NL MENGSTAAF - TYPE RK - Ø 120 mm - INOX
 DE RÜHRER - TYP RK - Ø 120 mm - EDELSTAHL
 ES VARILLA MEZCLADORA - TIPO RK - Ø 120 mm - ACERO INOXIDABLE

model: RK 120 S-N ● mixing volume: 15-30 kg ● paddle Ø: 120 mm ● length:
 590 mm ● min. size drill chuck: 13 mm ● mixer connection: - ● output: 900 W




CORK120S-N



4 011024 402059

Collomix®



STIRRER - TYPE WK - Ø 120 mm

FR TURBINE POUR MALAXEUR - TYPE WK - Ø 120 mm
 NL MENGSTAAF - TYPE WK - Ø 120 mm
 DE RÜHRER - TYP WK - Ø 120 mm
 ES VARILLA MEZCLADORA - TIPO WK - Ø 120 mm

model: WK 120 S-N ● mixing volume: 10-15 kg ● paddle Ø: 120 mm
 ● length: 590 mm ● min. size drill chuck: 13 mm ● mixer connection: -
 ● output: 700 W



COWK120S-N



4 011024 412553

Collomix®



STIRRER - TYPE WK - Ø 120 mm - INOX - M14

FR TURBINE POUR MALAXEUR - TYPE WK - Ø INOX - 120 mm - M14
 NL MENGSTAAF - TYPE WK - INOX - Ø 120 mm - M14
 DE RÜHRER - TYP WK - Ø 120 mm - EDELSTAHL - M14
 ES VARILLA MEZCLADORA - TIPO WK - Ø 120 mm - ACERO INOXIDABLE - M14

model: WK 120-N ● mixing volume: 10-15 kg ● paddle Ø: 120 mm ● length:
 590 mm ● min. size drill chuck: - ● mixer connection: M14 ● output: 900 W



COWK120M14-N



412782



4 011024

Collomix®



STIRRER - TYPE MK - Ø 135 mm - M14 - INOX

FR TURBINE POUR MALAXEUR - TYPE MK - Ø 135 mm - M14 - INOX
 NL MENGSTAAF - TYPE MK - Ø 135 mm - M14 - INOX
 DE RÜHRER - TYP MK - Ø 135 mm - M14 - EDELSTAHL
 ES VARILLA MEZCLADORA - TIPO MK - Ø 135 mm - M14 - ACERO INOXIDABLE

model: MK 140-N ● mixing volume: 25-40kg ● paddle Ø: 135 mm ● length:
 590 mm ● min. size drill chuck: - ● mixer connection: M14 ● output: 1000 W



COMK140M14-N



417695



4 011024

Collomix®



STIRRER - TYPE MK - STAINLESS STEEL - Ø 160 mm - M14

FR TURBINE POUR MALAXEUR - TYPE MK - Ø 160 mm - M14 - INOX
 NL MENGSTAAF - TYPE MK - Ø 160 mm - M14 - INOX
 DE RÜHRER - TYP MK - EDELSTAHL - Ø 160 mm - M14
 ES VARILLA MEZCLADORA - TIPO MK - ACERO INOXIDABLE - Ø 160 mm - M14

model: WK 160-N ● mixing volume: 30-60 kg ● paddle Ø: 160 mm ● length:
 590 mm ● min. size drill chuck: - ● mixer connection: M14 ● output: 1200 W



COMK160M14-N




417794



4 011024

Collomix®



STIRRER - TYPE MKD - DUO - Ø 190 mm - HEXAFIX - Xo/CX

FR TURBINE POUR MALAXEUR - TYPE MKD - DUO - Ø 190 mm - HEXAFIX - Xo/CX
 NL MENGSTAAF - TYPE MKD - DUO - Ø 190 mm - HEXAFIX - Xo/CX
 DE RÜHRER - TYP MKD - DUO - Ø 190 mm - HEXAFIX
 ES VARILLA MEZCLADORA - TIPO MKD - DUO - Ø 190 mm - HEXAFIX

model: MKD 120 HF ● mixing volume: 20-50 kg ● paddle Ø: 190 mm
 ● length: 547 mm ● min. size drill chuck: - ● mixer connection: HEXAFIX®
 ● output: -



COMKD120HF



440709



4 011024

Collomix®



STIRRER - TYPE MKD - DUO - Ø 210 mm - HEXAFIX - Xo/CX

FR TURBINE POUR MALAXEUR - TYPE MKD - DUO - Ø 210 mm - HEXAFIX - Xo/CX
 NL MENGSTAAF - TYPE MKD - DUO - Ø 210 mm - HEXAFIX - Xo/CX
 DE RÜHRER - TYP MKD - DUO - Ø 210 mm - HEXAFIX
 ES VARILLA MEZCLADORA - TIPO MKD - DUO - Ø 210 mm - HEXAFIX

model: MKD 140 HF ● mixing volume: 40-90 kg ● paddle Ø: 210 mm
 ● length: 547 mm ● min. size drill chuck: - ● mixer connection: HEXAFIX®
 ● output: -



COMKD140HF



440808



4 011024

Collomix®



MIXER - XO1 - 1010 W - WITH STIRRER WK 120 - HEXAFIX

Collomix®

FR MÉLANGEUR - XO1 - 1010 W - AVEC TURBINE WK120 - HEXAFIX
NL MENGMACHINE - XO1 - 1010 W - MET MENGSTAAF WK120 - HEXAFIX
DE HANDRÜHRWERK - XO1 - 1010 W - MIT RÜHRER WK 120 - HEXAFIX
ES MEZCLADORA MANUAL - XO1 - 1010 W - CON VARILLA MEZCLADORA WK 120 - HEXAFIX

compact and lightweight 1-gear device for a variety of mixing tasks • with outstanding ergonomics • high-performance components for long, reliable use • WK stirrers for mortar, plaster, screed and much more (for other materials, we recommend the appropriate stirrer geometries)

with stirrer: WK 120 HF • voltage: 230 • Watt output: 1010 • amperage: 4.4 • gear: 1 • RPM under load: 680 • weight (stirrer incl.): 5.3 kg • mixing volume: 40 L



COXO1HF



4 011024 204004



MIXER - XO1 - 1010 W - WITH STIRRER WK120 - M14

Collomix®

FR MÉLANGEUR - XO1 - 1010 W - AVEC TURBINE WK120 - M14
NL MENGMACHINE - XO1 - 1010 W - MET MENGSTAAF WK120 - M14
DE HANDRÜHRWERK - XO1 - 1010 W - MIT RÜHRER WK120 - M14
ES MEZCLADORA MANUAL - XO1 - 1010 W - CON VARILLA MEZCLADORA WK120 - M14

compact and lightweight 1-gear device for a variety of mixing tasks • with outstanding ergonomics • high-performance components for long, reliable use • WK stirrers for mortar, plaster, screed and much more (for other materials, we recommend the appropriate stirrer geometries)

with stirrer: WK 120 M • voltage: 230 • Watt output: 1010 • amperage: 4.4 • gear: 1 • RPM under load: 680 • weight (stirrer incl.): 5.3 kg • mixing volume: 40 L



COXO1M14



4 011024 204066



MIXER - XO4 - 1300 W - WITH STIRRER - WK140 - HEXAFIX

Collomix®

FR MÉLANGEUR - XO4 - 1300 W - AVEC TURBINE WK140 - HEXAFIX
NL MENGMACHINE - XO4 - 1300 W - MET MENGSTAAF WK140 - HEXAFIX
DE HANDRÜHRWERK - XO4 - 1300 W - MIT RÜHRER - WK140 - HEXAFIX
ES MEZCLADORA MANUAL - XO4 - 1300 W - CON VARILLA MEZCLADORA - WK140 - HEXAFIX

robust mixer meeting universal requirements • excellent ergonomics due to upright working position • powerful and penetrating for all material viscosities • 2-gear transmission for maximum torque • WK stirrer for mortar, plaster, screed and much more (for other materials, we recommend the appropriate stirrer geometries)

with stirrer: WK 140 HF • voltage: 230 • Watt output: 1300 • amperage: 5.6 • gears: 2 • RPM under load: 450/620 • weight (stirrer incl.): 6.2 kg • mixing volume: 65 L



COXO4HF



4 011024 204127



MIXER - XO4 - 1300 W - WITH STIRRER - WK140 - M14

Collomix®

FR MÉLANGEUR - XO4 - 1300 W - AVEC TURBINE WK140 - M14
NL MENGMACHINE - XO4 - 1300 W - MET MENGSTAAF WK140 - M14
DE HANDRÜHRWERK - XO4 - 1300 W - MIT RÜHRER - WK140 - M14
ES MEZCLADORA MANUAL - XO4 - 1300 W - CON VARILLA MEZCLADORA - WK140 - M14

robust mixer meeting universal requirements • excellent ergonomics due to upright working position • powerful and penetrating for all material viscosities • 2-gear transmission for maximum torque • WK stirrer for mortar, plaster, screed and much more (for other materials, we recommend the appropriate stirrer geometries)

with stirrer: WK 140 M • voltage: 230 • Watt output: 1300 • amperage: 5.6 • gears: 2 • RPM under load: 450/620 • weight (stirrer incl.): 6.2 kg • mixing volume: 65 L



COXO4M14



4 011024 204189

**MIXER - XO55 DUO - 1450 W - WITH Collomix® STIRRER MKD140 - HEXAFIX**

FR MÉLANGEUR - XO55 DUO - 1450 W - AVEC TURBINE MKD 140 - HEXAFIX
 NL MENG MACHINE - XO55 DUO - 1450 W - MET MENGSTAAF MKD 140 - HEXAFIX
 DE HANDRÜHRWERK - XO55 DUO - 1450 W - MIT RÜHRER MKD140 - HEXAFIX
 ES MEZCLADORA MANUAL - XO55 DUO - 1450 W - CON VARILLA MEZCLADORA MKD140 - HEXAFIX

hand-controlled forced-action mixer with counter-rotating stirrers • intensive, fast, thorough mixing • easy to handle: no back-driving torque acting on the operator • excellent ergonomics due to upright working position • acceleration electronics for continuously variable rotational speed control • HEXAFIX® fast coupling

with stirrer: MKD 140 HF • voltage: 230 • Watt output: 1450 • amperage: 6.3 • gears: 1 • RPM under load: 470 • weight (stirrer incl.): 7.9 kg • mixing volume: 90 l



COXO55DUO

**MIXER - XO6 - 1600 W - WITH Collomix® STIRRER MK160 - HEXAFIX**

FR MÉLANGEUR - XO6 - 1600 W - AVEC TURBINE MK160 - HEXAFIX
 NL MENG MACHINE - XO6 - 1600 W - MET MENGSTAAF MK160 - HEXAFIX
 DE HANDRÜHRWERK - XO6 - 1600 W - MIT RÜHRER MK160 - HEXAFIX
 ES MEZCLADORA MANUAL - XO6 - 1600 W - CON VARILLA MEZCLADORA MK160 - HEXAFIX

the power package for the demanding professional • for high performance work in mixing volumes • 2-gear transmissions for maximum torque • excellent ergonomics due to upright working position • MK stirrer for concrete, heavy mortar, epoxy resin mortar, and much more (for other materials, we recommend the appropriate stirrer geometries)

with stirrer: MK 160 HF • voltage: 230 • Watt output: 1600 • amperage: 7.0 • gears: 2 • RPM under load: 410/580 • weight (stirrer incl.): 7.0 • mixing volume: 90 l



COXO6HF

**MIXER - XO6 - 1600 W - WITH Collomix® STIRRER MK160 - M14**

FR MÉLANGEUR - XO6 - 1600 W - AVEC TURBINE MK160 - M14
 NL MENG MACHINE - XO6 - 1600 W - MET MENGSTAAF MK160 - M14
 DE HANDRÜHRWERK - XO6 - 1600 W - MIT RÜHRER MK160 - M14
 ES MEZCLADORA MANUAL - XO6 - 1600 W - CON VARILLA MEZCLADORA MK160 - M14

the power package for the demanding professional • for high performance work in mixing volumes • 2-gear transmissions for maximum torque • excellent ergonomics due to upright working position • MK stirrer for concrete, heavy mortar, epoxy resin mortar, and much more (for other materials, we recommend the appropriate stirrer geometries)

with stirrer: MK 160 M • voltage: 230 • Watt output: 1600 • amperage: 7.0 • gears: 2 • RPM under load: 410/580 • weight (stirrer incl.): 7.0 • mixing volume: 90 L



COXO6M14


**MIXER - CX 100 HF - 1000 W Collomix®**

FR MÉLANGEUR - CX 100 HF - 1000 W
 NL MENG MACHINE - CX 100 HF - 1000 W
 DE HANDRÜHRWERK - CX 100 HF - 1000 W
 ES MEZCLADORA MANUAL - CX 100 HF - 1000 W



COCX100HF





HEXAFIX ADAPTER - FOR USE ON M14

FR ADAPTATEUR HEXAFIX - POUR MONTAGE SUR M14
NL HEXAFIX-ADAPTER - VOOR MONTAGE OP M14 SCHROEFDRAAD
DE HEXAFIX-ADAPTER - FÜR M14-GEWINDE
ES ADAPTADOR HEXAFIX - PARA ROSCA M14



CO49517



4 011024 495174

Collomix®



COMBI ADAPTER - FROM HEXAFIX TO M14

FR ADAPTATEUR - HEXAFIX VERS M14
NL COMBI-ADAPTER - VAN HEXAFIX NAAR M14
DE KOMBI-ADAPTER - HEXAFIX AUF M14
ES ADAPTADOR COMBINADO - DE HEXAFIX A M14




CO49582



4 011024 495822

Collomix®



EXTENSION - 100 mm - FOR HEXAFIX CONNECTIONS

FR RALLONGE - 100 mm - POUR COUPLEUR HEXAFIX
NL VERLENGSTUK - 100 mm - VOOR HEXAFIX-KOPPELING
DE VERLÄNGERUNG - 100 mm - FÜR HEXAFIX-KUPPLUNGEN
ES PIEZA ADICIONAL - 100 mm - PARA ACOPLAMIENTOS HEXAFIX



CO49516



4 011024 495167

Collomix®



MIXING TUB - 30 L

FR SEAU MÉLANGEUR - 30 L
NL MENGEMMER - 30 L
DE MISCHBEIMER - 30 l
ES CUBO DE MEZCLA - 30 l



CO60173



4 011024 601735

Collomix®



MORTAR TUBE - 65 L - COMPATIBLE WITH TROLLEY CO70183

FR CUVE DE CHANTIER - 65 L - POUR CHARIOT CO70183
NL MORTELKRUIP - 65 L - VOOR TRANSPORTKAR CO70183
DE MÖRTELEIMER - 65 l - PASSEND ZUM TRANSPORTWAGEN CO70183
ES CUBO DE MORTERO - 65 l - APTO PARA EL CARRO DE TRANSPORTE CO70183



CO60403



4 011024 604033

Collomix®



ADAPTER

FR RACCORD
NL VERBINDINGSSTUK
DE ADAPTER
ES ADAPTADOR




CO49507



4 011024 495075

Collomix®



MIXERCLEAN

FR MIXERCLEAN
NL MIXERCLEAN
DE MIXER-CLEAN
ES MIXER-CLEAN

Collomix®

For simple, fast cleaning. After the mixing, dip the stirrer in the bucket filled with water and let the mixer run for a short time. The brushes thoroughly remove the material residue. The cover can be removed for emptying. For stirrers with a max. Ø of 210 mm, also for duo stirrers. Robust 30-liter bucket with carrier handle; solid cover plate made of metal integrated with a pair of brushes.

weight: 4.4 kg



CO46002



4 011024 460028



WELDING & SOLDERING

SOUWAGE & BRASAGE
LASSEN & SOLDEREN
SCHWEISSEN UND LÖTEN
SOLDADURA & SOLDADORES


**RUTILE ELECTRODES -
1.6 x 250 mm - 24 pcs**

FR ÉLECTRODES - 1.6 x 250 mm - 24 pcs
NL LASELEKTRODEN - 1.6 x 250 mm - 24 STUKS
DE RUTIL UMHÜLLTE ELEKTRODEN - 1.6 x 250 mm - 24-tlg.
ES ELECTRODOS DE RUTIL - 1.6 x 250 mm - 24 uds.

24 pcs

dimensions: 1.6 x 250 mm



TW95016


Toolland
a land of possibilities

**RUTILE ELECTRODES -
2.0 x 350 mm - 23 pcs**

FR ÉLECTRODES RUTILES - 2.0 x 350 mm - 23 pcs
NL RUTIELE ELEKTRODEN - 2.0 x 350 mm - 23 stuks
DE RUTIL UMHÜLLTE ELEKTRODEN 2.0 x 350 mm - 23 ST.
ES ELECTRODOS DE RUTIL - 2.0 x 350 mm - 23 piezas

23 pieces • universal use • 23 pcs

diameter: 2 mm • length: 350 mm • dimensions: 2.0 x 350 mm



TW95020


Toolland
a land of possibilities

**RUTILE ELECTRODES -
2.5 x 350 mm - 23 pcs**

FR ÉLECTRODES RUTILES - 2.5 x 350 mm - 23 pcs
NL RUTIELE ELEKTRODEN - 2.5 x 350 mm - 23 stuks
DE RUTIL UMHÜLLTE ELEKTRODEN 2.5 x 350 mm - 23 ST.
ES ELECTRODOS DE RUTIL - 2.5 x 350 mm - 23 piezas

23 pieces • universal use • 23 pcs

diameter: 2.5 mm • length: 350 mm • dimensions: 2.5 x 350 mm



TW95025


Toolland
a land of possibilities

**RUTILE ELECTRODES -
3.2 x 350 mm - 14 pcs**

FR ÉLECTRODES RUTILES - 3.2 x 350 mm - 14 pcs
NL RUTIELE ELEKTRODEN - 3.2 x 350 mm - 14 stuks
DE RUTIL UMHÜLLTE ELEKTRODEN 3.2 x 350 mm - 14 ST.
ES ELECTRODOS DE RUTIL - 3.2 x 350 mm - 14 piezas

14 pieces • universal use

diameter: 3.2 mm • length: 350 mm



TW95032


Toolland
a land of possibilities

**RUTILE ELECTRODES -
2.5 x 350 mm - 4 pcs**

FR ÉLECTRODES - 2.5 x 350 mm - 4 pcs
NL LASELEKTRODEN - 2.5 x 350 mm - 4 STUKS
DE RUTIL UMHÜLLTE ELEKTRODEN - 2.5 x 350 mm - 4-tlg.
ES ELECTRODOS DE RUTIL - 2.5 x 350 mm - 4 uds.

4 pcs

dimensions: 2.5 x 350 mm



TW95125


Toolland
a land of possibilities

**RUTILE ELECTRODES -
2.0 x 250 mm - 11 pcs**

FR ÉLECTRODES RUTILES - 2.0 x 250 mm - 11 pcs
NL RUTIELE ELEKTRODEN - 2.0 x 250 mm - 11 stuks
DE RUTIL UMHÜLLTE ELEKTRODEN 2.0 x 250 mm - 11 ST.
ES ELECTRODOS DE RUTIL - 2.0 x 250 mm - 11 piezas

11 pieces • use for stainless steel

diameter: 2.0 mm • length: 250 mm



TW95220


Toolland
a land of possibilities

**RUTILE ELECTRODES -
2.5 x 300 mm - 8 pcs**

FR ÉLECTRODES RUTILES - 2.5 x 300 mm - 8 pcs
NL RUTIELE ELEKTRODEN - 2.5 x 300 mm - 8 stuks
DE RUTIL UMHÜLLTE ELEKTRODEN 2.5 x 300 mm - 8 ST.
ES ELECTRODOS DE RUTIL - 2.5 x 300 mm - 8 piezas

8 pieces • use for stainless steel

diameter: 2.5 mm • length: 300 mm



TW95225


Toolland
a land of possibilities

**RUTILE ELECTRODES -
3.2 x 350 mm - 5 pcs**

FR ÉLECTRODES - 3.2 x 350 mm - 5 pcs
NL LASELEKTRODEN - 3.2 x 350 mm - 5 STUKS
DE RUTIL UMHÜLLTE ELEKTRODEN - 3.2 x 350 mm - 5-tlg.
ES ELECTRODOS DE RUTIL - 3.2 x 350 mm - 5 uds.

5 pcs

dimensions: 3.2 x 350 mm



TW95232


Toolland
a land of possibilities



**ELECTRODE - UNIVERSAL
USE - 2 x 300 mm - 1 kg**

FR ELECTRODE - USAGE UNIVERSEL - 2 x 300 mm - 1 kg
NL ELEKTRODE - UNIVERSEEL GEBRUIK - 2 x 300 mm - 1 kg
DE ELEKTRODE - ALLGEMEINE ANWENDUNG - 2 x 300 mm - 1 kg
ES ELECTRODO - USO UNIVERSAL - 2 x 300 mm - 1 kg



TW96020



3 144310 815408



**ELECTRODE - UNIVERSAL
USE - 2.5 x 350 mm - 1 kg**

FR ELECTRODE - USAGE UNIVERSEL - 2.5 x 350 mm - 1 kg
NL ELEKTRODE - UNIVERSEEL GEBRUIK - 2.5 x 350 mm - 1 kg
DE ELEKTRODE - ALLGEMEINE ANWENDUNG - 2.5 x 350 mm - 1 kg
ES ELECTRODO - USO UNIVERSAL - 2.5 x 350 mm - 1 kg



TW96025



3 144310 021373



**ELECTRODE - UNIVERSAL
USE - 3.2 x 350 mm - 1 kg**

FR ELECTRODE - USAGE UNIVERSEL - 3.2 x 350 mm - 1 kg
NL ELEKTRODE - UNIVERSEEL GEBRUIK - 3.2 x 350 mm - 1 kg
DE ELEKTRODE - ALLGEMEINE ANWENDUNG - 3.2 x 350 mm - 1 kg
ES ELECTRODO - USO UNIVERSAL - 3.2 x 350 mm - 1 kg



TW96032



3 144310 035943



**ELECTRODE - UNIVERSAL
USE - 2.5 x 350 mm - 5 kg**

FR ELECTRODE - USAGE UNIVERSEL - 2.5 x 350 mm - 5 kg
NL ELEKTRODE - UNIVERSEEL GEBRUIK - 2.5 x 350 mm - 5 kg
DE ELEKTRODE - ALLGEMEINE ANWENDUNG - 2.5 x 350 mm - 5 kg
ES ELECTRODO - USO UNIVERSAL - 2.5 x 350 mm - 5 kg



TW97025



3 144310 021311



**ELECTRODE - UNIVERSAL
USE - 3.2 x 350 mm - 5 kg**

FR ELECTRODE - USAGE UNIVERSEL - 3.2 x 350 mm - 5 kg
NL ELEKTRODE - UNIVERSEEL GEBRUIK - 3.2 x 350 mm - 5 kg
DE ELEKTRODE - ALLGEMEINE ANWENDUNG - 3.2 x 350 mm - 5 kg
ES ELECTRODO - USO UNIVERSAL - 3.2 x 350 mm - 5 kg



TW97032



3 144310 022325



**ELECTRODE - FOR STAINLESS
STEEL - 2.5 x 350 mm - 4 kg**

FR ELECTRODE - POUR DÉCOUPE - 2.5 x 350 mm - 4 kg
NL SNIJ ELEKTRODE - 2.5 x 350 mm - 4 kg
DE ELEKTRODE - FÜR EDELSTAHL - 2.5 x 350 mm - 4 kg
ES ELECTRODO - PARA ACERO INOXIDABLE - 2.5 x 350 mm - 4 kg



TW97325



3 144310 032836



**ELECTRODE HOLDERS
- 300 A - 25 mm²**

FR PORTE-ÉLECTRODE - 300 A - 25 mm²
NL ELEKTRODEHOUDERS - 300 A - 25 mm²
DE ELEKTRODENHALTER - 300 A - 25 mm²
ES PORTA ELECTRODOS - 300 A - 25 mm²

max. capacity: 300 A



TW802537



8 004897 363301



**ELECTRODE HOLDERS
- 300 A - 50 mm²**

FR PORTE-ÉLECTRODE - 300 A - 50 mm²
NL ELEKTRODEHOUDERS - 300 A - 50 mm²
DE ELEKTRODENHALTER - 300 A - 50 mm²
ES PORTA ELECTRODOS - 300 A - 50 mm²

max. capacity: 300 A




TW802538



8 004897 363318



**SLAG REMOVER WITH HAMMER**

FR BRUSSE DE SOUDURE AVEC MARTEAU
 NL LASBORSTEL MET HAMER
 DE DRAHTBÜRSTE MIT HAMMER
 ES CEPILLO DE ALAMBRE CON MARTILLO



with hammer



TW802541



8 004897 363349

**METAL CHIPPING HAMMER**

FR MARTEAU DE SOUDURE
 NL LASHAMER
 DE SCHLACKENHAMMER - METALL
 ES MARTILLO DE SOLDADURA



metal handle



TW802543



8 004897 364308

**WELDING CLAMPS - 150 A - 16 mm²**

FR PINCE DE MASSE - 150 A - 16 mm²
 NL LASKLEMMEN - 150 A - 16 mm²
 DE MASSEZANGEN - 150 A - 16 mm²
 ES PINZAS DE MASA - 150 A - 16 mm²



max. capacity: 150 A



TW802532



8 004897 363257

**WELDING CLAMPS - 300 A - 50 mm²**

FR PINCE DE MASSE - 300 A - 50 mm²
 NL LASKLEMMEN - 300 A - 50 mm²
 DE MASSEZANGEN - 300 A - 50 mm²
 ES PINZAS DE MASA - 300 A - 50 mm²



max. capacity: 300 A



TW802533



8 004897 363264

**SOLDERING TORCH**

FR TORCHE DE SOUDAGE
 NL SOLDEERBRANDER
 DE LÖTLAMPE
 ES LÁMPARA PARA SOLDAR



This appliance must be used only with pierceable butane cartridges in compliance with the standard EN 417. • Only use in a well-ventilated area. • Read the instructions before operating the appliance. • I3 butane direct pressure • adjustable intensity • pierceable cartridges

gas category: I3 butane - direct pressure



FT100-TL



5 411244 601000

**SOLDERING LAMP**

FR LAMPE A SOUDER
 NL SOLDEERLAMP
 DE LÖTLAMPE
 ES LÁMPARA PARA SOLDAR



works with standard 190g cartridge (not incl.)

weight: 540g (without cartridge)

DLA1



8 013729 040457



SOLDERING IRON - 30 W

FR FER À SOUDER - 30 W
NL SOLDEERBOUT - 30 W
DE LÖTKOLBEN - 30 W
ES SOLDADOR - 30 W



power supply: 230 VAC 50 Hz • power consumption: 30 W



TL74055



5 411244 740556



HIGH-Q SOLDERING IRON 60 W / 230 V

FR FER À SOUDER HAUTE QUALITÉ 60 W / 230 V
NL HOOGWAARDIGE SOLDEERBOUT 60 W / 230 V
DE QUALITATIV HOCHWERTIGER LÖTKOLBEN 60 W / 230 V
ES SOLDADOR DE ALTA CALIDAD 60 W / 230 V



A high-quality, mains-powered 60W soldering iron for general purposes.

power supply: 60W / 230Vac • size: 225mm



WSI60



5 410329 409197



BLOW TORCH

FR BRÛLEUR AU GAZ
NL GASBRANDER
DE ANWÄRMBRENNER
ES SOPLETE DE GAS



handle with gas-saving lever • gas hose included - 1.5 m • used for: waterproofing, asphaltting, pipe thawing and metal sheet soldering

length: 60 cm • burner diameter: 6 cm • gas hose: 1.5 m



FT101



5 411244 600133



BLOWTORCH IDEAL-FLAME WITH ACCESSORIES

FR CHALUMEAU À GAZ IDEAL-FLAME AVEC ACCESSOIRES
NL IDEAL-FLAME GASBRANDER MET ACCESSOIRES
DE GASBRENNER IDEAL-FLAME MIT ZUBEHÖR
ES SOPLETE IDEAL-FLAME CON ACCESORIOS



for multifunctional use: heating, soldering, brazing, sterilizing, de-icing, drying, etc.

• automatic ignition • comes in a handy, transparent plastic case • accessories: ◦ "crab" burner: Ø 22 mm, for tubes and pipes ◦ flat burner: Ø 40 mm, for removing paint, oil, resins, grease, plastic and other residues from metal and concrete ◦ brass point: as heat conductor for tin soldering • for 7/16 gas cylinder connection


burner: Ø 20 mm • dimensions: 25 x 14.5 x 4.3 cm



DLA2



8 013729 041522



PROPANE WIDE BEAK HEATING TORCH

FR TORCHE AU PROPANE - BUSE LARGE
NL PROPAANGASBRANDER - BREED MONDSTUK
DE PROPAN-GASBRENNER - BREITE DÜSE
ES QUEMADOR DE GAS PROPANO - BOQUILLA ANCHA



for multifunctional use: roofing, eco-friendly weed killing, snow and ice melting • piezo ignition • accessories: ◦ 5 m 3/8 rubber hose ◦ arm support ◦ tightening wrenches


power: ◦ 71 kW/242 000 BTU (test 3 bar/43 psi) ◦ 150 kW/500 000 BTU (test 8 bar/116 psi)
• torch length: 980 mm • torch weight: 1200 g • inlet pressure: 1/10 bar • working pressure: 2/5 bar • burner: Ø 150 mm • injector hole: Ø 1.2 mm • consumption: 180 oz - 3 bar/43 psi



DLA3



8 013729 041676

**WELDING TORCH -
3 INTERCHANGEABLE BURNERS****PEREL®**

FR CHALUMEAU DE SOUDAGE - 3 BECS INTERCHANGEABLES
 NL LASBRANDER - 3 VERWISSELBARE KOPPEN
 DE SCHWEIßBRENNER - 3 AUSWECHSELBARE TURBOBRENNER
 ES SOPLETE DE SOLDADURA - 3 CABEZALES INTERCAMBIABLES

contents: ◦ 3 turbo burners ◦ connecting neck ◦ handle with tap lever ◦ rubber hose (1.5m) ◦ 1 x 17mm spanner, 1 x 19mm spanner


dimensions: ◦ connecting neck: Ø 10mm x 100mm ◦ rubber hose: 3/8 x 1.5m ◦ turbo burners: ◦ Ø 50mm (inject 1.10 mm) ◦ Ø 35mm (inject 0.50 mm) ◦ Ø 25mm (inject 0.40 mm)
 ● gas consumption (per burner @ outlet pressure of 3 bar): ◦ Ø 50mm: 3100g/h ◦ Ø 35mm: 790g/h ◦ Ø 25mm: 330g/h ● power (per burner @ outlet pressure of 3 bar): ◦ Ø 50mm: 43KW ◦ Ø 35mm: 11KW ◦ Ø 25mm: 4.60KW



WELD-108



5 410329 411640

**WELDING TORCH WITH COPPER
SOLDERING HAMMER****PEREL®**

FR CHALUMEAU DE SOUDAGE À MAILLET DE CUIVRE
 NL GASSOLDEERBOUT
 DE SCHWEIßBRENNER
 ES SOPLETE DE SOLDADURA

contents: ◦ Ø17mm burner ◦ support ◦ fire-proof cover ◦ rubber hose (1.5m) ◦ 1 x 17mm spanner, 1 x 19mm spanner

dimensions: ◦ connecting neck: Ø 50mm ◦ rubber hose: 3/8 x 1.5m ◦ Ø 17mm burner, inject Ø 0.24mm ● gas consumption (@ outlet pressure of 4 bar): 195g/h ● power (@ outlet pressure of 4 bar): 2.75KW



WELD-101



5 410329 415693

**BOX SOLDERING SET****PEREL®**

FR COFFRET SOUDEUR
 NL SOLDEER - GASBRANDERSSET IN OPBERGKOFFER
 DE LÖTKOFFER
 ES CAJA DE SOLDADURA


for all soldering and brazing work ● with: 2 handles with lever/6 burners/2 extension cables/2 m



WELD-560



8 013729 005609

**WELDING TORCH - 3 HEADS****PEREL®**

FR CHALUMEAU DE SOUDAGE - 3 BECS
 NL GASBRANDER MET 3 KOPPEN
 DE SCHWEIßBRENNER - 3 TURBOBRENNER
 ES SOPLETE DE SOLDADURA - 3 CABEZALES

contents: ◦ 3 turbo burners ◦ connecting neck ◦ handle with tap lever ◦ stand support ◦ rubber hose ◦ 1 x 17mm spanner, 1 x 19mm spanner

dimensions: ◦ connecting neck: 60cm ◦ rubber hose: 3/8 x 5m ◦ turbo burners: Ø 50mm ◦ injector: Ø 1.4mm ● gas consumption (per burner @ outlet pressure of 3 bar): 3120g/h ● power (per burner @ outlet pressure of 3 bar): 44KW



WELD-961



8 013729 034425

**HEATING TORCH + CABLE
1.50 m + BURNER****PEREL®**

FR CHALUMEAU SOUDEUR + TUYAU 1.50 m + BRULEUR
 NL VERWARMINGSBRANDER + BUIS 1.50 m + BRANDER
 DE SCHWEISSBRENNER + SCHLAUCH 1.50 m + BRENNER
 ES SOPLETE PARA CALENTAMIENTO + TUBO 1.50 m + QUEMADOR

heating torch + adjuster with 1.5 m rubber lead

burner Ø: 50mm



105



8 013729 005210



PROPANE TORCH SET

PEREL®

FR GARNITURE POUR TORCHE AU PROPANE
NL PROPAANGASBRANDERSET
DE PROPANGASBRENNER
ES JUEGO DE QUEMADOR DE PROPANO

includes: ◦ pressure regulator ◦ torch handle with gas saving lever ◦ torch tube ◦ torch head ◦ 10m propane hose ● suitable for: thawing, de-icing, preheating workpieces, drying of floors etc. ● completely assembled

Ø torch head: 50mm



110C



8 013729 010887



WELDING HELMET - WITH HANDLE

Toolland
a land of possibilities

FR CASQUE DE SOUDURE - AVEC POIGNÉE
NL LASHHELM - MET HANDGRIEP
DE SCHWEIßHELM - MIT GRIFF
ES PANTALLA DE SOLDADURA - CON ASA



TW802545



8 004897 364322



WELDING HELMET - 90 x 110 mm

Toolland
a land of possibilities

FR CASQUE DE SOUDURE - 90 x 110 mm
NL LASHHELM - 90 x 110 mm
DE SCHWEIßHELM - 90 x 110 mm
ES PANTALLA DE SOLDADURA - 90 x 110 mm

dimensions: 90 x 110 mm



TW802546



8 004897 364339



WELDING GOGGLES - FOLDABLE

Toolland
a land of possibilities

FR LUNETTES DE SOUDURE - PLIABLE
NL OPVOUWBARE LASBRIL
DE SCHWEIßBRILLE - ZUSAMMENKLAPPBAR
ES GAFAS PROTECTORAS - PLEGABLES

foldable



TW802565



8 004897 802565



GLASS FOR HELMET - 108 x 50 mm - TRANSPARENT

Toolland
a land of possibilities

FR VERRE POUR CASQUE DE SOUDURE - 108 x 50 mm - TRANSPARENT
NL GLAS VOOR LASHHELM - 108 x 50 mm - DOORZICHTIG
DE GLAS FÜR SCHWEIßHELM - 108 x 50 mm - TRANSPARENT
ES CRISTAL PARA CASCO DE SOLDADURA
108 x 50 mm -TRANSPARENTE

dimensions: 108 x 50 mm



TW802582



5 411244 802544



GLASS FOR HELMET - 108 x 50 mm - DARK

Toolland
a land of possibilities

FR VERRE POUR CASQUE DE SOUDURE - 108 x 50 mm - FONCÉ
NL GLAS VOOR LASHHELM - 108 x 50 mm - DONKER
DE GLAS FÜR SCHWEIßHELM - 108 x 50 mm - DUNKEL
ES CRISTAL PARA CASCO DE SOLDADURA 108 x 50 mm - OSCURO

dimensions: 108 x 50 mm



TW802583



5 411244 802537



OXYTURBO • GAS APPLIANCES AND WELDING TOOLS

OXYTURBO • APPAREILS À GAZ ET OUTILS DE SOUDURE
 OXYTURBO • GASTOESTELLEN EN LASGEREEDSCHAP
 OXYTURBO • SCHWEISSEN UND LÖTEN
 OXYTURBO • HERRAMIENTAS DE SOLDADURA



BLOW TORCH - LASERBRENNER - PROFESSIONAL - 60 cm

FR BRÛLEUR POUR TOITURE - LASERBRENNER
- PROFESSIONNEL - 50 cm
 NL PRO GASBRANDER VOOR DAKLEER 'LASERBRENNER' - 60 cm
 DE ANWÄRMBRENNER - LASERBRENNER - PROFESSIONELL - 60 cm
 ES BOQUILLA - LASERBRENNER - PROFESIONAL - 60 cm



OT669710



8 011971 669037

oxyturbo®



BLOW TORCH - ECONOMY - 50 cm

FR BRÛLEUR POUR TOITURE - STANDARD - 50 cm
 NL ECO GASBRANDER VOOR DAKLEER - 50 cm
 DE ANWÄRMBRENNER - STANDARD - 50 cm
 ES SOPLATE DE GAS - ESTÁNDAR - 50 cm



OT800



8 011971 616239

oxyturbo®



HANDLE - FOR BLOW TORCH - WITH PILOT FLAME

FR MANCHE - POUR BRÛLEUR - AVEC VEILLEUSE
 NL HANDVAT VOOR GASBRANDER DAKLEER MET WAAKVLAM
 DE GRIFF - FÜR ANWÄRMBRENNER - MIT SPARFLAMME
 ES MANGO - PARA SOPLATE DE GAS - CON LLAMA PILOTO




OT630



5 411244 396302

oxyturbo®



HANDLE - FOR BLOW TORCH

FR MANCHE - POUR BRÛLEUR
 NL HANDVAT GASBRANDER VOOR DAKLEER
 DE GRIFF - FÜR ANWÄRMBRENNER
 ES MANGO - PARA SOPLATE DE GAS



OT620



5 411244 396203

oxyturbo®



EXTENSION - FOR BLOW TORCH - 40 cm - 3/8

FR RALLONGE - POUR BRÛLEUR TOITURE - 40 cm - 3/8
 NL LANS VOOR GASBRANDER DAKLEER - 40 cm - 3/8
 DE VERLÄNGERUNG - FÜR ANWÄRMBRENNER - 40 cm - 3/8
 ES EXTENSIÓN - PARA SOPLATE DE GAS - 40 cm - 3/8



OT640



5 411244 396401

oxyturbo®



BURNER - FOR BLOW TORCH - 22 mm - OT

FR CHALUMEAU - POUR TOITURE - 22 mm - OT
 NL GASBRANDER VOOR DAKLEER - 22 mm - OT
 DE DÜSE - FÜR ANWÄRMBRENNER - 22 mm - OT
 ES BOQUILLA - PARA SOPLATE DE GAS - 22 mm - OT



OT622



5 411244 396227

oxyturbo®



BURNER - FOR BLOW TORCH - 25 mm - TURBO

FR CHALUMEAU - POUR TOITURE - 25 mm - TURBO
 NL GASBRANDER VOOR DAKLEER - 25 mm - TURBO
 DE DÜSE - FÜR ANWÄRMBRENNER - 25 mm - TURBO
 ES BOQUILLA - PARA SOPLATE DE GAS - 25 mm - TURBO



OT584821



8 011971 584828

oxyturbo®



BURNER - FOR BLOW TORCH - 60 mm - FE

FR CHALUMEAU - POUR TOITURE - 60 mm - FE
 NL BRANDER VOOR GASBRANDER DAKLEER - 60 mm - FE
 DE DÜSE - FÜR ANWÄRMBRENNER - 60 mm - FE
 ES BOQUILLA - PARA SOPLATE DE GAS - 60 mm - FE



OT650



5 411244 396500

oxyturbo®



REGULATOR - SHELL - 2.5 bar - 200 g

FR DÉTENDEUR - SHELL - 2.5 bar - 200 g
 NL REDUCEERVENTIEL - 2.5 bar - 200 g
 DE DRUCKMINDERER - SHELL - 2.5 bar - 200 g
 ES REGULADOR - SHELL - 2.5 bar - 200 g



OT655



5 411244 396555

oxyturbo®



GAS HOSE - 5 m

FR TUYAU À GAZ - 5 m
 NL GASSLANG 5 m
 DE GASSCHLAUCH - 5 m
 ES TUBO DE GAS - 5 m



OT618



8 011971 441602

oxyturbo®



HOSE CONNECTION - LEFT WIRE


FR RACCORD TUYAU - FILET GAUCHE
NL SLANGNIPPEL - LINKSE DRAAD
DE SCHLAUCHVERBINDUNG - DRAHT, LINKS
ES CONEXIÓN DE TUBO - HILO, IZQUIERDO



OT660



5 411244 660120



BURNER - WITH COPPER

FR BRÛLEUR - CUIVRE
NL GASSOLDEERBRANDER
DE DÜSE - MIT KUPFER
ES BOQUILLA - WITH COPPER



OT584890



8 011971 584811



TINNING NOZZLE

FR PANNE À SOUDER - CUIVRE
NL SOLDEERSTIFT - KOPER
DE SCHWEIßDÜSE
ES BOQUILLA DE SOLDADURA



OT570702



8 011971 505922



BURNER - FLAT MODEL

FR BRÛLEUR - MODÈLE PLAT
NL BRANDER - PLAT MODEL
DE DÜSE - FLACHES MODELL
ES BOQUILLA - MODELO PLANO



OT570800



8 011971 570807



SOLDERING KIT - MULTIPLA

FR SET DE SOUDURE - MULTIPLA
NL UNIVERSELE GASSOLDEERSET
DE LÖTSET - MULTIPLA
ES JUEGO DE SOLDADURA - MULTIPLA



OT585002



8 011971 585023



TURBOSET 30

FR TURBOSET 30
NL TURBOSET 30
DE TURBOSET 30
ES TURBOSET 30



OT114



8 011971 115046



WELDING TOOL - AUTOGENOUS - TURBO 90

FR APPAREIL À SOUDER - AUTOGÈNE - TURBO 90
NL HARDSOLDEERSET - TURBO 90
DE JUEGO DE SOLDADURA - AUTOGENOUS - TURBO 90
ES JUEGO DE SOLDADURA - AUTOGENOUS - TURBO 90

THE SMALLEST GAS WELDING SETS They are the international reference for all companies selling autogenous welding kits with disposable oxygen bottle and gas cartridge. The kit is contained in a small elegant metal trolley with blocking devices for bottles that afford easy and safe transportation. The Turbo Set is compact, powerful and allows the end-user to make professional welding being particularly suitable for small hydraulics, air conditioning and refrigeration works. The safety of the product is guaranteed by 4 flashback arrestors with double protection placed in the middle of each hose and in the oxygen reducer and gas tap.

► May only be sold in Belgium, Luxemburg



OT115



8 011971 115053



BURNER - FOR OT115 TURBO 90 - 4 pcs

FR BEC - POUR OT115 TURBO 90 - 4 pcs
NL GASMONDSTUKKEN NOZZLE - VOOR OT115 TURBO 90 - 4 st
DE DÜSE - FÜR OT115 TURBO 90 - 4-tlg.
ES BOQUILLA - PARA OT115 TURBO 90 - 4 uds.



OT110730



8 011971 110737

**OXYGEN BOTTLE - FOR OT115 TURBO 90 - 1 L**

FR BONBONNE D'OXYGÈNE - POUR OT115 TURBO 90 - 1 L
 NL EENMALIGE ZUURSTOFFLES - VOOR OT115 TURBO 90 - 1 L
 DE SAUERSTOFFFLASCHE - FÜR OT115 TURBO 90 - 1 l
 ES BOMBONA DE OXÍGENO - PARA OT115 TURBO 90 - 1 l

► May only be sold in Belgium



OT116

**oxyturbo®****GAS BOTTLE - FOR OT115 TURBO90 - 0.5 kg**

FR BONBONNE DE GAZ - POUR OT115 TURBO 90 - 0.5 kg
 NL EENMALIGE GASFLES - VOOR OT115 TURBO 90 - 0.5 kg
 DE GASFLASCHE - FÜR OT115 TURBO90 - 0.5 kg
 ES BOMBONA DE GAS - PARA OT115 TURBO90 - 0.5 kg

► May only be sold in Belgium, Luxemburg, The Netherlands

OT117

**oxyturbo®****FILLER METALS - FOR OT115 TURBO 90 - 10 pcs**

FR BAGUETTES À SOUDRE - POUR OT115 TURBO 90 - 10 pcs
 NL LASELECTRODEN - VOOR OT115 TURBO 90 - 10 st
 DE SCHWEIßELEKTRODEN - FÜR OT115 TURBO 90 - 10-tlg.
 ES ELECTRODOS DE SOLDADURA - PARA OT115 TURBO 90 - 10 uds.



OT101500

**oxyturbo®****SOLDERING ROD - SILVER ALLOY - 40% SILVER**

FR BAGUETTE DE SOUDURE - ENROBÉE ARGENT - ARGENT 40%
 NL SOLDEERDRAAD ZILVER OMHULD - 40% ZILVER
 DE SCHWEIßSTAB - SILBER-LEGIERUNG- 40% SILBER
 ES VARILLA DE SOLDADURA - ALEACIÓN DE PLATA - 40% PLATA



OT98211

**oxyturbo®****SOLDERING ROD - ALUMINIUM - 5 pcs**

FR BAGUETTE DE SOUDURE - ALUMINIUM - 5 pcs
 NL SOLDEERDRAAD - ALUMINIUM - 5 st
 DE SCHWEIßSTAB - ALUMINIUM - 5-tlg.
 ES VARILLA DE SOLDADURA - ALUMINIO - 5 uds.



OT98216

**oxyturbo®****GAS VALVE - RED**

FR ROBINET À GAZ - ROUGE
 NL GASKRAAN VOOR EENMALIGE GASFLESSEN
 DE GASVENTIL - ROT
 ES VÁLVULA DE GAS - COLOR ROJO



OT120

**oxyturbo®****OXYGEN VALVE - BLUE**

FR ROBINET POUR OXYGÈNE - BLEU
 NL REDUCEERVENTIEL VOOR EENMALIGE ZUURSTOF FLESSEN
 DE SAUERSTOFFVENTIL - BLAU
 ES VÁLVULA DE OXÍGENO - COLOR AZUL



OT121

**oxyturbo®****MICROSET - FOR OT115 TURBO 90**

FR MICROSET - POUR OT115 TURBO 90
 NL NAALDMONDSTUKKEN NOZZLE - VOOR OT115 TURBO 90
 DE MICROSET - FÜR OT115 TURBO 90
 ES MICROSET - PARA OT115 TURBO 90

diameter: 0.7 - 0.8 - 0.9 - 1.2 mm



OT110650

**oxyturbo®****REGULATOR - MIGNON - FOR WELDING MACHINE**

FR DÉTendeur - MIGNON - POUR POSTE DE SOUDURE
 NL REDUCEERVENTIEL VOOR EENMALIGE GASFLESSEN TYPE 'MIGNON'
 DE DRUCKMINDERER - MIGNON - FÜR SCHWEIßGERÄT
 ES REGULADOR - MIGNON - PARA EQUIPO DE SOLDADURA



OT225000

**oxyturbo®****GAS BOTTLE - FOR MIGNON AND MICRO - 950 ml**

FR BONBONNE POUR POSTE DE SOUDURE - POUR MIGNON ET MICRO - 950 ml
 NL EENMALIGE CO2 GASFLES - VOOR MIGNON EN MICRO - 950 ml
 DE GASFLASCHE - FÜR MIGNON UND MICRO - 950 ml
 ES BOMBONA DE GAS - PARA MIGNON Y MICRO - 950 ml



OT485300

**oxyturbo®****GAS BOTTLE - ARGON - 950 ml**

FR BONBONNE POUR POSTE DE SOUDURE - ARGON - 950 ml
 NL EENMALIGE ARGON GASFLES - 950 ml
 DE GASFLASCHE - ARGON - 950 ml
 ES BOMBONA DE GAS - ARGON - 950 ml



OT486300

**oxyturbo®****GAS BOTTLE - ARGON-CO2 - 950 ml**

FR BONBONNE POUR POSTE DE SOUDURE - ARGON-CO2 - 950 ml
 NL EENMALIGE ARGON-CO2 GASFLES - 950 ml
 DE GASFLASCHE - ARGON-CO2 - 950 ml
 ES BOMBONA DE GAS - ARGON-CO2 - 950 ml



OT486350

**oxyturbo®**



SOLDERING BURNER - OXYLASER **oxyturbo**

FR LAMPE À SOUDER - OXYLASER
NL GASOLDEERBRANDER OXYLASER
DE LÖTLAMPE - OXYLASER
ES LÁMPARA PARA SOLDAR - OXYLASER

OxyLaser, easy and fast welding Oxyturbo proposes a series of practical professional welders with ergonomic one-handed handgrip, ideal for "do-it-yourself and for soft and hard soldering up to 1.750° C. Supplied with a high output ø 21 mm OT burner. Particularly suitable for small repairs, do- it-your-self jobs, plastic folding and welding, paint stripping and wood drying.



OT100



8 011971 505007



SOLDERING BURNER - STEEL - WITH PIEZO

oxyturbo

FR LAMPE À SOUDER - MÉTAL - AVEC PIEZO
NL GASBRANDER - METAAL - MET PIEZO
DE LÖTLAMPE - STAHL - MIT PIEZO
ES LÁMPARA PARA SOLDAR - ACERO - CON ENCENDIDO PIEZO



OT525100



8 011971 525104



BURNER - OXYFLEX

oxyturbo

FR BRÛLEUR - OXYFLEX
NL GASBRANDER - OXYFLEX
DE DÜSE - OXYFLEX
ES BOQUILLA - OXYFLEX



OT250



8 011971 504000



SOLDERING BURNER - OXYLASER - WITH 5 CARTRIDGES **oxyturbo**

FR LAMPE À SOUDER - OXYLASER - AVEC 5 BONBONNES
NL GASBRANDER - OXYLASER - MET 5 GASPATRONEN
DE LÖTLAMPE - OXYLASER - MIT 5 KARTUSCHEN
ES LÁMPARA PARA SOLDAR - OXYLASER - CON 5 CARTUCHOS

► May only be sold in Belgium, Luxemburg, The Netherlands



OT505070



8 011971 505076



GAS CARTRIDGE - BUTANE - 190 g **oxyturbo**

FR CARTOUCHE DE GAZ - BUTANE - 190 g
NL GASPATROON - BUTAAN - 190 g
DE GASKARTUSCHE - BUTAN - 190 g
ES CARTUCHO DE GAS - BUTANO - 190 g

► May only be sold in Belgium, Luxemburg, The Netherlands



OT300



8 011971 483053



SOLDERING BURNER - MINILASER **oxyturbo**

FR LAMPE À SOUDER - MINILASER
NL GASBRANDER MET 2 EXTRA MONDSTUKKEN
DE LÖTLAMPE - MINILASER
ES LÁMPARA PARA SOLDAR - MINILASER



OT572500



8 011971 572504

**WEED BLOW TORCH - BIOFLAMME
- WITH GAS CARTRIDGE**

FR DÉSHERBEUR - BIOFLAMME - AVEC CARTOUCHE DE GAZ
 NL ONKRUIDVERBRANDER - BIOFLAMME - MET GASPATROON
 DE UNKRAUTVERNICHTER - BIOFLAMME - MIT GASKARTUSCHE
 ES DESTRUCTOR DE HIERBAS - BIOFLAMME
 - CON CARTUCHO DE GAS

► May only be sold in Belgium, Luxemburg, The Netherlands



OT571860



8 011971 571866

**CARTRIDGE - FOR WEED
BLOW TORCH - 0.21 kg**

FR CARTOUCHE DE GAZ - POUR DÉSHERBEUR - 0.21 kg
 NL GASPATROON - VOOR ONKRUIDVERBRANDER - 0.21 kg
 DE GASKARTUSCHE - FÜR ANWÄRMBRENNER - 0.21 kg
 ES CARTUCHO DE GAS - PARA SOPLETE DE GAS - 0.21 kg

► May only be sold in Belgium, Luxemburg, The Netherlands



OT483100



8 011971 483107

**CARTRIDGE - FOR WEED
BLOW TORCH - 1.44 kg**

FR CARTOUCHE DE GAZ - POUR DÉSHERBEUR - 1.44 kg
 NL GASPATROON - VOOR ONKRUIDVERBRANDER - 1.44 kg
 DE GASKARTUSCHE - FÜR ANWÄRMBRENNER - 1.44 kg
 ES CARTUCHO DE GAS - PARA SOPLETE DE GAS - 1.44 kg

► May only be sold in Belgium, Luxemburg, The Netherlands



OT483150



8 011971 483152

**EASY LASER KIT MICROTORCH
- WITH GAS**

FR KIT EASY LASER MICROTORCH - AVEC GAZ
 NL 'EASYLASER' GASBRANDER MET GASFLES
 DE EASY LASER GASLÖTBRENNER
 ES QUEMADOR A GAS 'EASY LASER'

► May only be sold in Belgium, Luxemburg, The Netherlands



OT574150



8 011971 574157

**COOKING STOVE**

FR RÉCHAUD
 NL GASKOOKTOESTEL
 DE KOCHER
 ES HORNILLO

Square stove with cast iron burner ø 160 mm and removable feet. The sturdy painted steel plate frame can support weight of up to 80 kg.



OT600



8 011971 588024

**GAS CARTRIDGE - FOR LIGHTER**

FR CARTOUCHE DE GAZ - POUR ALLUMEUR
 NL GASPATROON - VOOR AANSTEKER
 DE GASKARTUSCHE - FÜR FEUERZEUG
 ES CARTUCHO DE GAS - PARA MECHERO

► May only be sold in Belgium, Luxemburg, The Netherlands



OT360



8 011982 920523

**SOLDERING ROD - BASED ON COPPER
AND PHOSPHOR - 330 mm - 2 pcs**

FR BAGUETTE DE SOUDURE - CUIVRE ET PHOSPHORE - 330 mm - 2 pcs
 NL HARDSOLDEER - OP BASIS VAN KOPER EN FOSFOR - 330 mm - 2 st
 DE SCHWEIßSTAB - KUPFER UND PHOSPHOR - 330 mm - 2-tlg.
 ES VARILLA DE SOLDADURA - COBRE Y FOSFORO - 330 mm - 2 uds.

► May only be sold in Belgium, Luxemburg, The Netherlands



OT101510



8 011971 000106

**SOLDERING ROD - BASED ON TIN**

FR BAGUETTE DE SOUDURE - À BASE D'ÉTAIN
 NL HARDSOLDEER - OP BASIS VAN TIN
 DE SCHWEIßSTAB - ZINN
 ES VARILLA DE SOLDADURA - ESTAÑO

► May only be sold in Belgium, Luxemburg, The Netherlands



OT101590



8 011971 000908



TELWIN • WELDING MACHINES

TELWIN • APPAREILS À SOUDER
TELWIN • LASTOESTELLEN
TELWIN • SCHWEISSGERÄTE
TELWIN • MÁQUINAS DE SOLDADURA



WELDING MACHINE - MARTE

FR POSTE À SOUDER ÉLECTRIQUE - MARTE
NL LASAPPARAAT - MARTE 150
DE SCHWEISSGERÄT - MARTE
ES MÁQUINA DE SOLDADURA - MARTE



TW1500



WELDING MACHINE - NORDIKA 3200

FR POSTE À SOUDER ÉLECTRIQUE - NORDIKA 3200
NL LASAPPARAAT - NORDIKA 3200
DE SCHWEISSGERÄT - NORDIKA 3200
ES MÁQUINA DE SOLDADURA - NORDIKA 3200



TW3200



WELDING MACHINE - SEMI- AUTOMATIC TELMIG 150

FR POSTE À SOUDER - SEMI-AUTOMATIQUE - TELMIG 150
NL LASAPPARAAT - HALFAUTOMATISCH - TELMIG 150
DE SCHWEISSGERÄT - HALBAUTOMATISCH TELMIG 150
ES MÁQUINA DE SOLDADURA - SEMI AUTOMÁTICA TELMIG 150



TW5150



WELDING MACHINE - SEMI- AUTOMATIC - BIMAX 105

FR POSTE À SOUDER - SEMI-AUTOMATIQUE - BIMAX 105
NL LASAPPARAAT - HALFAUTOMATISCH - BIMAX 105
DE SCHWEISSGERÄT - HALBAUTOMATISCH - BIMAX 105
ES MÁQUINA DE SOLDADURA - SEMI AUTOMÁTICA - BIMAX 105



weight: 13 kg



TW4105



TORCH - FOR BIMAX 105

FR TORCHE - POUR BIMAX 105
NL TOORTS - VOOR BIMAX 105
DE BRENNER - FÜR BIMAX 105
ES ANTORCHA - PARA BIMAX 105



TW742270



WELDING MACHINE - SEMI- AUTOMATIC BIMAX 132

FR POSTE À SOUDER - SEMI-AUTOMATIQUE - BIMAX 132
NL LASAPPARAAT - HALFAUTOMATISCH - BIMAX 132
DE SCHWEISSGERÄT - HALBAUTOMATISCH BIMAX 132
ES MÁQUINA DE SOLDADURA - SEMI AUTOMÁTICA BIMAX 132



TW4132



**FEED ROLL - FOR WELDING MACHINES
TW4105 & TW4132 - 0.8 mm - 800 g**

FR BOBINE DE FIL - POUR POSTES À SOUDER
TW4105 & TW4132 - 0.8 mm - 800 g
NL LASDRAAD - VOOR TW4105 & TW4132 - 0.8 mm - 800 g
DE SCHWEISDRAHT - ROLLE - FÜR TW4105 & TW4132 - 0.8 mm - 800 g
ES HILO DE SOLDADURA - BOBINA - PARA
TW4105 & TW4132 - 0.8 mm - 800 g



TW3000



8 004897 146218

**CONICAL NOZZLE - FOR BIMAX 105**

FR BEC CONIQUE - POUR BIMAX 105
NL CONISCH GASMONDSTUK - VOOR BIMAX 105
DE KEGELFÖRMIGE DÜSE - FÜR BIMAX 105
ES BOQUILLA CÓNICA - PARA BIMAX 105



TW722054



5 411244 722057

**REGULATOR - FOR TELMIG**

FR DÉTENDEUR - POUR TELMIG
NL DRUKREGELAAR - VOOR TELMIG
DE DRUCKMINDERER - FÜR TELMIG
ES REGULADOR - PARA TELMIG



TW722120



5 411244 722125

**CONTACT TIP - 0.6 mm - 3 pcs**

FR TUBE DE CONTACT - 0.6 mm - 3 pcs
NL CONTACT- LASTIP - 0.6 mm - 3 st
DE KONTAKTSPITZE - 0.6 mm - 3-tlg.
ES PUNTA DE CONTACTO - 0.6 mm - 3 uds.



TW722415



8 004897 133553

**CONTACT TIP - 0.8 mm - 3 pcs**

FR TUBE DE CONTACT - 0.8 mm - 3 pcs
NL CONTACT- LASTIP - 0.8 mm - 3 st
DE KONTAKTSPITZE - 0.8 mm - 3-tlg.
ES PUNTA DE CONTACTO - 0.8 mm - 3 uds.



TW722416



8 004897 133560

**CONTACT TIP - CONIC - 2 pcs**

FR TUBE DE CONTACT - CONIQUE - 2 pcs
NL CONTACT- LASTIP - CONISCH - 2 st
DE KONTAKTSPITZE - KEGELFÖRMIG - 2-tlg.
ES PUNTA DE CONTACTO - CÓNICA - 2 uds.



TW722423



8 004897 133638

**CONTACT TIP - ALUMINIUM
- 1 mm - 3 pcs**

FR TUBE DE CONTACT - ALUMINIUM - 1 mm - 3 pcs
NL CONTACT- LASTIP - ALUMINIUM - 1 mm - 3 st
DE KONTAKTSPITZE - ALUMINIUM - 1 mm - 3-tlg.
ES PUNTA DE CONTACTO - ALUMINIO - 1 mm - 3 uds.



TW722552



8 004897 134932

**CONTACT TIP - ALUMINIUM
- 0.8 mm - 3 pcs**

FR TUBE DE CONTACT - ALUMINIUM - 0.8 mm - 3 pcs
NL CONTACT- LASTIP - ALUMINIUM - 0.8 mm - 3 st
DE KONTAKTSPITZE - ALUMINIUM - 0.8 mm - 3-tlg.
ES PUNTA DE CONTACTO - ALUMINIO - 0.8 mm - 3 uds.



TW722556



8 004897 134970

**CONTACT TIP - FOR BIMAX 105 - 0.6 mm**

FR TUBE DE CONTACT - POUR BIMAX 105 - 0.6 mm
NL CONTACT- LASTIP - VOOR BIMAX 105 - 0.6 mm
DE KONTAKTSPITZE - FÜR BIMAX 105 - 0.6 mm
ES PUNTA DE CONTACTO - PARA BIMAX 105 - 0.6 mm



TW722667



5 411244 722668

**FEED ROLL - ALUMINIUM
- 0.8 mm - 450 g**

FR BOBINE DE FIL - ALUMINIUM - 0.8 mm - 450 g
NL LASRAAD - ALUMINIUM - 0.8 mm - 450 g
DE SCHWEISDRAHT - ROLLE - ALUMINIUM - 0.8 mm - 450 g
ES HILO DE SOLDADURA - BOBINA - ALUMINIO - 0.8 mm - 450 g



TW802062



8 004897 145556

**FEED ROLL - INOX - 0.8 mm - 500 g**

FR BOBINE DE FIL - INOX - 0.8 mm - 500 g
NL LASRAAD - INOX - 0.8 mm - 500 g
DE SCHWEISDRAHT - ROLLE - EDELSTAHL - 0.8 mm - 500 g
ES HILO DE SOLDADURA - BOBINA - ACERO
INOXIDABLE - 0.8 mm - 500 g



TW802051



8 004897 145525



FEED ROLL - IRON - 0.6 mm - 800 g

FR BOBINE DE FIL - FER - 0.6 mm - 800 g
NL LASDRAAD - IJZER - 0.6 mm - 800 g
DE SCHWEIßDRAHT - ROLLE - EISEN - 0.6 mm - 800 g
ES HILO DE SOLDADURA - BOBINA - HIERRO - 0.6 mm - 800 g



TW802132



FEED ROLL - IRON - 0.8 mm - 800 g

FR BOBINE DE FIL - FER - 0.8 mm - 800 g
NL LASDRAAD - IJZER - 0.8 mm - 800 g
DE SCHWEIßDRAHT - ROLLE - EISEN - 0.8 mm - 800 g
ES HILO DE SOLDADURA - BOBINA - HIERRO - 0.8 mm - 800 g



TW802133



FEED ROLL - IRON - 0.6 mm - 5 kg

FR BOBINE DE FIL - FER - 0.6 mm - 5 kg
NL LASDRAAD - IJZER - 0.6 mm - 5 kg
DE SCHWEIßDRAHT - ROLLE - EISEN - 0.6 mm - 5 kg
ES HILO DE SOLDADURA - BOBINA - HIERRO - 0.6 mm - 5 kg



TW802395



FEED ROLL - IRON - 0.8 mm - 5 kg

FR BOBINE DE FIL - FER - 0.8 mm - 5 kg
NL LASDRAAD - IJZER - 0.8 mm - 5 kg
DE SCHWEIßDRAHT - ROLLE - EISEN - 0.8 mm - 5 kg
ES HILO DE SOLDADURA - BOBINA - HIERRO - 0.8 mm - 5 kg



TW802396



WELDING GLOVES

FR GANTS DE SOUDEUR
NL LASHANDSCHOENEN
DE SCHWEIßERHANDSCHUHE
ES GUANTES DE SOLDADURA



TW802549



WELDING SKIRT

FR TABLIER DE SOUDEUR
NL LASSCHORT
DE SCHWEIßSCHÜRZE
ES DELANTAL DE SOLDADURA



TW802550



WELDING GOGGLES - LIGHT TYPE

FR LUNETTES DE SOUDAGE - MODÈLE LÉGER
NL LASBRIL - LICHT MODEL
DE SCHWEIßERBRILLE - LEICHTES MODEL
ES GAFAS DE SOLDADURA - MODELO LIGERO



TW802560



LENSES - TRANSPARENT

FR VERRE - TRANSPARENT
NL HELDERE GLAZEN VOOR LASBRIL
DE GLAS - TRANSPARENT
ES CRISTAL - TRANSPARENTE



TW802580



SPARE LENSES - FOR SOLDER MASK

FR VERRE - POUR MASQUE DE SOUDURE
NL DONKERE GLAZEN VOOR LASBRIL
DE ERSATZGLÄSER - FÜR SCHWEIßERBRILLE
ES CRISTALES DE RECAMBIO - PARA GAFAS DE SOLDADURA



TW802581



**GRAPHITE POWDER - FOR LOCKS - 10 g**

FR POUDRE DE GRAPHITE - POUR SERRURES - 10 g
 NL GRAFIETPOEDER - VOOR SLOTEN - 10 g
 DE GRAFITPULVER - FÜR SCHLÖSSER - 10 g
 ES POLVO DE GRAFITO - PARA CERRADURAS - 10 g



SC1424



8 710439 053974

**PENETRATING OIL IMAL - 300 ml**

FR DÉGRIPPANT IMAL - 300 ml
 NL KRUIPOLIE IMAL - 300 ml
 DE KRIECHÖL IMAL - 300 ml
 ES ACEITE PENETRANTE IMAL - 300 ml



SC1402



8 710439 914022

► May only be sold in Belgium, Luxemburg, The Netherlands

**BALL-BEARING GREASE - 125 G - TUBE**

FR GRAISSE POUR ROULEMENTS À BILLE - 125 G - TUBE
 NL KOGELLAGERVET - 125 G - TUBE
 DE FETT FÜR KUGELLAGER - 125 g - TUBE
 ES GRASA PARA COJINETES - 125 g - TUBO



SC4136



8 710439 033587

**UNILUBE - 100 ml**

FR UNILUBE - 100 ml
 NL UNILUBE - 100 ml
 DE UNILUBE - 100 ml
 ES UNILUBE - 100 ml



SC1923



8 710439 026480

**SILICONE SPRAY - 300 ml**

FR SPRAY SILICONE - 300 ml
 NL SILICONENSPRAY - 300 ml
 DE SILIKONFETT - 300 ml
 ES SPRAY DE SILICONA - 300 ml



SC1916



8 710439 919164

► May only be sold in Belgium, Luxemburg, The Netherlands

**LOCK SPRAY - 150 ml**

FR SPRAY SERRURE - 150 ml
 NL SLOTSPRAY - 150 ml
 DE SCHLOSSSPRAY - 150 ml
 ES LUBRICANTE DE CERRADURA - 150 ml



SC1917



8 710439 027876

**CONTACT CLEANER SPRAY - 200 ml**

FR NETTOYANT ÉLECTRICITÉ - 200 ml
 NL CONTACTREINIGER - 200 ml
 DE KONTAKTREINIGER - SPRAY - 200 ml
 ES LIMPIADOR DE CONTACTOS - EN AEROSOL - 200 ml



SC1990



8 710439 919904

► May only be sold in Belgium, Luxemburg, The Netherlands

**MULTIPURPOSE MAINTENANCE PRODUCT - TEFLON - 300 ml**

FR PRODUIT DE GRAISSAGE ET D'ENTRETIEN - TÉFLON - 300 ml
 NL SMEER- EN ONDERHOUDSMIDDEL - TEFLON - 300 ml
 DE MEHRZWECK-PFLEGEMITTEL - TEFLON - 300 ml
 ES PRODUCTO DE MANTENIMIENTO MULTIFUNCIÓN - TEFLÓN - 300 ml



SC1999



8 710439 019994

► May only be sold in Belgium, Luxemburg, The Netherlands

**LUBRICANT - TEFLON BASED - 300 ml**

FR LUBRIFIANT - À BASE DE TÉFLON - 300 ml
 NL SMEERMIDDEL - TEFLON - 300 ml
 DE SCHMIERMITTEL - TEFLON - 300 ml
 ES LUBRICANTE PTFE - 300 ml



SC1406



8 710439 914060

► May only be sold in Belgium, Luxemburg, The Netherlands





DRAIN CLEANER - 500 g

FR DÉBOUCHEUR - 500 g
NL ONTSTOPPINGSMIDDEL - 500 g
DE DRAIN CLEANER - 500 g
ES DESATASCADOR - 500 g



► May only be sold in Belgium, Luxembourg, The Netherlands



SC1602



8 710439 916033



VASELINE - ACID-FREE - 125 g - TUBE

FR VASELINE - SANS ACIDE - 125 g - TUBE
NL VASELINE - ZUURVRIJ - 125 g - TUBE
DE VASELINE - SÄUREFREI - 125 g - TOPF
ES VASELINA - LIBRE DE ÁCIDO - 125 g - TUBO



SC1427



8 710439 033563



VASELINE - ACID-FREE - 200 g - POT

FR VASELINE - SANS ACIDE - 200 g - TUBE
NL VASELINE - ZUURVRIJ - 200 g - POT
DE VASELINE - SÄUREFREI - 200 g - TOPF
ES VASELINA - LIBRE DE ÁCIDO - 200 g - BOTE



SC1420



8 710439 914206



VASELINE - ACID-FREE - 1 kg - POT

FR VASELINE - SANS ACIDE - 1 kg - TUBE
NL VASELINE - ZUURVRIJ - 1 kg - POT
DE VASELINE - SÄUREFREI - 1 kg - TOPF
ES VASELINA - LIBRE DE ÁCIDO - 1 kg - BOTE



SC1421



8 710439 914213



GAS LEAK DETECTOR - 400 ml

FR DÉTECTEUR DE FUITE DE GAZ - 400 ml
NL GASLEKZOEKER - 400 ml
DE LECKSUCHSPRAY FÜR GAS - 400 ml
ES DETECTOR DE FUGAS DE GAS - 400 ml



SC1812



8 710439 918129



ZINC SPRAY - 400 ml

FR SPRAY À ZINC - 400 ml
NL ZINKSPRAY - 400 ml
DE ZINK-SPRAY - 400 ml
ES SPRAY DE ZINC - 400 ml



► May only be sold in Belgium, Luxembourg, The Netherlands



SC1408



8 710439 941400



MARKING LAC - BLUE - 300 ml

FR LAQUE DE TRAÇAGE - BLEUE - 300 ml
NL TRACEERLAK - BLAUW - 300 ml
DE MARKIERSPRAY - BLAU - 300 ml
ES SPRAY DE SEÑALIZACIÓN - COLOR AZUL - 300 ml



SC1813



8 710439 918136



DEGREASING PRODUCT - 300 ml

FR DÉGRAISSANT - 300 ml
NL ONTVETTINGSMIDDEL - 300 ml
DE ENTFETTER - 300 ml
ES DESENGRASANTE - 300 ml



► May only be sold in Belgium, Luxembourg, The Netherlands



SC1608



8 710439 916088



SEALANT HYDRA - FIREPROOF - 310 ml - CARTRIDGE

FR MASTIQUE - RÉFRACTAIRE - 310 ml - TUBE
NL AFDICHTINGSKIT - VUURVAST - 310 ml - TUBE
DE DICHTUNGSMITTEL HYDRA - FEUERFEST - 310 ml - KARTUSCHE
ES SELLADOR HYDRA - IGNIFUGO - 310 ml - CARTUCHO



SC1515



8 710439 915159



SEALANT HYDRA - FIREPROOF - 750 g

FR MASTIQUE - RÉFRACTAIRE - 750 g
NL AFDICHTINGSKIT - VUURVAST - 750 g
DE DICHTUNGSMITTEL HYDRA - FEUERFEST - 750 g
ES SELLADOR HYDRA - IGNIFUGO - 750 g



SC1509



8 710439 041377

**UNIVERSAL SOLDERING FLUX - 80 ml**

FR FLUX À SOUDER UNIVERSEL - 80 ml
 NL UNIVERSELE SOLDEERVLOEISTOF - 80 ml
 DE UNIVERSAL-FLUSSMITTEL - 80 ml
 ES FLUJO DE SOLDADURA UNIVERSAL - 80 ml



SC1101



8 710439 911014

**UNIVERSAL SOLDERING FLUX - 320 ml**

FR FLUX À SOUDER UNIVERSEL - 320 ml
 NL UNIVERSELE SOLDEERVLOEISTOF - 320 ml
 DE UNIVERSAL-FLUSSMITTEL - 320 ml
 ES FLUJO DE SOLDADURA UNIVERSAL - 320 ml



SC1102



8 710439 911021

**UNIVERSAL SOLDERING FLUX - 50 ml**

FR FLUX À SOUDER UNIVERSEL - 50 ml
 NL UNIVERSELE SOLDEERVLOEISTOF - 50 ml
 DE UNIVERSAL-FLUSSMITTEL - 50 ml
 ES FLUJO DE SOLDADURA UNIVERSAL - 50 ml



SC4100



8 710439 054162

**SOLDERING FLUX - RVS - 50 ml**

FR FLUX À SOUDER - RVS - 50 ml
 NL SOLDEERVLOEISTOF - RVS - 50 ml
 DE FLUSSMITTEL - RVS - 50 ml
 ES FLUJO DE SOLDADURA - RVS - 50 ml



SC1107



8 710439 054148

**SOLDERING FLUX - 50 ml**

FR FLUX À SOUDER - 50 ml
 NL SOLDEERVLOEISTOF - 50 ml
 DE FLUSSMITTEL - 50 ml
 ES FLUJO DE SOLDADURA - 50 ml



SC1159



8 710439 911618

**SOLDERING PASTE - 25 g**

FR PÂTE À SOUDER - 25 g
 NL SOLDEERPASTA - 25 g
 DE LÖTPASTE - 25 g
 ES PASTA DE SOLDADURA - 25 g



SC1158



8 710439 054124

**SOLDERING PASTE - S-39 - 25 g**

FR PÂTE À SOUDER - S-39 - 25 g
 NL SOLDEERPASTA - S-39 - 25 g
 DE LÖTPASTE - S-39 - 25 g
 ES PASTA DE SOLDADURA - S-39 - 25 g



SC1116



8 710439 054186

**HARD SOLDERING POWDER - FOR HARD SILVER SOLDERING - 35 g**

FR DÉCAPANT EN POUDRE - POUR BRASURE À L'ARGENT - 35 g
 NL HARDSOLDEERPOEDER - VOOR ZILVERHARDSOLDEER - 35 g
 DE HARTLOTPULVER - 35 g
 ES POLVO UNIVERSAL DE SOLDADURA FUERTE - 35 g



SC1202



8 710439 912011

**HARD SILVER SOLDER - UNIVERSAL - 8 g**

FR BRASURE POUR BRASAGE FORT - À BASE D'ARGENT - UNIVERSELLE - 8 g
 NL ZILVERHARDSOLDEER - UNIVERSEEL - 8 g
 DE SILBER-HARTLOT - UNIVERSAL - 8 g
 ES HILO DE SOLDAR DE PLATA - UNIVERSAL - 8 g



SC3028



8 710439 054728

**FAST SOLDERING WIRE - 50/50 - 100 g**

FR FIL DE SOUDURE RAPIDE - 50/50 - 100 g
 NL SNELSOLDEERDRAAD - 50/50 - 100 g
 DE LÖTDRAHT - SCHNELL - 50/50 - 100 g
 ES HILO DE SOLDAR RÁPIDO - 50/50 - 100 g



SC3081



8 710439 930817

**TIN PASTE - 125 g**

FR PÂTE À ÉTAMER - 125 g
 NL VERTINNINGSPASTA - 125 g
 DE LÖTPASTE - 125 g
 ES PASTA DE SOLDADURA - 125 g



SC3013



8 710439 911816



TIN PASTE - TIN-IT - S-39 - 125 g

FR PÂTE À ÉTAMER - TIN-IT - S-39 - 125 g
NL VERTINNINGSPASTA - TIN-IT - S-39 - 125 g
DE LÖTPASTE - TIN-IT - S-39 - 125 g
ES PASTA DE SOLDADURA - TIN-IT - S-39 - 125 g



SC0718



8 710439 054209



SOLDERING WIRE - 100 g - 3 mm

FR SOUDURE EN FIL - 100 g - 1.5 mm
NL SOLDEERDRAAD - 100 g - 3 mm
DE LÖTDRAHT - 100 g - 3 mm
ES HILO DE SOLDADURA - 100 g - 3 mm



SC3085



8 710439 054438



SOLDERING WIRE - 3 m - 1.5 mm

FR SOUDURE EN FIL - 3 m - 1.5 mm
NL SOLDEERDRAAD - 3 m - 1.5 mm
DE LÖTDRAHT - 3 m - 1.5 mm
ES HILO DE SOLDADURA - 3 m - 1.5 mm



SC3026



8 710439 93



SOLDERING WIRE - 3 m - 1.5 mm - BLISTER

FR SOUDURE EN FIL - 3 m - 1.5 mm - BLISTER
NL SOLDEERDRAAD - 3 m - 1.5 mm - BLISTER
DE LÖTDRAHT - 3 m - 1.5 mm - BLISTER
ES HILO DE SOLDADURA - 3 m - 1.5 mm - BLISTER



SC3076



8 710439 053851



SOLDERING WIRE - SOFT SOLDERING - 500 g - 2 mm

FR SOUDURE EN FIL - POUR SOUDURE TENDRE - 500 g - 2 mm
NL DRAADSOLDEER - VOOR ZACHTSOLDEREN - 500 g - 2 mm
DE LÖTDRAHT - WEICHLÖTEN - 500 g - 2 mm
ES HILO DE SOLDADURA - SOLDADURA BLANDA - 500 g - 2 mm



SC3050



8 710439 930503



SOLDERING WIRE - SOFT SOLDERING - 500 g - 3 mm

FR SOUDURE EN FIL - POUR SOUDURE TENDRE - 500 g - 3 mm
NL DRAADSOLDEER - VOOR ZACHTSOLDEREN - 500 g - 3 mm
DE LÖTDRAHT - WEICHLÖTEN - 500 g - 3 mm
ES HILO DE SOLDADURA - SOLDADURA BLANDA - 500 g - 3 mm



SC3051



8 710439 930510



HEATH SHIELD - FLEXIBLE - 250 x 190 x 6 mm

FR ECRAN THERMIQUE - FLEXIBLE - 250 x 190 x 6 mm
NL HITTESCHILD - FLEXIBEL - 250 x 190 x 6 mm
DE HITZESCHILD - FLEXIBEL - 250 x 190 x 6 mm
ES ESCUDO TÉRMICO - FLEXIBLE - 250 x 190 x 6 mm



SC1195



8 710439 054964



SOLDERING KIT

FR SET DE SOUDURE - MULTIPLA
NL SOLDEERSET
DE LÖT-SET
ES JUEGO DE SOLDADURA



SC3005



8 710439 054629



TIN/SILVER SOLDERING WIRE - 50 g - 2 mm

FR SOUDURE ÉTAIN/ARGENT - 50 g - 2 mm
NL TINZILVERSOLDEER - 50 g - 2 mm
DE LÖTDRAHT - ZINN/BLEI - 50 g - 2 mm
ES HILO DE SOLDADURA - ESTAÑO/PLOMO - 50 g - 2 mm



SC3084



8 710439 054551



TIN/SILVER SOLDERING WIRE - 500 g - 2 mm

FR SOUDURE ÉTAIN/ARGENT - 500 g - 2 mm
NL TINZILVERSOLDEER - 500 g - 2 mm
DE LÖTDRAHT - ZINN/BLEI - 500 g - 2 mm
ES HILO DE SOLDADURA - ESTAÑO/PLOMO - 500 g - 2 mm



SC3011



8 710439 930114



FAST SOLDERING WIRE - 12 mm - 30 pcs

FR ANNEAUX DE SOUDURE RAPIDE - 12 mm - 30 pcs
NL SNELSOLDEERRINGEN - 12 mm - 30 st
DE LÖTDRAHT - SCHNELL - 12 mm - 30-tlg.
ES HILO DE SOLDAR RÁPIDO - 12 mm - 30 uds.



SC3017



8 710439 054643

**FAST SOLDERING WIRE
- 15 mm - 30 pcs**

FR ANNEAUX DE SOUDURE RAPIDE - 15 mm - 30 pcs
 NL SNELSOLDEERRINGEN - 15 mm - 30 st
 DE LÖTDRÄHT - SCHNELL - 15 mm - 30-tlg.
 ES HILO DE SOLDAR RÁPIDO - 15 mm - 30 uds.



SC3018

**SOLDERING WIRE - FINE
USE - 500 g - 1.5 mm**

FR SOUDURE EN FIL - POUR TRAVAUX DÉLICATS - 500 g - 1.5 mm
 NL DRAADSOLDEER - VOOR FIJN WERK - 500 g - 1.5 mm
 DE LÖTPASTE - FÜR FEINE ARBEITEN - 500 g - 1.5 mm
 ES HILO DE SOLDADURA - USO FINO - 500 g - 1.5 mm



SC3049

**CONSISTENCY GREASE - 200 g**

FR GRAISSE CONSISTANTE - 200 g
 NL CONSISTENTVET - 200 g
 DE KONSISTENZFETT - 200 g
 ES GRASA CONSISTENTE - 200 g



SC1414

**GRAPHITE POWDER - 10 g**

FR POUDRE DE GRAPHITE - 10 g
 NL GRAFIETPOEDER - 10 g
 DE GRAFITPULVER - 10 g
 ES POLVO DE GRAFITO - 10 g



SC1423

**SILICONE GREASE - 15 g**

FR GRAISSE SILICONE - 15 g
 NL SILICONENVET - 15 g
 DE SILIKONFETT - 15 g
 ES GRASA DE SILICONA - 15 g



SC1926

**SCOURING FIBRE - 10 pcs**

FR FIBRES ABRASIVES - 10 pcs
 NL SCHUURVEZEL - 10 st
 DE SCHEUERFASER - 10-tlg.
 ES FIBRA ABRASIVA - 10 uds.



SC1519

**SOLDER - UNIVERSAL - 40/60**

FR SOUDURE - UNIVERSELLE - 40/60
 NL SOLDEERSEL - UNIVERSEEL - 40/60
 DE LÖTZINN - UNIVERSELL - 40/60
 ES ESTAÑO - UNIVERSAL - 40/60



SC0723

**TIN/LEAD SOLDER (60/40)**

FR SOUDURE ÉTAIN/PLOMB NOYAU DE RÉSINE (60/40)
 NL HARKERN TIN/LOOD (60/40)
 DE LÖTDRÄHT - ZINN/BLEI (60/40)
 ES HILO DE SOLDADURA - ESTAÑO/PLOMO (60/40)



SC4777

**SOLDER - UNIVERSAL - 40/60**

FR SOUDURE - UNIVERSELLE - 40/60
 NL SOLDEERSEL - UNIVERSEEL - 40/60
 DE LÖTZINN - UNIVERSELL - 40/60
 ES ESTAÑO - UNIVERSAL - 40/60



SC0725

**SOLDER - FOR PLUMBING - 50/50**

FR SOUDURE - POUR PLOMBERIE - 50/50
 NL SOLDEERSEL - VOOR LOODGIETERIJ - 50/50
 DE LÖTZINN - FÜR SANITÄRARBEITEN - 50/50
 ES ESTAÑO - PARA FONTANERÍA - 50/50



SC0729

**SOLDERING IRON CLEANER**

FR NETTOYANT - POUR FER À SOUDER
 NL REINIGINGSMIDDEL - VOOR SOLDEERIJZER
 DE SALMIAKSTEIN
 ES PIEDRA DE SALMIACA



SC0734

