



ELECTRIC

ÉLECTRIQUE
 ELEKTRISCH
 ELEKTRO
 ELÉCTRICO



FAN HEATER - 2000 W - WHITE

FR THERMOVENTILATEUR - 2000 W - BLANC
 NL ELEKTRISCHE VENTILATORKACHEL - 2000 W - WIT
 DE HEIZLÜFTER - 2000 W - WEIß
 ES TERMOVENTILADOR - 2000 W - COLOR BLANCO

Toolland
 a land of possibilities

2 heat positions • fan function • thermostat • handle on top • overheating protection

power supply: 230 VAC 50 Hz • power consumption: 2000 W



TC78020



5 411244 780200



FAN HEATER - 2000 W - BLACK - OSCILLATING

FR RADIATEUR SOUFFLANT - 2000 W - NOIR - OSCILLANT
 NL ELEKTRISCHE VENTILATOR KACHEL 2Kw / ZWART - OSCILLEREND
 DE HEIZLÜFTER - 2000 W - SCHWARZ - OSZILLIEREND
 ES TERMOVENTILADOR - 2000 W - COLOR NEGRO - OSCILANTE

Toolland
 a land of possibilities

3 heating positions • fan function • adjustable angle • tilting protection

power supply: 230 VAC 50 Hz • power consumption: 2000 W



TC78022



5 411244 780224



INDUSTRIAL FAN HEATER 2000 W **PEREL®**

FR CONVECTEUR À VENTILATEUR INDUSTRIEL - 2000 W
 NL INDUSTRIËLE VENTILATORKACHEL - 2000 W
 DE BAUHEIZER - 2000 W
 ES CALEFACTOR INDUSTRIAL - 2000 W

with fan for faster air circulation • stainless steel heating element • metal housing with epoxy powder coating • plastic carrying handle • adjustable thermostat • overheating protection • produces a totally dry heat with no condensation, no gas, no fumes, no smell • ideal for workshops, garages etc.

colour: warm orange • input voltage: 230 VAC ~ 50 Hz • heating power settings: 25 W / 2000 W • power cord length: 1.20 m • dimensions: 280 x 195 x 315 mm • weight: 3.8 kg



EHI2KW



5 410329 475895



INDUSTRIAL FAN HEATER 3000 W **PEREL®**

FR CONVECTEUR À VENTILATEUR INDUSTRIEL - 3000 W
 NL INDUSTRIËLE VENTILATORKACHEL - 3000 W
 DE BAUHEIZER - 3000 W
 ES CALEFACTOR INDUSTRIAL - 3000 W

with fan for faster air circulation • stainless steel heating element • metal housing with epoxy powder coating • plastic carrying handle • adjustable thermostat • overheating protection • produces a totally dry heat with no condensation, no gas, no fumes, no smell • ideal for workshops, garages etc.

colour: warm orange • input voltage: 230 VAC ~ 50 Hz • heating power settings: 30 W / 3000 W • power cord length: 1.20 m • dimensions: 310 x 250 x 355 mm • weight: 5.0 kg



EHI3KW



5 410329 475901

**INDUSTRIAL FAN HEATER
- 3000 W - IP 44****Toolland**
a land of possibilitiesFR RADIATEUR SOUFFLANT - 3000 W - IP 44
NL INDUSTRIËLE HEATER - 3000 W - IP 44
DE BAUHEIZER - 3000 W - IP 44
ES CALEFACTOR INDUSTRIAL - 3000 W - IP 44

2 heating positions • cold air function • thermostat • overheating protection • tilting protection

power supply: 230 VAC 50 Hz • power consumption: 3000 W • IP rating: IP44



TC78073



5 411244 780736

**INDUSTRIAL HEATER - 3 kW****Toolland**
a land of possibilitiesFR CHAUFFAGE INDUSTRIEL - 3 kW
NL INDUSTRIËLE VERWARMING - 3 kW
DE GAS-HEIßLUFTGENERATOR - 3 kW
ES CALEFACTOR INDUSTRIAL - 3 kW

weight: 4690g



TC78074



5 411244 780743

**INDUSTRIAL FAN HEATER
- 2000 W - IP 44****Toolland**
a land of possibilitiesFR RADIATEUR SOUFFLANT - 2000 W - IP 44
NL INDUSTRIËLE HEATER - 2000 W - IP 44
DE BAUHEIZER - 2000 W - IP 44
ES CALEFACTOR INDUSTRIAL -2000 W - IP 44

3 heating positions • cold air function • thermostat • overheating protection • tilting protection

power supply: 230 VAC 50 Hz • power consumption: 2000 W • IP rating: IP44



TC78069



5 411244 780699

**INDUSTRIAL FAN HEATER
- 3300 W - IP 24****Toolland**
a land of possibilitiesFR RADIATEUR SOUFFLANT - 3300 W - IP 24
NL INDUSTRIËLE HEATER - 3300 W - IP 44
DE BAUHEIZER - 3300 W - IP 24
ES CALEFACTOR INDUSTRIAL - 3300 W - IP 24

2 heating positions • cold air function • thermostat • overheating protection • tilting protection

power supply: 230 VAC 50 Hz • power consumption: 3300 W • IP rating: IP24



TC78070



5 411244 780705

**QUARTZ HEATER - 800 W****Toolland**
a land of possibilitiesFR RADIANT INFRAROUGE - 800 W
NL INFRAROODSTRALER - 800 W
DE QUARTZSTRAHLER - 800 W
ES CALEFACTOR DE CUARZO - 800 W

2 heating positions • thermostat • overheating protection

power supply: 230 VAC 50 Hz • power consumption: 800 W



TC78040



5 411244 780408



HALOGEN HEATER - 2000 W - 2 HEAT POSITIONS

Toolland
a land of possibilities

FR RADIATEUR HALOGÈNE - 2000 W - 2 POSITIONS DE
CHAUFFAGE
NL HALOGEENSTRALER - 2000 W - 2 VERWARMINGSPUNTEN
DE HALOGENHEIZER - 2000 W - 2 HEIZSTUFEN
ES CALENTADOR HALÓGENO - 2000 W - 2 POSICIONES DE CALENTAMIENTO

2 heating positions • oscillating • overheating protection • thermostat

power supply: 230 VAC 50 Hz • power consumption: 2000 W

TC78015



5 411244 780156



QUARTZ HEATER - 1200 W

Toolland
a land of possibilities

FR RADIANT INFRAROUGE - 1200 W
NL INFRAROODSTRALER - 1200 W
DE QUARTZSTRAHLER - 1200 W
ES CALEFACTOR DE CUARZO - 1200 W

2 heating positions • on/off switch with cord • tilting head

power supply: 230 VAC 50 Hz • power consumption: 1200 W



TC78060



5 411244 780606



OIL FILLED RADIATOR - 2000 W - 9 FINS

Toolland
a land of possibilities

FR RADIATEUR BAIN D'HUILE - 2000 W - 9 ÉLÉMENTS
NL OLIEBADRADIATOR - 2000 W - 9 ELEMENTEN
DE ÖLRADIATOR - 2000 W - 9 RIPPEN
ES RADIADOR DE ACEITE - 2000 W - 9 ALETAS

9 fins • thermostat • handle on top • on wheels • overheating protection • 3 heat settings

power supply: 230 VAC 50 Hz • power consumption: 2000 W



TC78009



5 411244 780095



OIL FILLED RADIATOR - 2500 W - 11 FINS

Toolland
a land of possibilities

FR RADIATEUR BAIN D'HUILE - 2500 W - 11 ÉLÉMENTS
NL OLIEBADRADIATOR - 2500 W - 11 ELEMENTEN
DE ÖLRADIATOR - 2500 W - 11 RIPPEN
ES RADIADOR DE ACEITE - 2500 W - 11 ALETAS

11 fins • thermostate • handle on top • on wheels • overheating protection • 3 heat settings

power supply: 230 VAC 50 Hz • power consumption: 2500 W



TC78011



5 411244 780118



CONVECTOR HEATER - 2000 W

Toolland
a land of possibilities

FR CONVECTEUR - 2000 W
NL CONVECTOR - 2000 W
DE KONVEKTOR - 2000 W
ES CALEFACTOR CONVECTOR - 2000 W

3 heat positions • thermostat • overheating protection

power supply: 230 VAC 50 Hz • power consumption: 2000 W



TC78049



5 411244 780491

**CONVECTOR HEATER -
2000 W - TURBO FUNCTION****Toolland**
a land of possibilities

FR CONVECTEUR - 2000 W - FONCTION TURBO
 NL CONVECTOR - 2000 W - TURBO FUNCTIE
 DE KONVEKTOR - 2000 W - TURBO-FUNKTION
 ES CALEFACTOR CONVECTOR - 2000 W - FUNCIÓN TURBO

3 heat positions • thermostat • overheating protection • turbo fan

power supply: 230 VAC 50 Hz • power consumption: 2000 W



TC78050

**MICA PANEL HEATER - 2000 W****Toolland**
a land of possibilities

FR PANNEAU CHAUFFANT MICA - 2000 W
 NL MICA CONVECTOR - 2000 W
 DE HEIZGERÄT MIT MICAPLATTE - 2000 W
 ES CALEFACTOR CON PANEL DE MICA - 2000 W

2 heating positions • thermostat • overheating protection • standing or mounted

power supply: 230 VAC 50 Hz • power consumption: 2000 W



TC78085

**BATHROOM HEATER
- 2000 W - IP 24****Toolland**
a land of possibilities

FR CHAUFFAGE POUR SALLE DE BAINS - 2000 W - IP 24
 NL BADKAMERVERWARMING - 2000 W - IP 24
 DE BADHEIZER - 2000 W - IP 24
 ES TERMOVENTILADOR DE BAÑO - 2000 W - IP 24

2 heat positions • thermostat • overheating protection • with towel holder • wall mount

power supply: 230 VAC 50 Hz • power consumption: 2000 W • IP rating: IP24

TC78033

**FIREPLACE HEATER - 2000 W****Toolland**
a land of possibilities

FR CHEMINÉE ÉLECTRIQUE - 2000 W
 NL ELEKTRISCHE SFEERHAARD - 2000 W
 DE ELEKTRISCHER KAMINOFEN - 2000 W
 ES CHIMENEA ELÉCTRICA - 2000 W

2 heating positions • fan function • overheating protection • thermostat

power supply: 230 VAC 50 Hz • power consumption: 2000 W • power supply: 230 VAC 50 Hz • power consumption: 2000 W



TC78090

**FROST PROTECTION
HEATING CABLE - 6 m****PEREL®**

FR CORDON ANTIGEL - 6 m
 NL VORSTWEREND SNOER - 6 m
 DE FROSTSCHUTZKABEL - 6 m
 ES CABLE CALEFACTOR CON PROTECCIÓN ANTIHIELO - 6 m

frost protection heating cable protects pipes against frost • cable can stay plugged in as long as it's wrapped around a pipe •

length: 6m • input voltage: 230V - 10W/m • operating temperature: -60 to +180°C



120





FROST PROTECTION HEATING CABLE - 12 m

PEREL®

- FR CORDON ANTIGEL - 12 m
- NL VORSTWEREND SNOER - 12 m
- DE FROSTSCHUTZKABEL - 12 m
- ES CABLE CALEFACTOR CON PROTECCIÓN ANTIHIELO - 12 m

frost protection heating cable protects pipes against frost • cable can stay plugged in as long as it's wrapped around a pipe •

length: 12m • input voltage: 230V - 10W/m • operating temperature: -60 to +180°C



120-0



5 411257 000289



FROST PROTECTION HEATING CABLE - 24 m

PEREL®

- FR CORDON ANTIGEL - 24 m
- NL VORSTWEREND SNOER - 24 m
- DE FROSTSCHUTZKABEL - 24 m
- ES CABLE CALEFACTOR CON PROTECCIÓN ANTIHIELO - 24 m

frost protection heating cable protects pipes against frost • cable can stay plugged in as long as it's wrapped around a pipe •

length: 24m • input voltage: 230V - 10W/m • operating temperature: -60 to +180°C



120-1



5 411257 000296



FROST PROTECTION HEATING CABLE WITH THERMOSTAT - 12 m

PEREL®

- FR CORDON ANTIGEL AVEC THERMOSTAT - 12 m
- NL VORSTWEREND SNOER MET THERMOSTAAT - 12 m
- DE FROSTSCHUTZKABEL MIT THERMOSTAT - 12 m
- ES CABLE CALEFACTOR CON PROTECCIÓN ANTIHIELO CON THERMOSTATO - 12 m

The built-in thermostat ensures that the cable is powered and heats up when the temperature drops below +3°C (37.4°F). Power is cut and heating stops when temperature rises above +3°C (37.4°F)

frost protection heating cable protects pipes against frost • cable can stay plugged in as long as it's wrapped around a pipe • with thermostat (not adjustable) •

length: 12m • input voltage: 230V - 10W/m • operating temperature: -60 to +180°C



120-0T



5 410329 437688



FROST PROTECTION HEATING CABLE WITH THERMOSTAT - 24 m

PEREL®

- FR CORDON ANTIGEL AVEC THERMOSTAT - 24 m
- NL VORSTWEREND SNOER MET THERMOSTAAT - 24 m
- DE FROSTSCHUTZKABEL MIT THERMOSTAT - 24 m
- ES CABLE CALEFACTOR CON PROTECCIÓN ANTIHIELO CON THERMOSTATO - 24 m

The built-in thermostat ensures that the cable is powered and heats up when the temperature drops below +3°C (37.4°F). Power is cut and heating stops when temperature rises above +3°C (37.4°F)

frost protection heating cable protects pipes against frost • cable can stay plugged in as long as it's wrapped around a pipe • with thermostat (not adjustable) •

length: 24m • input voltage: 230V - 10W/m • operating temperature: -60 to +180°C



120-1T



5 410329 437695



FUELS

COMBUSTIBLES
BRANDSTOF
BRENNSTOFFE
COMBUSTIBLES



NEW

GAS CANON - 17.5 kW

FR CANON À CHALEUR AU GAZ - 17.5 kW
NL GASKANON - 17.5 kW
DE GAS-HEIßLUFTGENERATOR - 17.5 kW
ES CAÑON CALEFACTOR A GAS - 17.5 kW

Toolland
a land of possibilities

Piezo ignition • overheat cut-off • flame failure cut-off • solenoid valve • with handle, easy to carry

protection class: IPx4D • power: 17500 W • air flow: 300 m³/h • gas pressure: 500 mbar
• power supply: 230 V 50 Hz



FT15N



NEW

CATALYTIC GAS HEATER - 3.0 kW

FR CHAUFFAGE AU GAZ CATALYTIQUE - 3.0 kW
NL KATALYTISCHE GASVERWARMING - 3.0 kW
DE KATALYTOFEN - 3.0 kW
ES CALEFACTOR CATLÍTICO - 3.0 kW

Toolland
a land of possibilities

three heat settings • Piezo ignition • oxygen depletion system • reinforced casters for easy move • long lasting catalytic panel • flame failure cut-off

power: 3000 W • dimensions (H x W x D): 70 x 40 x 29 cm • weight: 9 kg



FT92N



GAS RADIANT HEATER - 4 kW

FR CHAUFFAGE RADIANT AU GAZ - 4 kW
NL GASSTRALER - 4 kW
DE HEIZSTRAHLER - GAS - 4 kW
ES CALEFACTOR A GAS - 4 kW

Toolland
a land of possibilities

built-in flame failure safety switch • for outdoor use • mounting bracket • can be used with butane and propane gas • compact design • easy to operate

heating power: 2.6 - 4.5 kW • type of gas: butane/propane (i3+) • maximum pressure: butane: 28-30 mbar / propane: 37 mbar • consumption: 330 g/h • pressure valve: not included



FT5130



DIESEL DIRECT-FIRED HEATER - 15 kW

PEREL®

FR CHAUFFAGE DIRECT AU DIESEL - 15 kW
NL RECHTSREEKSE VERWARMING OP DIESEL - 15 kW
DE DIESEL-HEIZKANONE - DIREKTE VERBRENNUNG - 15 kW
ES GENERADOR DE AIRE CALIENTE - COMBUSTIÓN DIRECTA - 15 kW

compact design • functions on diesel or kerosene • ideal for drying and heating • easy to operate • safety switch prevents overheating • rotary air compressor • suitable for outdoor use

input voltage: 230 VAC, 50 Hz • tank capacity: 11 L • thermal power: ◊ kW: 15 ◊ kcal/h: 12900 ◊ Btu/h: 51600 • air flow: 350 m³/h • motor power: 100 W • fuel consumption: 1.48 L/h



GALAXY-15C





CATALYTIC GAS HEATER - 3.1 kW



FR CHAUFFAGE AU GAZ CATALYTIQUE - 3.1 kW
 NL KATALYTISCHE GASVERWARMING - 3.1 kW
 DE KATALYTOFEN - 3.1 kW
 ES ESTUFA DE GAS CATALÍTICA - 3.1 kW

piezo ignition

heating power: 3.1 kW • gas type: butane or propane • gas category: I3+ • gas pressure: 28-30 / 37 Mbar • consumption: 305 g / h



FT92-TL



5 411244 920002



CERAMIC GAS HEATER - 4.1 kW



FR CHAUFFAGE AU GAZ CÉRAMIQUE - 4.1 kW
 NL KERAMISCHE GASVERWARMING - 4.1 kW
 DE KERAMIK-HEIZLÜFTER - 4.1 kW
 ES CALEFACTOR DE CERAMICA - 4.1 kW

piezo ignition

heating power: 4.1 kW • gas type: butane or propane • gas category: I3+ • gas pressure: 28-30/37 Mbar • consumption: 305 g / h



FT90



5 411244 910010



GAS HOT-AIR BLOWER - 10 kW



FR GENERATEUR D'AIR CHAUD A GAZ - 10 kW
 NL HETELUCHTKANON OP GAS - 10 kW
 DE HEIßLUFTGENERATOR 10 kW
 ES GENERADOR DE AIRE CALIENTE A GAS 10 kW

max. power output (butane/propane): ◊ 9288 kcal/h ◊ 10.80kW ◊ 36900 BTU/h • gas supply pressure: 0.30 bar • max. gas consumption: 0.78kg/h • airflow rating (@ 50Hz): 300m³/h • power supply: 230V / 50Hz • power rating: 50W • nozzle diameter: 0.90mm • dimensions (L x W x H): 390 x 180 x 270mm • weight: 5kg



ASTRO-10



8 018795 000183



GAS CANON - 15 kW



FR CANON À CHALEUR GAZ - 15 kW
 NL GASKANON - 15 kW
 DE GAS-HEIßLUFTGENERATOR - 15 kW
 ES CAÑON CALEFACTOR A GAS - 15 kW

piezo ignition • with fan • hose and gas regulator included

power supply: 230 VAC 50 Hz • power consumption: 28 W • heating power: 15 kW • gas type: propane • gas category: I3P • gas pressure: 500 Mbar • IP rating: IP44 • consumption: 1.07 kg / h



FT15



5 411244 015005



HOT-AIR BLOWER - 31.18 kW



FR GENERATEUR D'AIR CHAUD A GAZ - 31.18 kW
 NL HETELUCHTKANON - 31.18 kW
 DE HEIßLUFTGENERATOR 31.18 kW
 ES GENERADOR DE AIRE CALIENTE A GAS 31.18 kW

max. power output (butane/propane): ◊ 33197 kcal/h ◊ 38.60kW ◊ 131793 BTU/h • min. power output (butane/propane): ◊ 12976 kcal/h ◊ 14.97kW ◊ 51118 BTU/h • gas supply pressure: 1.5 bar • max. gas consumption: 2.81kg/h • airflow rating (@ 50Hz): 750m³/h • power supply: 230V • power rating: 90W • nozzle diameter: 1.15mm • dimensions (L x W x H): 530 x 280 x 400mm • weight: 11.5kg



ASTRO-30M



8 018795 001692



CONNECTION SET FOR ASTRO-30M



FR ENSEMBLE DE RACCORDEMENT POUR ASTRO-30M
 NL KOPPELSET VOOR ASTRO-30M
 DE VERBINDUNGSSATZ FÜR ASTRO-30M
 ES JUEGO DE CONEXIÓN PARA ASTRO-30M

for: ASTRO-30M • contents: ◊ gas tube ◊ relief valve ◊ washer ◊ pressure regulator



AGC02



5 410329 358679

**HOT-AIR BLOWER - 31.18 kW****PEREL®**

FR GENERATEUR D'AIR CHAUD A GAZ - 31.18 kW
 NL HETELUCHTKANON - 31.18 kW
 DE HEIßLUFTGENERATOR 31.18 kW
 ES GENERADOR DE AIRE CALIENTE A GAS 31.18 kW

max. power output (butane/propane): ◊ 33197 kcal/h ◊ 38.60 kW ◊ 131793 BTU/h ● min. power output (butane/propane): ◊ 12976 kcal/h ◊ 14.97 kW ◊ 51118 BTU/h ● gas supply pressure: 1.5 bar ● max. gas consumption: 2.81 kg/h ● airflow rating (@ 50 Hz): 750 m³/h ● power supply: 230 VAC ● power rating: 90 W ● nozzle diameter: 1.15 mm ● dimensions (L x W x H): 530 x 280 x 400 mm ● weight: 11.5 kg



ASTRO-30MN



8 018795 010021

**HOT-AIR BLOWER - 43.47 kW****PEREL®**

FR GENERATEUR D'AIR CHAUD A GAZ - 43.47 kW
 NL HETELUCHTKANON - 43.47 kW
 DE HEIßLUFTGENERATOR 43.47 kW
 ES GENERADOR DE AIRE CALIENTE A GAS 43.47 kW

max. power output (butane/propane): ◊ 46898 kcal/h ◊ 54.53kW ◊ 186184 BTU/h ● min. power output (butane/propane): ◊ 28587 cal/h ◊ 33.24kW ◊ 113492 BTU/h ● gas supply pressure: 2 bar ● max. gas consumption: 3.97kg/h ● airflow rating (@ 50Hz): 850m³/h ● power supply: 230V / 50Hz ● power rating: 90W ● nozzle diameter: 1.30mm ● dimensions (L x W x H): 690 x 280 x 400mm ● weight: 13kg



ASTRO-40M



8 018795 001739

**HOT-AIR BLOWER - 43.47 kW****PEREL®**

FR GÉNÉRATEUR D'AIR CHAUD À GAZ - 43.47 kW
 NL HETELUCHTKANON - 43.47 kW
 DE HEIßLUFTGENERATOR 43.47 kW
 ES GENERADOR DE AIRE CALIENTE A GAS 43.47 kW

stainless steel

max. power output (butane/propane): ◊ 46898 kcal/h ◊ 54.53 kW ◊ 186184 BTU/h ● min. power output (butane/propane): ◊ 28587 cal/h ◊ 33.24 kW ◊ 113492 BTU/h ● gas supply pressure: 2 bar ● max. gas consumption: 3.97 kg/h ● airflow rating (@ 50 Hz): 850 m³/h ● power supply: 230 VAC 50 Hz ● power rating: 90 W ● nozzle diameter: 1.30 mm ● dimensions (L x W x H): 690 x 280 x 400 mm ● weight: 13 kg



ASTRO-40MI



8 018795 010052

**WOOD STOVE - DENVER****Toolland**
a land of possibilities

FR POËLE À BOIS - DENVER
 NL HOUTSTOOF - DENVER
 DE HOLZOFEN - DENVER
 ES ESTUFA DE LEÑA - DENVER

nominal heat output: 5 kW ● capacity: 88 m³ ● volume flow of the fuel gasses: 4.7 g/s ● minimum chimney draft at nominal heat output: 12 Pa ● fuel: firewood, wood briquettes and lignite briquettes ● net weight: 53 kg ● dimensions: ◊ dimensions (h x w x d): 881 x 291 x 341 mm ◊ combustion chamber (h x w x d): 540 x 235 x 230 mm ◊ smoke outlet diameter: 120 mm ◊ height to center of smoke outlet: 753 mm



TC80109



4 025144 809919

**WOOD STOVE - VULCANUS****Toolland**
a land of possibilities

FR POËLE À BOIS - VULCANUS
 NL HOUTKACHEL - VULCANUS
 DE KAMINOFEN - VULCANUS
 ES ESTUFA DE LEÑA - VULCANUS

15 heat-resistant stones

capacity: 125 m³ ● steel thickness: 1.5 mm ● total height: 70 cm ● smoke outlet diameter: 12 cm ● weight: 42 kg ● heat resistant paint: 800 °C ● dimensions: ◊ upper chamber: 50.5 x 20 x 20 cm ◊ lower chamber: 61.5 x 30 x 30.5 cm



TC80100



5 411244 801004



ACCESSORIES

ACCESSOIRES
 ACCESSOIRES
 ZUBEHÖR
 ACCESORIOS



PROGRAMMABLE THERMOSTAT

PEREL®

FR THERMOSTAT PROGRAMMABLE
 NL PROGRAMMEERBARE THERMOSTAAT
 DE PROGRAMMIERBARER THERMOSTAT
 ES TERMOSTATO PROGRAMABLE

simple installation with 2 wires • 7 days program easy to adjust • suitable to any central heating or air-conditioning • temperature can be set for every hour of the day

temperature range: 5°C - 30°C • batteries: 2 x AA (not incl.)



406



5 411257 112814



ASH PAIL SET

Toolland
 a land of possibilities

FR JEU DE SEAUX À CENDRES
 NL ASEMMESET
 DE REINIGUNGSSET
 ES JUEGO LIMPIADOR DE CENIZAS

bucket + shovel + broom

diameter: 21 cm • height: 39 cm



BB50102



5 411244 501126



COAL CAN

Toolland
 a land of possibilities

FR SEAU À CHARBON
 NL STEENKOOLOUWER
 DE KOHLENSCHÜTTE
 ES CUBO DEL CARBÓN

with handle


diameter: 18 cm • height: 55.5 cm



BB50103



5 411244 501300



FIREPLACE SET - 2 TOOLS

Toolland
 a land of possibilities

FR SERVITEUR DE CHEMINÉE 2 OUTILS
 NL HAARDSTEL - 2 TOOLS
 DE KAMINBESTECK - 2-tlg.
 ES ACCESORIOS PARA CHIMENEA - 2 uds.

broom + shovel

height: 62 cm



BB50105



5 411244 501058



FIREPLACE SET - 3 TOOLS

Toolland
 a land of possibilities

FR SERVITEUR DE CHEMINÉE 3 OUTILS
 NL HAARDSTEL - 3 TOOLS
 DE KAMINBESTECK - 3-tlg.
 ES ACCESORIOS PARA CHIMENEA - 3 uds.

broom + shovel + poker

height: 68 cm



BB50104



5 411244 501041

WINDOW - FOR WOOD STOVE TC80200

Toolland
 a land of possibilities

FR VITRE - POUR POÊLE À BOIS TC80200
 NL GLASVENSTER - VOOR HOUTKACHEL TC80200
 DE FENSTER - FÜR HOLZOFEN TC80200
 ES VENTANA - PARA ESTUFA DE LEÑA TC80200

TC80220



5 411244 822092

**FIREPLACE SCREEN - 107 x 50 cm**

FR SERVITEUR DE CHEMINÉE - 107 x 50 cm
 NL HAARDSCHERM - 107 x 50 cm
 DE FEUERGITTER - 107 x 50 cm
 ES SALVACHISPAS - 107 x 50 cm

Toolland
a land of possibilities

foldable

dimensions: 107 x 50 cm



BB50107



5 411244 501072

**FIRELIGHTERS - FUEL - 32 pcs**

FR ALLUME-FEU - PÉTROLE - 32 pcs
 NL AANMAAKBLOKJES - PETROLEUM - 32 st.
 DE ANZÜNDWÜRFEL - PETROLEUMBASIS - 32-tlg.
 ES PASTILLAS DE ENCENDIDO - A BASE DE PETRÓLEO - 32 uds.

Toolland
a land of possibilities



BB80101



4 007467 822011

**FIRELIGHTERS - FUEL - 128 pcs**

FR ALLUME-FEU - PÉTROLE - 128 pcs
 NL AANMAAKBLOKJES - PETROLEUM - 128 st.
 DE ANZÜNDWÜRFEL - PETROLEUMBASIS - 128-tlg.
 ES PASTILLAS DE ENCENDIDO - A BASE DE PETRÓLEO - 128 uds.

Toolland
a land of possibilities

BB80102



4 007467 862017

**FIRELIGHTERS - BIO - WOOD AND WAX - 32 pcs**

FR ALLUME-FEU - BIO - BOIS ET CIRE - 32 pcs
 NL AANMAAKBLOKJES - BIO - HOUT EN WAX - 32 st.
 DE ANZÜNDWÜRFEL - BIO - AUS HOLZ UND WACHS - 32-tlg.
 ES PASTILLAS DE ENCENDIDO - BIO - DE MADERA Y CERA - 32 uds.


Toolland
a land of possibilities



BB80201



4 007467 903215

**FIRELIGHTERS - DISPLAY - 297 MIX BOXES - 5 REF.**

FR ALLUME-FEU - PRÉSENTOIR - 297 BOITES MIX - 5 REF.
 NL AANMAAKBLOKJES - WINKELDISPLAY - 297 DOZEN MIX - 5 REF.
 DE FEUERANZÜNDER - DISPLAY - MIX
 ES PASTILLAS DE ENCENDIDO - EXPOSITOR - MEZCLA

Toolland
a land of possibilities

content ◊ 96 x BB80101 ◊ 21 x BB80102 ◊ 96 x BB80201 ◊ 48 x BB80202 ◊ 36 x BB80203



BB80000



4 007467 279754

**CHIMNEY CLEANER KIT - BRUSH Ø 250 mm - METAL**

FR KIT DE RAMONAGE - BROSSE Ø 250 mm - MÉTAL
 NL SCHOORSTEENVEEGSET - BORSTEL Ø 250 mm - METAAL
 DE REINIGUNGSSET FÜR KAMIN - BÜRSTE Ø 250 mm - METALL
 ES JUEGO LIMPIADOR PARA CHIMENEA - CEPILLO Ø 250 mm - METAL

Toolland
a land of possibilities

diameter brush: 250 mm • length rod: 1.40 m (5 pieces included) • total length: 7 m • connection: M14 • material: metal



VK100



3 419861 000000

**CHIMNEY CLEANER KIT - BRUSH Ø 250 mm - NYLON**

FR KIT DE RAMONAGE - BROSSE Ø 250 mm - NYLON
 NL SCHOORSTEENVEEGSET - BORSTEL Ø 250 mm - NYLON
 DE REINIGUNGSSET FÜR KAMIN - BÜRSTE Ø 250 mm - NYLON
 ES JUEGO LIMPIADOR PARA CHIMENEA - CEPILLO Ø 250 mm - NYLON

Toolland
a land of possibilities


diameter brush: 250 mm • length rod: 1 m (7 pcs) • length: 7 m • connection: M14 • material: nylon



VK101



5 411244 101104

**CHIMNEY CLEANER BRUSH - 250 mm - METAL**

FR BROSSE DE RAMONAGE - 250 mm - MÉTAL
 NL SCHOORSTEENBORSTEL - 250 mm - METAAL
 DE KAMINBÜRSTE - 250 mm - METALL
 ES CEPILLO DESHOLLINADOR - 250 mm - METAL

Toolland
a land of possibilities

metal


diameter brush: 250 mm • connection: M14



VK110



5 411244 001107



**CHIMNEY CLEANER BRUSH
- 200 mm - METAL**

FR BROSSE DE RAMONAGE - 200 mm - MÉTAL
NL SCHOORSTEENBORSTEL - 200 mm - METAAL
DE KAMINBÜRSTE - 200 mm - METALL
ES CEPILLO DESHOLLINADOR - 200 mm - METAL

metal

diameter brush: 200 mm • connection: M14




VK111



5 411244 011106

Toolland
a land of possibilities



**CHIMNEY CLEANER BRUSH
- 175 mm - METAL**

FR BROSSE DE RAMONAGE - 175 mm - MÉTAL
NL SCHOORSTEENBORSTEL - 175 mm - METAAL
DE KAMINBÜRSTE - 175 mm - METALL
ES CEPILLO DESHOLLINADOR - 175 mm - METAL

Metal

diameter brush: 175 mm • connection: M14




VK112



5 411244 011205

Toolland
a land of possibilities



**CHIMNEY CLEANER BRUSH
- 150 mm - METAL**

FR BROSSE DE RAMONAGE - 150 mm - MÉTAL
NL SCHOORSTEENBORSTEL - 150 mm - METAAL
DE REINIGUNSBÜRSTE FÜR KAMIN - 150 mm - METALL
ES ESCOBILLA PARA LIMPIAR LA CHIMINEA - 150 mm - METAL

metal

diameter brush: 150 mm • connection: M14




VK113



5 411244 011304

Toolland
a land of possibilities



**CHIMNEY CLEANER BRUSH
- 150 x 200 mm - METAL**

FR BROSSE DE RAMONAGE - 150 x 200 mm - MÉTAL
NL SCHOORSTEENBORSTEL - 150 x 200 mm - METAAL
DE REINIGUNSBÜRSTE FÜR KAMIN - 150 x 200 mm - METALL
ES ESCOBILLA PARA LIMPIAR LA CHIMINEA - 150 x 200 mm - METAL

metal

dimensions brush: 200 x 150 mm • connection: M14




VK120



5 411244 012004

Toolland
a land of possibilities



**CHIMNEY CLEANER BRUSH
- 200 x 200 mm - METAL**

FR BROSSE DE RAMONAGE - 200 x 200 mm - MÉTAL
NL SCHOORSTEENBORSTEL - 200 x 200 mm - METAAL
DE KAMINBÜRSTE - 200 x 200 mm - METALL
ES CEPILLO DESHOLLINADOR - 200 x 200 mm - METAL

metal

dimensions brush: 200 x 200 mm • connection: M14




VK121



5 411244 012103

Toolland
a land of possibilities



**CHIMNEY CLEANER BRUSH
- 250 x 200 mm - METAL**

FR BROSSE DE RAMONAGE - 250 x 200 mm - MÉTAL
NL SCHOORSTEENBORSTEL - 250 x 200 mm - METAAL
DE KAMINBÜRSTE - 250 x 200 mm - METALL
ES CEPILLO DESHOLLINADOR - 250 x 200 mm - METAL

metal

dimensions brush: 250 x 200 mm • connection: M14




VK122



5 411244 012202

Toolland
a land of possibilities



**CHIMNEY CLEANER BRUSH
- 250 x 250 mm - METAL**

FR BROSSE DE RAMONAGE - 250 x 250 mm - MÉTAL
NL SCHOORSTEENBORSTEL - 250 x 250 mm - METAAL
DE KAMINBÜRSTE - 250 x 250 mm - METALL
ES CEPILLO DESHOLLINADOR - 250 x 250 mm - METAL

metal

dimensions brush: 250 x 250 mm • connection: M14



VK123



5 411244 012301

Toolland
a land of possibilities



**CHIMNEY CLEANER BRUSH
- 250 mm - NYLON**

FR BROSSE DE RAMONAGE - 250 mm - NYLON
NL SCHOORSTEENBORSTEL - 250 mm - NYLON
DE KAMINBÜRSTE - 250 mm - NYLON
ES CEPILLO DESHOLLINADOR - 250 mm - NYLON

nylon

diameter brush: 250 mm • connection: M14



VK130



5 411244 013001

Toolland
a land of possibilities



**CHIMNEY CLEANER BRUSH
- 200 mm - NYLON**

FR BROSSE DE RAMONAGE - 200 mm - NYLON
NL SCHOORSTEENBORSTEL - 200 mm - NYLON
DE REINIGUNSBÜRSTE FÜR KAMIN - 200 mm - NYLON
ES ESCOBILLA PARA LIMPIAR LA CHIMINEA - 200 mm - NYLON

nylon

diameter brush: 200 mm • connection: M14



VK131



5 411244 013100

Toolland
a land of possibilities

**RODS FOR CHIMNEY CLEANER - 5 pcs**

FR CANNES POUR KIT DE RAMONAGE - 5 PIÈCES
 NL STOKKEN VOOR SCHOORSTEENVEGER - 5 STUKS
 DE STÄBCHEN FÜR KAMINREINIGER - 5-tlg.
 ES BARRAS PARA LIMPIADOR DE CHIMENEA - 5 uds.

5 pieces

length rod: 1.40 m • connection: M14



VK140



5 411244 001404

Toolland
a land of possibilities**PELLET CHIMNEY CLEANER
- GLASS FIBRE**

FR KIT DE RAMONAGE POUR POÊLE À PELLET - FIBRE DE VERRE
 NL SCHOORSTEENVEEGSET VOOR PELLETKACHEL - GLASVEZEL
 DE REINIGUNGSBÜRSTE FÜR PELLETOFEN - GLASFASER
 ES CEPILLO LIMPIADOR PARA ESTUFAS DE PELLETS - FIBRA DE VIDRIO

glass fiber rod

brush diameter: 80 mm • length rod: 3 m • connection: M14



VK200



3 419861 350013

Toolland
a land of possibilities**BASKETS**

PANIERS
 MANDEN
 KÖRBE
 CESTAS

NEW**LOG BASKET - BLACK
LEATHER LOOK**

FR PANIER PORTE-BUCHES - ASPECT CUIR NOIR
 NL HOUTMAND - ZWART LEDERASPECT
 DE HOLZKORB - DESIGN SCHWARZLEDER
 ES CESTA PARA LEÑA- APARIENCIA DE CUERO NEGRO

vintage look

material: faux leather and carbord interlayer • dimensions: 560 x 430 x 350 mm • bottom: 430 x 315 mm • colour: black



BB50301



5 410329 611125

Toolland
a land of possibilities**NEW****LOG BASKET - BLACK
LEATHER LOOK**

FR PANIER PORTE-BUCHES - ASPECT CUIR NOIR
 NL HOUTMAND - ZWART LEDERASPECT
 DE HOLZKORB - DESIGN SCHWARZLEDER
 ES CESTA PARA LEÑA- APARIENCIA DE CUERO NEGRO

vintage look

material: faux leather with cardboard interlayer • diameter: ø 390 mm • height: 310 mm • bottom: ø 320 mm • colour: black



BB50302



5 410329 611132

Toolland
a land of possibilities**NEW****LOG BAG**

FR SAC PORTE-BUCHES
 NL HOUTZAK
 DE HOLZKORB
 ES BOLSA PARA LEÑA

high quality polyester bag for logs • with 2 handles

material: 600d x 300d polyester • dimensions: 710 x 350 x 260 mm • colour: black and white



BB50303



5 410329 611163

Toolland
a land of possibilities



LOG BASKET - 42 x 30 x 46 cm

FR PANIER À BÛCHES - 42 x 30 x 46 cm
NL HOUTBEUGEL - 42 x 30 x 46 cm
DE HOLZKORB - 42 x 30 x 46 cm
ES LEÑERO - 42 x 30 x 46 cm

Toolland
a land of possibilities

length: 42 cm • width: 30 cm • height: 49 cm • height: 46 cm



BB50106



5 411244 501065



WICKER BASKET - 60 x 40 x 45 cm

FR PANIER EN OSIER - 60 x 40 x 45 cm
NL RIETEN MAND - 60 x 40 x 45 cm
DE WEIDENKORB - 60 x 40 x 45 cm
ES CESTA DE MIMBRE - 60 x 40 x 45 cm

Toolland
a land of possibilities

dimensions: 60 x 40 x 45 cm



BB50201



5 411244 502024



WICKER BASKET - 54 x 85 x 50 cm - ON WHEELS

FR PANIER EN OSIER - 54 x 85 x 50 cm - SUR ROUES
NL RIETEN MAND - 54 x 85 x 50 cm - OP WIELEN
DE WEIDENKORB - 54 x 85 x 50 cm - MIT ROLLEN
ES CESTA DE MIMBRE - 54 x 85 x 50 cm - CON RUEDECILLAS

Toolland
a land of possibilities

dimensions: 54 x 85 x 50 cm



BB50202



5 411244 502031



WICKER BASKET - 54 x 44 x 30 cm

FR PANIER EN OSIER - 54 x 44 x 30 cm
NL RIETEN MAND - 54 x 44 x 30 cm
DE WEIDENKORB - 54 x 44 x 30 cm
ES CESTA DE MIMBRE - 54 x 44 x 30 cm

Toolland
a land of possibilities

dimensions: 54 x 44 x 30 cm



BB50200



5 411244 502000



WICKER BASKETS 3-in-1

FR PANIERS EN OSIER 3-EN-1
NL RIETEN MANDEN 3-in-1
DE 3 WEIDENKÖRBE
ES 3 CESTAS DE MIMBRE

Toolland
a land of possibilities

dimensions small: 32 x 32 x 36 cm • dimensions medium: 43 x 43 x 38 cm • dimensions large: 54 x 54 x 40 cm



BB50203



5 411244 502048



WICKER BASKET - 32 x 32 x 36 cm

FR PANIER EN OSIER - 32 x 32 x 36 cm
NL RIETEN MAND - 32 x 32 x 36 cm
DE WEIDENKORB - 32 x 32 x 36 cm
ES CESTA DE MIMBRE - 32 x 32 x 36 cm

Toolland
a land of possibilities

dimensions: 32 x 32 x 36 cm



BB50204



5 411244 502055



WICKER BASKET - 54 x 54 x 40 cm

FR PANIER EN OSIER - 54 x 54 x 40 cm
NL RIETEN MAND - 54 x 54 x 40 cm
DE WEIDENKORB - 54 x 54 x 40 cm
ES CESTA DE MIMBRE - 54 x 54 x 40 cm

Toolland
a land of possibilities

dimensions: 54 x 54 x 40 cm



BB50206



5 411244 502079



ASH CLEANERS

ASPIRATEURS À CENDRES
ASZUIGERS
ASCHESAUGER
ASPIRADORES DE CENIZAS



ASH CLEANER - 18 L

FR VIDE-CENDRES - 18 L
NL ASZUIGER - 18 L
DE ASCHESAUGER - 18 l
ES ASPIRADOR DE CENIZAS - 18 L

use with vacuum cleaner

capacity: 18 L • hose length: 1 m



TC90100



5 411244 901001

Toolland
a land of possibilities



ASH CLEANER WITH MOTOR - 830 W - 20 L

FR VIDE-CENDRES AVEC MOTEUR - 830 W - 20 L
NL ASZUIGER MET MOTOR - 830 W - 20 L
DE ASCHESAUGER MIT MOTOR - 830 W - 20 L
ES ASPIRADOR DE CENIZAS CON MOTOR - 830 W - 20 L

self-cleaning vibration system

power supply: 230 VAC 50 Hz • power consumption: 830 W • capacity: 20 L



TC90200



5 411244 902008

Toolland
a land of possibilities



ASH CLEANER WITH MOTOR - 800 W - 18 L

FR VIDE-CENDRES AVEC MOTEUR - 800 W - 18 L
NL ASZUIGER MET MOTOR - 800 W - 18 L
DE ASCHESAUGER MIT MOTOR - 800 W - 18 L
ES ASPIRADOR DE CENIZAS CON MOTOR - 800 W - 18 L

HEPA filter included • blow function

power supply: 230 VAC 50 Hz • power consumption: 800 W • capacity: 18 L



TC90400



5 411244 904002

Toolland
a land of possibilities



FILTER - DIAMETER 16 cm - FOR ASH VACUUM CLEANER TC90400 / TC90500

FR FILTRE - DIAMÈTRE 16 cm - POUR VIDE-CENDRES TC90400 / TC90500
NL FILTER - DIAMETER 16 cm - VOOR ASZUIGER TC90400 / TC90500
DE FILTER - DURCHMESSER 16 cm - FÜR ASCHESAUGER TC90400 / TC90500
ES FILTRO - DIÁMETRO 16 cm - PARA ASPIRADOR DE CENIZAS TC90400 / TC90500



TC90440



5 411244 904033

Toolland
a land of possibilities



PROTECTION BAG FOR FILTER - FOR ASH VACUUM CLEANER TC90400 & TC90500

FR SAC DE PROTECTION POUR FILTRE - POUR VIDE-CENDRES TC90400 / TC90500
NL BESCHERMZAK VOOR FILTER - VOOR ASZUIGER TC90400 / TC90500
DE FILTERSCHUTZ - FÜR ASCHESAUGER TC90400 / TC90500
ES PROTECCIÓN DE FILTRO - PARA EL ASPIRADOR DE CENIZAS TC90400 / TC90500



TC90450



5 411244 904040

Toolland
a land of possibilities



ASH CLEANER WITH MOTOR - 1200 W - 20 L

Toolland
a land of possibilities

FR VIDE-CENDRES AVEC MOTEUR - 1200 W - 20 L
NL ASZUIGER MET MOTOR - 1200 W - 20 L
DE ASCHESAUGER MIT MOTOR - 1200 W - 20 L
ES ASPIRADOR DE CENIZAS CON MOTOR - 1200 W - 20 L

HEPA filter (included) • blow function • stainless steel bucket

power supply: 230 VAC 50 Hz • power consumption: 1200 W • capacity: 20 L



TC90500



5 411244 905009



ASH VACUUM CLEANER - 800 W - 18 L

PEREL®

FR ASPIRATEUR À CENDRES - 800 W - 18 L
NL ASSTOFZUIGER - 800 W - 18 L
DE ASCHESAUGER - 800 W - 18 L
ES ASPIRADOR DE CENIZAS - 800 W - 18 L

Tired of cleaning out the fireplace or wood stove with your hands? This fireplace ash vacuum cleaner is the perfect solution.

power supply: 230 Vac 50 Hz • rated power: 800 W • volume: 18 L • suction: 16 kPa
• cable length: 1.5 m • hose length: 0.8 m + aluminium extension pipe • comes with:
1 HEPA filter • replacement HEPA filter (not incl.): WAF18M4FIL • weight: 3500g



WAF18M4



5 410329 585242



HEPA FILTER FOR WAF18M4

FR FILTRE HEPA POUR WAF18M4
NL HEPA-FILTER VOOR WAF18M4
DE HEPA-FILTER FÜR WAF18M4
ES FILTRO HEPA PARA WAF18M4

dimensions (Ø x H): 14.6 cm x 11.9 cm • weight: 177 g



WAF18M4FIL



5 410329 586898



ASH FILTER - 20 L

PEREL®

FR RÉSERVOIR À CENDRES - 20 L
NL ASFILTER - 20 L
DE ASCHFILTER - 20 L
ES FILTRO DE CENIZAS - 20 L

Clean your fireplace, wood stove and barbeque faster, safer and neater.

how it works: ○ 1: insert the hose of your vacuum cleaner (e.g. WVACL) into the hole on top of the ash filter ○ 2: insert the metal hose into the other fitting hole ○ 3: switch on your vacuum cleaner and remove the ashes out of your fireplace • the metal grate inside the canister prevents coarse dirt to enter the paper filter of the vacuum cleaner, preventing it from clogging

dimensions: 31 x 31 x 37cm • weight: 3kg



WAF20



5 410329 399924



CAR
VOITURE
AUTO
AUTO
COCHE



JUMP LEAD - 16 mm² - WITH LED-LIGHTED CLAMPS

FR CÂBLE DE DÉMARRAGE - 16 mm² - AVEC PINCES À LED
NL STARTKABEL - 16 mm² - MET LED-KLEMMEN
DE STARTHILFEKABEL - 16 mm² - MIT LED-KLEMMEN
ES PINZAS DE ARRANQUE - 16 mm² - INCLUYA PINZAS CON LED

for all vehicles with petrol engine 12V ~ 24V (max. 2500cc) • with LED-lighted clamps • fully insulated full contact safety clamps • copper Aluminium Technology • TÜV/GS approved, complies with DIN 72553 • supplied in re-useable storage bag • corresponds with the conductance of a traditional 16mm² copper jump lead

cable section: 16mm² • capacity: max. 220A • length: 3m

NEW

PEREL®



ABC16ALN



5 410329 618681



JUMP LEAD - 16 mm²

FR CÂBLE DE DÉMARRAGE - 16 mm²
NL STARTKABEL - 16 mm²
DE STARTHILFEKABEL - 16 mm²
ES PINZAS DE ARRANQUE - 16 mm²

for all vehicles with petrol engine 12V ~ 24V (max. 2500cc) • fully insulated full contact safety clamps • copper Aluminium Technology • TÜV/GS approved, complies with DIN 72553 • supplied in re-useable storage bag • corresponds with the conductance of a traditional 16mm² copper jump lead

cable section: 16mm² • capacity: max. 220A • length: 3m

NEW

PEREL®



ABC16AN



5 410329 618674



JUMP LEAD - 25 mm²

FR CÂBLE DE DÉMARRAGE - 25 mm²
NL STARTKABEL - 25 mm²
DE STARTHILFEKABEL - 25 mm²
ES PINZAS DE ARRANQUE - 25 mm²

for all vehicles with petrol engine 12V ~ 24V (max. 5500cc) and diesel engine up to max. 3000cc • fully insulated full contact safety clamps • copper Aluminium Technology • TÜV/GS approved, complies with DIN 72553 • supplied in re-useable storage bag • corresponds with the conductance of a traditional 25mm² copper jump lead

cable section: 25mm² • capacity: max. 350A • length: 3,5m

NEW

PEREL®



ABC25AN



5 410329 618698

JUMP LEAD - 35 mm²

FR CÂBLE DE DÉMARRAGE - 35 mm²
NL STARTKABEL - 35 mm²
DE STARTHILFEKABEL - 35 mm²
ES PINZAS DE ARRANQUE - 35 mm²

for all vehicles with petrol engine 12V ~ 24V (max. 7000cc) and diesel engine up to max. 4000cc • fully insulated full contact safety clamps • copper Aluminium Technology • TÜV/GS approved, complies with DIN 72553 • supplied in re-useable storage bag • corresponds with the conductance of a traditional 35mm² copper jump lead

cable section: 35mm² • length: 4,5m

NEW

PEREL®



ABC35AN



5 410329 618704



JUMP LEAD - 10 mm²

FR CÂBLE DE DÉMARRAGE - 10 mm²
NL STARTKABEL - 10 mm²
DE STARTHILFEKABEL - 10 mm²
ES PINZAS DE ARRANQUE - 10 mm²

fully insulated safety clamps • for all vehicles with petrol engine 12V ~ 24V (max. 2500cc) • TÜV/GS approved • supplied in re-useable storage bag

cable section: 10mm² • capacity: max. 220A • length: 3m

PEREL®



ABC10



5 410329 442545



JUMP LEAD - 16 mm²

FR CÂBLE DE DÉMARRAGE - 16 mm²
NL STARTKABEL - 16 mm²
DE STARTHILFEKABEL - 16 mm²
ES PINZAS DE ARRANQUE - 16 mm²

fully insulated safety clamps • for all vehicles with petrol engine 12V ~ 24V (max. 2500cc) • TÜV/GS approved • supplied in re-useable storage bag

cable section: 16mm² • capacity: max. 220A • length: 3m

PEREL®



ABC16



5 410329 401368



JUMP LEAD - 25 mm²

FR CÂBLE DE DÉMARRAGE - 25 mm²
NL STARTKABEL - 25 mm²
DE STARTHILFEKABEL - 25 mm²
ES PINZAS DE ARRANQUE - 25 mm²

fully insulated safety clamps • for all vehicles with petrol engine 12V ~ 24V (max. 5500cc) and diesel engine up to max. 3000cc • TÜV/GS approved • supplied in re-useable storage bag

cable section: 25mm² • capacity: max. 350A • length: 3,5m

PEREL®



ABC25



5 410329 410742



JUMP LEAD - 25 mm²

FR CÂBLE DE DÉMARRAGE - 25 mm²
 NL STARTKABEL - 25 mm²
 DE STARTHILFEKABEL - 25 mm²
 ES PINZAS DE ARRANQUE - 25 mm²

for all vehicles with petrol engine 12V ~ 24V (max. 5500cc) and diesel engine up to max. 3000cc • fully insulated full contact safety clamps
 • copper Aluminium Technology • TÜV/GS approved, complies with DIN 72553 • supplied in re-useable storage bag • corresponds with the conductance of a traditional 25mm² copper jump lead

cable section: 25mm² • capacity: max. 350A • length: 3.5m



ABC25A



5 410329 467418

PEREL®



CHARGER FOR 12 V LEAD-ACID BATTERIES - 6A

PEREL®

FR CHARGEUR POUR BATTERIE À ACIDE DE PLOMB - 12 V - 6 A
 NL LADER VOOR 12 V LOODZUURACCU'S - 6 A
 DE LADEGERÄT FÜR 12 V BLEI-SÄURE-AKKUS - 6 A
 ES CARGADOR DE BATERÍAS PARA BATERÍAS DE PLOMO-ÁCIDO 12 V - 6 A

Portable single-phase charger for 12V lead-acid battery.

overload protection (for charger) • integrated amperemeter • for various motor cars, vans and light trucks • included accessories: ◦ charging cable (1.5 + 1.5m) ◦ two clamps ◦ replaceable fuse

rated input voltage: 230V • frequency: 50Hz • rated output current: 4.5A • effective charging current: 6A • exchangeable fuse: 20A • reference battery capacity: min. 20Ah ~ max. 90Ah • IP-rating: IP20 • weight: 3kg • dimensions: 230 x 175 x 115mm



AC06



5 410329 402907



CHARGER FOR 12/24 V LEAD-ACID BATTERIES WITH BOOST FUNCTION - 9 A

PEREL®

FR CHARGEUR POUR BATTERIE À ACIDE DE PLOMB - 12/24 V - AVEC FONCTION BOOST - 9 A
 NL LADER VOOR 12/24 V LOOD-ZUURBATTERIJEN - MET BOOSTFUNCTIE - 9 A
 DE LADEGERÄT FÜR 12/24 V BLEI-SÄURE-AKKUS - MIT BOOST-FUNKTION - 9 A
 ES CARGADOR DE BATERÍAS PARA BATERÍAS DE PLOMO-ÁCIDO 12/24 V - CON FUNCIÓN BOOST - 9 A

Portable single-phase charger for 12/24V lead-acid battery

overload protection (for charger) • integrated amperemeter • for various motor cars, vans and light trucks • included accessories: ◦ charging cable (1.5 + 1.5m) ◦ two clamps ◦ replaceable fuse

rated input voltage: 230V • frequency: 50Hz • rated output current: 7A • boost current: 9A • exchangeable fuse: 15A • reference battery capacity: min. 25Ah ~ max. 135Ah • IP-rating: IP20 • weight: 4.8kg • dimensions: 300 x 210 x 185mm



AC15



5 410329 435240



CHARGER FOR 12/24 V LEAD-ACID BATTERIES WITH BOOST FUNCTION - 20 A

PEREL®

FR CHARGEUR POUR BATTERIE À ACIDE DE PLOMB - 12/24 V - AVEC FONCTION BOOST - 20A
 NL LADER VOOR 12/24 V LOOD-ZUURBATTERIJEN - MET BOOSTFUNCTIE - 20 A
 DE LADEGERÄT FÜR 12/24 V BLEI-SÄURE-AKKUS - MIT BOOST-FUNKTION - 20A
 ES CARGADOR DE BATERÍAS PARA BATERÍAS DE PLOMO-ÁCIDO 12/24 V - CON FUNCIÓN BOOST - 20A

Portable single-phase charger for 12/24V lead-acid battery

overload protection (for charger) • integrated amperemeter • for various motor cars, vans and light trucks • included accessories: ◦ charging cable (1.5 + 1.5m) ◦ two clamps ◦ replaceable fuse

rated input voltage: 230V • frequency: 50Hz • rated output current: 16A • boost current: 20A • exchangeable fuse: 30A • reference battery capacity: min. 92Ah ~ max. 250Ah • IP-rating: IP20 • weight: 11.6kg • dimensions: 375 x 260 x 210mm



AC30



5 410329 435257



JUMP STARTER with 12 V DC & USB POWER SOURCE

PEREL®

FR BOOSTER DE DÉMARRAGE AVEC SORTIES 12 VCC & USB
 NL JUMPSTARTER MET 12 VDC- & USB-UITGANG
 DE STARTHILFE MIT 12 VDC- & USB-AUSGANG
 ES ARRANCADOR DE EMERGENCIA CON SALIDA 12 VDC & USB

jump starter with a crank capacity of 250A (peak current 500A) ● for jump-starting cars, motorcycles and other engine powered devices with a 12V battery ● 12Vdc energy station ● 5V USB output for charging/powering navigators, mp3-players, mobile phones etc. ● automatic overload protection ● reverse 'hook-up' indication to prevent damage when jump starter polarity is reversed ● battery level and charging indicator ● very compact, easy to transport ● contemporary look and easy to use

internal battery: rechargeable, 12V 7Ah sealed lead-acid battery ● output: ○ 1x: 12VDC (cigar lighter receptacle) > max. current 15A ○ 1x: 5VDC (USB connector) > max. current 500mA ○ 2x: start cable with crocodile clamp (+ and -), 12V 250A cranking current, peak current 500A ● charging: trough included mains adapter or cigar lighter plug ● weight: 3900g ● dimensions: 290 x 185 x 190mm



AJUS7



5 410329 449407



ENERGY STATION AVANTY

NUAIR

FR STATION D'ÉNERGIE AVANTY
 NL ENERGIESTATION AVANTY
 DE ENERGIESTATION 'AVANTY'
 ES ESTACIÓN DE ENERGÍA 'AVANTY'

An energy station, easily transportable and rechargeable at home (230V) and in the car (12V), with a voltage output of 230V, 12V or 5V USB connection (2x). It is also an air compressor and a battery charger, with a 400A start-up power battery.

battery with 400A start-up power for jump-starting cars, caravans, boats and all vehicles with a 12Vdc battery ● energy station for charging/powering navigators, PC's, mp3-players etc. and electrical tools up to 300W ● built-in 10bar/260psi compressor for inflating tyres, balls, small mattresses, dinghies,... ○ inflating tube with universal adaptor ○ set of 3 inflating needles for tyres, balls and mattresses ● built-in 7 LED emergency light ● easy to transport ● ergonomic and easy to use ● equipped with an Automatic Safety System ● noiseless

compressor: max. 10 bar/145psi ● power output: ○ 1x: 230VAC (Europlug french type socket), 300W max.) ○ 2x: 12VDC (cigar lighter receptacle) ○ 2x: 5VDC (USB connector) ○ 2x: jump start clamp (+ and GND) ● charging: 230Vac / 500mA or via cigar lighter plug ● weight: 11kg ● dimensions: 420 x 310 x 250mm



► May only be sold in Belgium, France, Luxemburg, Portugal



W8156342NF



8 016738 714333



SUPER MINI-BOOSTER 12 VDC / 14 A - 1200 A/UNIT - AQ-TRON

AQ-TRON

FR MINI BOOSTER - 12 Vcc / 14 A - 1200 A/UNITÉ - AQ-TRON
 NL MINI BOOSTER - 12 VDC / 14 A - 1200 A/TOESTEL- AQ-TRON
 DE MINI BOOSTER - 12 VDC / 14 A - 1200 A/GERÄT- AQ-TRON
 ES MINI BOOSTER - 12 VDC / 14 A - 1200 A/APARATO- AQ-TRON

The strongest mini-booster in the world.

start your car with a dead battery without assistance from another car ● 1200 A for starting up to 3500 cc 12V vehicles, or combine 2 boosters for starting 24V diesel trucks ● small and lightweight, easy to use ● outstanding performance even in very cold weather ● with powerful LEDs to illuminate dark places ● leaves computer car systems and digital records intact ● auto power-off after charging to increase lifespan ● applications: motorcycles, trucks, motor homes (RV), cars

for professional use ● output: 12 Vdc ● charging power: 100-240 Vac adaptor (incl) ● rechargeable battery: acid battery 12 Vdc / 14 Ah ● car range: up to 3500 cc 12V gasoline or diesel vehicles ● CCA: 280-300 A ● instant max. current: 1200 A/unit ● peak current: 900 A ● user manual (English only) ● dimensions: 185 x 160 x 140 mm ● weight: 4.9 kg



BAT/42175



5 415239 000007



JACK STANDS 2T - 2 pcs

PEREL®

FR CHANDELLES 2T (2 pcs)
 NL ASSTEUNEN 2T (2 st.)
 DE 2 UNTERSTELLBÖCKE
 ES CABALLETES 2T (2 uds.)

1 pair • welded steel frame and cast iron saddle • 11 fixed heights • holding lever and steel security pin

capacity: 2 tonnes/pc • minimum height: 282mm • maximum height: 430mm • dimensions: 193 x 180 x 282mm • weight: 2590g/pc

► May not be sold in France



AJS2T-2



5 410329 438920



HYDRAULIC FLOOR JACK - 2 TON

PEREL®

FR CRIC DE PLANCHER HYDRAULIQUE - 2 TONNES
 NL HYDRAULISCHE ROLKRIK - 2 TON
 DE HYDRAULISCHER WAGENHEBER AUF ROLLEN - 2T
 ES GATO HIDRÁULICO CON RUEDAS - 2 TONELADAS

2 swivel casters + 2 rigid casters

capacity: 2 t • min. height: 130mm • max. height: 330mm • lifting height: 200mm
 • dimensions: 448 x 210 x 135mm • weight: 9kg

► May not be sold in Finland, France, United Kingdom



AFJ2T



5 410329 433208



HYDRAULIC FLOOR JACK - 2 TON

PEREL®

FR CRIC DE PLANCHER HYDRAULIQUE - 2 TONNES
 NL HYDRAULISCHE ROLKRIK - 2 TON
 DE HYDRAULISCHER WAGENHEBER AUF ROLLEN - 2T
 ES GATO HIDRÁULICO CON RUEDAS - 2 TONELADAS

2 swivel casters + 2 rigid casters

capacity: 2 t • min. height: 135mm • max. height: 335mm • lifting height: 200mm
 • dimensions: 448 x 210 x 135mm • weight: 9kg

► May not be sold in Finland, France, United Kingdom



AFJ2T-BMC



5 410329 437497



HYDRAULIC BOTTLE JACK - 2 TONNES

PEREL®

FR CRIC HYDRAULIQUE 2T
 NL HYDRAULISCHE POTKRIK 2T
 DE HYDRAULISCHER WAGENHEBER 2T
 ES GATO HIDRÁULICO 2T

capacity: 2 tonnes • height: ◦ minimum: 158mm ◦ lifting: 90mm ◦ extension screw: 60mm
 ◦ maximum: 308mm • weight: 2590g

► May not be sold in France



ABJ2T



5 410329 434779



HYDRAULIC BOTTLE JACK - 5 TONNES

PEREL®

FR CRIC HYDRAULIQUE 5T
 NL HYDRAULISCHE POTKRIK 5T
 DE HYDRAULISCHER WAGENHEBER 5T
 ES GATO HIDRÁULICO 5T

capacity: 5 tonnes • height: ◦ minimum: 197mm ◦ lifting: 125mm ◦ extension screw:
 80mm ◦ maximum: 402mm • weight: ±4.7kg

► May not be sold in France



ABJ5T



5 410329 435325



HYDRAULIC BOTTLE JACK - 10 TONNES

PEREL®

FR CRIC HYDRAULIQUE 10T
 NL HYDRAULISCHE POTKRIK 10T
 DE HYDRAULISCHER WAGENHEBER 10T
 ES GATO HIDRÁULICO 10T

capacity: 10 tonnes • height: ◦ minimum: 205mm ◦ lifting: 125mm ◦ extension screw: 60mm ◦ maximum: 390mm • weight: ±6kg

► May not be sold in France



ABJ10T



5 410329 433239



AIR COMPRESSOR (116 psi) WITH GAUGE AND WORK LIGHT (12 V / 3 W)

PEREL®

FR COMPRESSEUR (116 psi) AVEC MANOMETRE ET LAMPE DE TRAVAIL (12 V / 3 W)
 NL COMPRESSOR (116 psi) MET MANOMETER EN WERKLAMP (12 V / 3 W)
 DE LUFTKOMPRESSOR (116psi) MIT MANOMETER UND ARBEITSLEUCHTE (12 V / 3 W)
 ES COMPRESOR DE AIRE (116 PSI) CON MANÓMETRO Y LÁMPARA DE TRABAJO (12 V/3 W)

inflates car tyres, inflatable boats, balls etc. • strong enough for long-term inflating • also serves as a light • low power consumption • top quality high-pressure air hose with valve connector, 2 extra nozzles and needle • car DC plug with 3 m cable

pressure: 8 bar (116 PSI) • power: 30 W • air hose: 35 cm • work lamp: 12 V / 3 W



AAC01



5 410329 360122



FOOT PUMP WITH PRESSURE GAUGE

PEREL®

FR POMPE A PIED AVEC MANOMETRE
 NL VOETPOMP MET MANOMETER
 DE FUßPUMPE + MANOMETER
 ES BOMBA A PEDAL CON MANÓMETRO

1 barrel

max. pressure: 6.9 bar (100psi) • comes with 3 adapters: bike, car, ball



AFP01



5 410329 366933



FOOT PUMP WITH DOUBLE BARREL AND PRESSURE GAUGE

PEREL®

FR POMPE A PIED DOUBLE CYLINDRE AVEC MANOMETRE
 NL VOETPOMP MET DUBBELE CILINDER EN MANOMETER
 DE FUßPUMPE DOPPELZYLINDER
 ES BOMBA A PEDAL CON CILINDRO DOBLE Y MANÓMETRO

2 barrels

max. pressure: 6.9 bar (100psi) • comes with 3 adapters: bike, car, ball



AFP02



5 410329 366940



FOOT PUMP WITH PRESSURE GAUGE

PEREL®

FR POMPE À PIED AVEC MANOMÈTRE
 NL VOETPOMP MET MANOMETER
 DE FUßPUMPE + MANOMETER
 ES BOMBA A PEDAL CON MANÓMETRO

1 barrel

max. pressure: 6.9 bar (100psi) • comes with 3 adapters: bike, ball, etc.

► May not be sold in France



AFP09



5 410329 464554



FOOT PUMP WITH DOUBLE BARREL AND PRESSURE GAUGE

PEREL®

FR POMPE À PIED DOUBLE CYLINDRE AVEC MANOMÈTRE
 NL VOETPOMP MET DUBBELE CILINDER EN MANOMETER
 DE FUßPUMPE DOPPELZYLINDER
 ES BOMBA A PEDAL CON CILINDRO DOBLE Y MANÓMETRO

2 barrels

max. pressure: 6.9 bar (100psi) • comes with 3 adapters: bike,ball,etc.

► May not be sold in France



AFP10



5 410329 464561



RATCHET TIE-DOWN - max. 500 kg - 3.65 m x 25 mm

FR SANGLE D'ARRIMAGE AVEC TENDEUR À CLIQUET - MAX. 500 kg - 3.65 m x 25 mm
 NL RATELSPANBAND - max. 500 kg - 3.65 m x 25 mm
 DE ZURRGURT MIT RATSCHKE - MAX. 500 kg - 3.65 m x 25 mm
 ES CINTA DE AMARRE CON TRINQUETE - MÁX. 500 kg - 3.65 m x 25 mm

max. load: 500 kg • dimensions: 3.65 m x 25 mm • materials: ○ strap: PES
 ○ spanner: Q235 steel ○ hook: 45# carbon steel



ARAT1



5 410329 377663



RATCHET TIE-DOWN - 1000 kg - 3.65 m x 50 mm

FR SANGLE D'ARRIMAGE AVEC TENDEUR A CLIQUET - 1000 kg - 3.65 m x 50 mm
 NL SJORBAND MET RATEL - 1000 kg - 3.65 m x 50 mm
 DE ZURRGURT - 1000 kg - 3.65 m x 50 mm
 ES CINTA DE AMARRE CON TRINQUETE - 1000 kg 3.65 m X 50 mm

dimensions: 3.65m x 50mm • max. load: 1000kg



ARAT7



5 410329 385187



RATCHET TIE-DOWN WITH HOOKS - max. 1000 kg - 4.5 m x 50 mm

FR SANGLE D'ARRIMAGE AVEC TENDEUR À CLIQUET + CROCHETS - MAX. 1000 kg - 4.5 m x 50 mm
 NL RATELSPANBAND + HAKEN - 1000 kg - 4.5 m X 50 mm
 DE ZURRGURT MIT RATSCHKE UND HAKEN - MAX. 1000 kg 4.5 m x 50 mm
 ES CINTA DE AMARRE CON TRINQUETE & GANCHO - MÁX. 1000 kg 4.5 m x 50 mm

tie-downs with catch • hook

max. load: 1000kg • dimensions: 4.5m x 50mm



ARAT3



5 410329 377687



RATCHET TIE-DOWN WITH HOOKS - max. 500 kg - 4.5 m x 25 mm

FR SANGLE D'ARRIMAGE AVEC TENDEUR À CLIQUET + CROCHETS - MAX. 500 kg - 4.5 m x 25 mm
 NL RATELSPANBAND + HAKEN - max. 500 kg - 4.5 m x 25 mm
 DE ZURRGURT MIT RATSCHKE UND HAKEN - MAX. 500 kg 4.5 m x 25 mm
 ES CINTA DE AMARRE CON TRINQUETE & GANCHO - MÁX. 500 kg -4.5 m x 25 mm

tie-downs with catch • hook

max. load: 500kg • dimensions: 4.5m x 25mm



ARAT4



5 410329 377694



RATCHET TIE-DOWN WITH HOOKS - max. 500 kg - 1.5 m x 25 mm

FR SANGLE D'ARRIMAGE AVEC TENDEUR À CLIQUET + CROCHETS - MAX. 500 kg - 1.5 m x 25 mm
 NL RATELSPANBAND + HAKEN - max. 500 kg - 1.5 m x 25 mm
 DE ZURRGURT MIT RATSCHKE & HAKEN - MAX. 500 kg 1.5 m x 25 mm
 ES CINTA DE AMARRE CON TRINQUETE & GANCHO - MÁX. 500 kg 1.5 m x 25 mm

tie-downs with catch • hook

max. load: 500 kg • dimensions: 1.5 m x 25 mm • materials: ○ strap: PES
 ○ spanner: Q235 steel ○ hook: 45# carbon steel



ARAT2



5 410329 377670



RATCHET TIE-DOWN WITH HOOKS - max. 1000 kg - 9 m x 50 mm

FR SANGLE D'ARRIMAGE AVEC TENDEUR À CLIQUET + CROCHETS - MAX. 1000 kg - 9 m x 50 mm
 NL RATELSPANBAND + HAKEN - max. 1000 kg - 9 m x 50 mm
 DE ZURRGURT MIT RATSCHKE UND HAKEN - MAX. 1000 kg 9 m x 50 mm
 ES CINTA DE AMARRE CON TRINQUETE & GANCHO - MÁX. 1000 kg 9 m X 50 mm

tie-downs with catch • hook

max. load: 1000kg • dimensions: 9m x 50mm



ARAT5



5 410329 377700



RATCHET TIE-DOWN WITH HOOKS

- max. 500 kg - 4.5 m x 25 mm

FR SANGLE D'ARRIMAGE AVEC TENDEUR À CLIQUET + CROCHETS - MAX. 500 kg - 4.5 m x 25 mm
 NL RATELSPANBAND + HAKEN - max. 500 kg - 4.5 m x 25 mm
 DE ZURRGURT MIT HAKEN - MAX. 500 kg - 25 mm x 4.5 m
 ES CINTA DE AMARRE CON TRINQUETE & GANCHOS - MÁX. 500 kg - - 25 mm x 4.5 m

tie-down with ratchet

dimensions: 4.5m x 25mm • tensile strength: 500kg

PEREL®

ARAT6

5 410329 377717



RATCHET TIE-DOWN 500 kg

- 25 mm x 5 m - 2 pcs

FR SANGLE D'ARRIMAGE AVEC TENDEUR À CLIQUET 500 kg - 25 mm x 5 m - 2 pcs
 NL SPANBAND MET OPSPANRATEL 500 kg - 25 mm x 5 m - 2 st.
 DE ZURRGURT MIT RATSCH 500 kg - 25 mm x 5 m - 2 St.
 ES CINTA DE AMARRE CON TRINQUETE 500 kg - 25 mm x 5 m - 2 uds.

2 tie-down ratchets • UV and moisture proof • with rubber grip • vinyl coated, heat treated hooks • quick automatic release

max. load: 500kg • dimensions: 5m x 25mm

PEREL®

ARAT2552

5 410329 369941



CAM BUCKLE STRAP

25 mm x 3.6 m - 200 kg - 4 pcs

FR SANGLE D'ARRIMAGE AVEC TENDEUR À CLIQUET 200 kg - 25 mm x 3,6 m - 4 pcs
 NL SPANBAND MET OPSPANRATEL 200 kg - 25 mm x 3,6 m - 4 st.
 DE SPANNGURT MIT RATSCH 200 kg - 25 mm x 3,6 m - 4 St.
 ES CINTA DE AMARRE CON TRINQUETE 200 kg - 25 mm x 3,6 m - 4 uds.

4 cam buckle tie-down straps • UV and moisture proof • easy pull tight/ push release

max. load: 200kg • dimensions: 3,6m x 25mm

PEREL®

ARAT9-4

5 410329 471217



RATCHET TIE-DOWN 500 kg

- 25 mm x 5 m - 4 pcs

FR SANGLE D'ARRIMAGE AVEC TENDEUR À CLIQUET 500 kg - 25 mm x 5 m - 4 pcs
 NL SPANBAND MET OPSPANRATEL 500 kg - 25 mm x 5 m - 4 st.
 DE ZURRGURT MIT RATSCH 500 kg - 25 mm x 5 m - 4 St.
 ES CINTA DE AMARRE CON TRINQUETE 500 kg - 25 mm x 5 m - 4 uds.

4 tie-down ratchets • UV and moisture proof • with rubber grip • vinyl coated, heat treated hooks • quick automatic release

max. load: 500kg • dimensions: 5m x 25mm

PEREL®

ARAT2554

5 410329 369958



HEAVY-DUTY RATCHET TIE-DOWN 4500 kg - 50 mm x 8 m

FR SANGLE D'ARRIMAGE AVEC TENDEUR À CLIQUET POUR CHARGES LOURDES 4500 kg - 50 mm x 8 m
 NL ROBUUSTE SPANBAND MET OPSPANRATEL 4500 kg - 50 mm x 8 m
 DE ZURRGURT FÜR HOHE BEANSPRUCHUNG 4500 kg - 50 mm x 8 m
 ES ROBUSTA CINTA DE AMARRE CON TRINQUETE - 4500 kg - 50 mm x 8 m

heavy-duty ratchet tie-down • UV and moisture proof • double heat-treated steel hook • quick automatic release

max. load: 4500kg • dimensions: 8m x 50mm

PEREL®

ARAT5081

5 410329 369934



HEAVY-DUTY RATCHET TIE-DOWN 3000 kg - 50 mm x 12 m

FR SANGLE D'ARRIMAGE AVEC TENDEUR À CLIQUET POUR CHARGES LOURDES 3000 kg - 50 mm x 12 m
 NL ROBUUSTE SPANBAND MET OPSPANRATEL 3000 kg - 50 mm x 12 m
 DE ZURRGURT FÜR HOHE BEANSPRUCHUNG 3000 kg - 50 mm x 12 m
 ES ROBUSTA CINTA DE AMARRE CON TRINQUETE - 3000 kg - 50 mm x 12 m

heavy-duty ratchet tie-down • UV and moisture proof • double heat-treated steel hook • quick automatic release

max. load: 3000kg • dimensions: 12m x 50mm

PEREL®

ARAT8

5 410329 424169

► May not be sold in France



TIE-DOWN AND BUNGEE CORD SET - 12 pcs

FR ENSEMBLE SANGLES D'ARRIMAGE ET TENDEURS - 12 pcs
 NL SPANBAND- EN SNELBINDERSET - 12 st.
 DE SET MIT ZURRGURT UND GEPÄCKSPANNBAND - 12 St.
 ES JUEGO CON CINTA DE AMARRE Y BANDA ELÁSTICA - 12 uds.

contains: ◦ 1 x ratchet tie-down with hooks: 25mm x 5m (1" x 16 1/2") ◦ 1 x ratchet tie-down without hooks: 25mm x 5m (1" x 16 1/2") ◦ 2 x tie-down with lock: 25mm x 2.5m (1" x 8') ◦ 8 x bungee cord - 7.5mm (19/64"); 2 pcs of each: 40cm (15 3/4"), 60cm (23 5/8"), 80cm (31 1/2") and 100cm (39 3/8")

PEREL®

ARATS1

5 410329 375423



WEBBING SLING - capacity 1000 kg

FR ÉLINGUE - 1t
 NL SINGELBAND - 1t
 DE GURT - 1t
 ES ESLINGA - 1t

double-ply polyester webbing sling with reinforced lifting eyes • colour-coded according to DIN-EN1492-1 • safety factor: 7:1

dimensions: 30mm x 5m • weight: 900g • max. capacity with straight lift (see awsx_sheet.pdf below): 1000kg

▶ May not be sold in France



AWS1T7



5 410329 476175

PEREL®



WEBBING SLING - capacity 3000 kg

FR ÉLINGUE - 3t
 NL SINGELBAND - 3t
 DE GURT - 3t
 ES ESLINGA - 3t

double-ply polyester webbing sling with reinforced lifting eyes • colour-coded according to DIN-EN1492-1 • safety factor: 7:1

dimensions: 75mm x 5m • weight: 2900g • max. capacity with straight lift (see awsx_sheet.pdf below): 3000kg

▶ May not be sold in France



AWS3T7



5 410329 476182

PEREL®



WEBBING SLING - capacity 5000 kg

FR ÉLINGUE - 5t
 NL SINGELBAND - 5t
 DE GURT - 5t
 ES ESLINGA - 5t

double-ply polyester webbing sling with reinforced lifting eyes • colour-coded according to DIN-EN1492-1 • safety factor: 7:1

dimensions: 125mm x 5m • weight: 4750g • max. capacity with straight lift (see awsx_sheet.pdf below): 5000kg

▶ May not be sold in France



AWS5T7



5 410329 476199

PEREL®



TIE DOWN STRAP FOR CAR BOOT

FR SANGLE POUR COFFRE DE VOITURE
 NL SPANBAND VOOR AUTOKOFFER
 DE SPANNGURT FÜR KOFFERRAUM
 ES CINTA DE AMARRE PARA MALETERO

transport oversized loads easily and safely • no more hassle with ropes trying to close your trunk • fits all cars



TL73110



5 411244 731103

Tooland
 a land of possibilities



MANUAL GREASE GUN 400 cc

FR POMPE À GRAISSE 400 cc
 NL VETPOMP 400 cc
 DE FETTPRESSE 400 cc
 ES PISTOLA ENGRASADORA 400 cc

rigid extension • greasing head • refilling by suction • injection or cartridge (AP3S990909) • 400 cc

capacity: 0.85 ~ 0.95g/stroke • max. pressure: 69MPa (690 bar) • dimensions: 360 x 110 x 60mm • dimensions of the barrel: Ø 54 x 280mm • weight: 1185g



HGG400



5 410329 468613

PEREL®



OIL CAN WITH FLEXIBLE SPOUT - 500 cc

FR BURETTE DE MÉCANICIEN À BEC FLEXIBLE - 500 cc
 NL OLIESPUIT MET FLEXIBELE TUIT - 500 cc
 DE ÖLKANNE MIT FLEXIBLEM SPRITZROHR - 500 cc
 ES ACEITERA CON PICO FLEXIBLE - 500 cc

material: steel CRC sheet • contents: 500cc • length of flexible spout: 130mm



AOC500N



5 410329 450571

PEREL®



PLASTIC FUEL PUMP

FR POMPE SIPHON EN PLASTIQUE
 NL PLASTIC HEVELPOMP
 DE UMFÜLLPUMPE PLASTIK
 ES BOMBA DE TRASIEGO DE PLÁSTICO

plastic siphoning pump 2.3m • tap • anti-reverse • maintenance cone • comes in handy carrying bag




A5062



5 410329 388515

PEREL®



SIPHON PUMP

FR: POMPE SIPHON
 NL: HEVELPOMP
 DE: SIPHONPUMPE
 ES: SIFÓN

PEREL®

manual squeeze pump • for various liquids

suction pipe length: 32cm • suction pipe inner diameter: Ø 6 mm • discharge pipe length: 125cm • discharge pipe inner diameter: Ø 6 mm • material of pipe: PE • weight: 107g



A5063



5 410329 445355



FUEL PISTOL - ALUMINIUM

FR: PISTOLET À ESSENCE - ALUMINIUM
 NL: BENZINEPISTOOL - ALUMINIUM
 DE: BENZINPISTOLE - ALUMINIUM
 ES: PISTOLA DE GASOLINA - ALUMINIO

Toolland
 a land of possibilities

for: TM76075

material: aluminium



BE100



8 018919 990321



FUEL PISTOL - PVC

FR: PISTOLET À ESSENCE - PVC
 NL: BENZINEPISTOOL - PVC
 DE: BENZINPISTOLE - PVC
 ES: PISTOLA DE GASOLINA - PVC

Toolland
 a land of possibilities

for: TM76075

material: PVC



BE101



8 018919 999218



OIL FILTER WRENCH

FR: CLE DE FILTRE A HUILE
 NL: OLIEFILTERSLEUTEL
 DE: ÖLFILTERSCHLÜSSEL
 ES: LLAVE PARA FILTRO DE ACEITE

PEREL®

metallic tape

Ø: 65-110mm



1409-1



5 411257 007042



DIESEL PUMP - 400 W

FR: POMPE DIESEL - 400 W
 NL: BRANDSTOFFPOMP VOOR DIESEL - 400 W
 DE: DIESELPUMPE - 400 W
 ES: BOMBA DE GASOLINA - 400 W

Toolland
 a land of possibilities

non self priming pump • PVC pistol

power: 400 W • max. pump rate: 32 L / min • max. suction height: 7 m • cable: H07RN-F3G x 1.0mm² / 1.2 m • speed: 2800 rpm • pressure: 3.4 bar • power supply: 230 VAC 50 Hz • delivery height: 4 m



TM76075



5 411244 760752



FUNNEL FLEXIBLE PLASTIC - WHITE

FR: ENTONNOIR PLAST. + FLEXIBLE - BLANC
 NL: COMPLETE TRECHTER MET FLEXIBLE - WIT
 DE: TRICHTER - FLEXIBLES PLASTIK - WEISS
 ES: EMBUDO DE PLÁSTICO - BLANCO

PEREL®

plastic • flexible spout • stiff spout • filter • colour: white • 150 mm



608



8 006818 710201



FUNNEL

FR ENTONNOIR
 NL TRECHTER
 DE TRICHTER
 ES EMBUDO

filter • flexible spout

colour: black • material: plastic • diameter: 140mm



HFUS2



5 410329 466008



SET OF 4 FUNNELS

FR JEU DE 4 ENTONNOIRS
 NL SET MET 4 TRECHTERS
 DE SET MIT 4 TRICHTERN
 ES JUEGO DE 4 EMBUDOS

diameters: 45, 65, 90, 110mm



HFUS1



5 410329 385293



EXTENDABLE WHEEL NUT WRENCH

FR CLEF D'ÉCROU DE ROUE TÉLESCOPIQUE
 NL UITSCHUIFBARE WIELMOERSLEUTEL
 DE AUSZIEHBARER RADMUTTERNSCHLÜSSEL
 ES LLAVE FIJA DE RUEDA EXTENSIBLE

material: chrome-vanadium

extendable length: 36-51cm • included socket: 17/19mm



HWR1



5 410329 385286



GARAGE SET - 10 pcs

FR KIT DE GARAGE 10 PC
 NL GARAGEKRIK MET STEUNEN - 10 DELIG
 DE 10-TLG. AUTOWERKSTATT-SET
 ES KIT DE GARAJE 10 uds.

2-tonnes trolley jack • 2 x 2-tonnes axle stands • car creeper 36" • lug wrench 14"
 • square oil drip tray • oil filter wrench • 2 wheel chocks • magnetic tray

► May not be sold in France



5000-10



5 411257 114061



TYRE STAND

FR PORTE-JANTES
 NL VELGENBOOM
 DE FELGENBAUM
 ES SOPORTE PARA NEUMÁTICOS

For a clean and easy storage of rims and tyres

easy to assemble • suitable for tyre widths up to 225 mm • no deformation of the tyres
 upon loss of pressure • including protective cover

dimensions: 50 x 50 x 110 cm • weight: 1800 g



ATS1



5 410329 571467



MOBILE TYRE TREE

FR PORTE-JANTES MOBILE
 NL MOBIËLE VELGENBOOM
 DE FELGENBAUMWAGEN
 ES SOPORTE PARA NEUMÁTICOS

PEREL®

For a clean and easy storage of rims and tyres

easy to assemble • easily accessible thanks to the wheels and swivel caster with parking brake • suitable for tyre widths up to 225 mm • no deformation of the tyres upon loss of pressure • freely suspended storage helps prevent condensation

dimensions: 75 x 68 x 122 cm • weight: 7350 g



ATS2



5 410329 608330



POLISHING CAPS COTTON AND WOOL BONNETS

FR BONNETS EN CAOUTCHOUC ET BONNETS EN LAINE
 NL POETSDOEKEN VAN KATOEN EN WOLLEN MUTSEN
 DE REINIGUNGSTÜCHER BAUMWOLLE UND WOLLE
 ES PAÑOS DE LIMPIAR DE ALGODÓN Y LANA

Toolland
 a land of possibilities


for: TM76014



TM76015



5 411244 760158



CAR CLEANING KIT - 5 pcs

FR ENSEMBLE DE NETTOYAGE POUR VOITURE - 5 pcs
 NL REINIGINGSKIT VOOR AUTO - 5 st.
 DE AUTO-REINIGUNGSSET - 5-tlg.
 ES KIT DE LIMPIEZA DE COCHE - 5 uds.

PEREL®

contents: ◦ window scraper ◦ sponge block 18 x 10 x 4cm ◦ chamois cloth 43 x 32cm
 ◦ sponge tire brush ◦ TPR handle tire brush



ACCS1



5 410329 406844

NEW



NECK SUPPORT

FR CALE-NUQUE
 NL NEKSTEUN
 DE NACKENSTÜTZE
 ES APOYO DE CUELLO

PEREL®

ergonomic design to help prevent pain and stiffness in neck and shoulders while on the go
 • high density foam for high comfort • includes seat strap

colour: black • dimensions: 30 x 14 x 7 cm • weight: 168 g



ACCS2



5 410329 610517

NEW



TRAVEL COMFORT SET

FR KIT DE VOYAGE CONFORT
 NL COMFORT REISSET
 DE KOMFORT-REISE-SET
 ES CONJUNTO PARA VIAJAR CON COMODIDAD

PEREL®

includes : contoured eye mask, inflatable fleece neck rest, ear plugs, fleece blanket • ideal total solution for car and airplane travel • lightweight and minimized size for easy carrying

eye mask: ◦ colour: black ◦ dimensions: 18 x 7.5 cm • neck rest: ◦ colour: grey
 ◦ dimensions: 34,5 x 25 cm • blanket: ◦ colour: grey ◦ dimensions: 115 x 150 cm
 ◦ weight: 350 g



ACCS3



5 410329 610586



NEW

UNIVERSAL CAR BOOT LINER

PEREL®

FR PROTECTION DE COFFRE UNIVERSELLE
 NL UNIVERSELE KOFFERBAKBESCHERMING
 DE KOFFERRAUMSCHUTZ
 ES PROTECCIÓN UNIVERSAL PARA MALETERO DE COCHE

made from 600d durable polyester with water resistant coating • the hook and loop fasteners at the back of the cloth and the flaps can be attached to the car's interior • with popper fasteners and zippers to attach the flaps to each other • protects your car boot from pet hair, dirt and mud • easy to install and remove

dimensions: ◦ base: 100 x 100 cm ◦ flaps: 100 x 40 cm • colour: black • weight: 1115 g



ACCS4



5 410329 610609



NEW

DISPLAY WITH SUN SHADES - 50 pcs

PEREL®

FR PRÉSENTOIR AVEC PARE-SOLEIL - 50 pcs
 NL DISPLAY MET ZONNESCHERMEN - 50 st.
 DE DISPLAY MIT SONNENBLENDEN - 50 St.
 ES EXPOSITOR CON LÁMINAS SOLARES - 50 uds.

reflects the sun to keep your car cool • adaptable to all car models • accordion fold design and two suction cups


material: PE foam with aluminium • display with 50 sun shades: ◦ 25 pcs: 130 x 60 cm
 ◦ 25 pcs: 150 x 70 cm



ACCS7D



5 410329 611279



FOLDABLE CAR TRAY

PEREL®

FR TABLETTE RABATTABLE POUR VOITURE
 NL INKLAPBAAR PLATEAU VOOR IN DE WAGEN
 DE MULTIFUNKTIONALER KLAPPTISCH FÜR DAS AUTO
 ES BANDEJA ABATIBLE PARA EL COCHE

fits steering wheel, passenger seat and rear of seats • easy installation with adjustable angle

dimensions of the tray: 355 x 235 x 20mm



AMUTR



5 410329 378004



COUNTER DISPLAY WITH 24 x USB CAR CHARGER (5 V - 1 A max. - 5 W max.) INPUT max. 12 VDC

PEREL®

FR PRÉSENTOIR AVEC 24 x CHARGEUR DE VOITURE AVEC PORT USB (5 V - 1 A MAX. - 5 W MAX.) ENTRÉE MAX. 12 VDC
 NL DISPLAY MET 24 x USB-LADER VOOR DE AUTO (5 V - 1 A max. - 5 W max.) INGANG max. 12 VDC
 DE DISPLAY MIT 24 x KFZ-LADEGERÄT MIT USB-ANSCHLUSS (5 V - 1 A MAX. - 5 W MAX.) EINGANG MAX. 12 VDC
 ES EXPOSITOR CON 24 x CARGADOR DE COCHE CON CONEXIÓN USB (5 V - 1 A MÁX. - 5 W MÁX.) ENTRADA MÁX. 12 VDC

small, lightweight USB adapter • overload and short-circuit protected • fuse-protected • thermal cut-off


input voltage: 12 VDC (car cigar lighter plug) • output voltage: 5 VDC • current: 1 A max. - 5 W max. • dimensions: 43 mm x Ø 22 mm • weight: 12 g



CARSUSB14D



5 410329 585914



USB CAR CHARGER (5 V - 2.1 A max. - 10.5 W max.)

PEREL®

FR CHARGEUR DE VOITURE AVEC PORT USB (5 V - 2.1 A MAX. - 10.5 W MAX.)
 NL USB-LADER VOOR DE AUTO (5 V - 2.1 A max. - 10.5 W max.)
 DE KFZ-LADEGERÄT (5 V - 2.1 A MAX. - 10.5 W MAX.)
 ES CARGADOR DE COCHE (5 V - 2.1 A MÁX. - 10.5 W MAX.)

small, lightweight USB adapter • overload and short-circuit protected • fuse-protected
 • thermal cut-off • ideal for Apple® products (iPod®, iPhone®, iPad®), smartphones, phablets, tablets, devices including MP3 players and gps.

input voltage: 12-24 VDC (car cigar lighter plug) • output voltage: 5 VDC • current: 2.1 A max. - 10.5 W max. • dimensions: 43 mm x Ø 22 mm • weight: 12 g



CARSUSB17



5 410329 595630



12 V TWIN CAR SOCKET WITH LED

PEREL®

FR DOUBLE FICHE ALLUME-CIGARES 12 V AVEC LED
 NL DUBBELE 12 V AUTOPLUG MET LED
 DE ZWILLINGSKUPPLUNG 12 V MIT LED
 ES CONECTOR MECHERO MACHO / 2 X HEMBRA 12 V

This model is designed to convert your car's existing cigarette lighter socket into 2 x 12V dc socket.

comes in blister • caution ◦ the original cigarette lighter is not compatible with this device
 ◦ at no given time should the combined load of all 2 sockets exceed 10A

with LED voltage indicators



EPLUGC3



5 410329 343651



AUTO FUSE ASSORTMENT - 120 pcs

PEREL®

FR ASSORTIMENT DE FUSIBLES AUTO - 120 pcs
 NL SET AUTOZEKERINGEN - 120-delig
 DE KFZ-SICHERUNGS-SET - 120-tlg.
 ES JUEGO DE FUSIBLES DE COCHE - 120 uds.


contents: ◦ 20 pc 5 A ◦ 20 pc 10 A ◦ 20 pc 15 A ◦ 20 pc 20 A ◦ 20 pc 25 A ◦ 20 pc 30 A



HAS08



5 410329 595777



BUNGEE CORD CARGO NET 1.5 m x 1.95 m

PEREL®

FR FILET À BAGAGE EXTENSIBLE - 1.5 m x 1.95 m
 NL ELASTISCH BAGAGENET 1.5 m x 1.95 m
 DE ELASTISCHES GEPÄCKNETZ 1.5 m x 1.95 m
 ES RED EXTENSIBLE 1.5 m x 1.95 m

heavy-duty 4.55mm stretch bungee cord • tight, robust square knots • outside edge of net is double corded • non-scratch plastic hooks with securing hole • ideal for securing cargo in back of truck bed, trailer or luggage rack

dimensions: 150 x 195cm (60 x 78") • square openings: 10cm (4")



ACG6078



5 410329 406837



CARGO NET - 3 x 2 m

FR FILET POUR REMORQUE - 3 x 2 m
 NL NET VOOR AANHANGWAGENS - 3 x 2 m
 DE ANHÄNGERNETZ - 3 x 2 m
 ES RED PARA REMOLQUE - 3 x 2 m

elastic

dimensions: 3 x 2 m • rope diameter: 3 mm



TL75006



5 411244 750067



PARKING GUIDE MAT
- 40 x 26 x 6.5 cm



FR BUTÉE DE STATIONNEMENT - 40 x 26 x 6.5 cm
 NL PARKEERSTOEBLOK - 40 x 26 x 6.5 cm
 DE FAHRZEUG-ABSTELLMATTE - 40 x 26 x 6.5 cm
 ES ESTERA GUÍA DE APARCAMIENTO - 40 x 26 x 6.5 cm

adhesive

dimensions: 40 x 26 x 6.5 cm



TL75008



5 411244 750081



CAR PROTECTOR - FOAM
- 50 x 10 x 1.5 cm



FR PROTECTION POUR CARROSSERIE - MOUSSE - 50 x 10 x 1.5 cm
 NL AUTOBESCHERMING - SCHUIM - 50 x 10 x 1.5 cm
 DE FAHRZEUGSCHUTZ - SCHAUMSTOFF - 50 x 10 x 1.5 cm
 ES PROTECTOR DE COCHE - ESPUMA - 50 x 10 x 1.5 cm

adhesive

dimensions: 50 x 10 x 1.5 cm



TL75009



5 411244 750098



CAR PROTECTOR - FOAM
- 32.5 x 20 x 4 cm



FR PROTECTION POUR CARROSSERIE - MOUSSE - 32.5 x 20 x 4 cm
 NL AUTOBESCHERMING - SCHUIM - 32.5 x 20 x 4 cm
 DE FAHRZEUGSCHUTZ - SCHAUMSTOFF - 32.5 x 20 x 4 cm
 ES PROTECTOR DE COCHE - ESPUMA - 32.5 x 20 x 4 cm

adhesive

dimensions: 32.5 x 20 x 4 cm



TL75010



5 411244 750104



SAFETY FLASHING WARNING
LED LIGHT - MAGNETIC BASE



FR LAMPE LED DE SECOURS À SOCLE AIMANTÉ
 NL LED-FLITSLICHT MET MAGNETISCHE VOET
 DE LED-BLINKLEUCHTE MIT MAGNETISCHEM FUß
 ES LUZ DE SEGURIDAD INTERMITENTE CON LEDS Y BASE MAGNÉTICA

compact and highly visible • with strong magnet to attach to vehicle (magnet doesn't touch surface) • can be placed on the ground or road • casing made of super high strength plastic with a flexible TPR plastic shield • completely waterproof • 9-in-1: 8 flash patterns + an emergency flashlight mode • strong and solid

LEDs: 15 x red • flash patterns: 9 (see website for animated demo) • visibility: (depending on battery condition) ◦ day: up to 100 m ◦ night: up to 300 m • operating temperature: -20 to +40 °C • power supply: 1 x 3 V CR123AC lithium battery (incl.) • dimensions: 112 x 102 x 35 mm • weight: 192 g



EFL27



5 410329 566920



**ELECTRIC COOLER -
20.6 L - 12 / 230 V**



FR GLACIÈRE ÉLECTRIQUE - 20.6 L - 12 / 230 V
 NL ELEKTRISCHE KOELBOX - 20.6 L - 12 / 230 V
 DE ELEKTRISCHER KÜHLER - 20.6 l - 12 / 230 V
 ES NEVERA PORTÁTIL ELÉCTRICA - 20.6 l - 12 / 230 V

with Eco-Min-Max control - allows energy savings of up to 70% if used on 230V • cooling performance up to 14°C below ambient temperature (if used on 12V) • suitable for 1 x 1.5 L bottle standing upright or 5 x 1 L bottles • additional interior fan for quick and constant cooling effect • rubber sealing in the lid reduces condensation • the handle locks the lid when carried • detachable lid

storage volume: 20.6 L • noise-level: 40 dB • protection class: II • size (L x W x H): 39.3 x 23.3 x 40 cm



BB70301



4 020716 877075

NEW



**COOLER BAG WITH
HANDLE STRAP**



FR SAC ISOTHERME À BANDOULIÈRE
 NL KOELTAS MET SCHOUDERRIEM
 DE THERMOSCHUTZTASCHE MIT TRAGRIEMEN
 ES BOLSA NEVERA CON CORREA

extra large capacity, perfect for picnics • zipper in front and double handle • easy to clean PEVA lining • easy to handle with large strap

materials: 600D polyester and PEVA lining • dimensions: 320 x 230 x 280 mm • colour: red and black



BB70401



5 410329 611224

NEW



COOLER BAG ON WHEELS



FR SAC ISOTHERME À ROULETTES
 NL KOELTAS OP WIELTJES
 DE THERMOSCHUTZTASCHE AUF ROLLEN
 ES BOLSA NEVERA CON RUEDAS

save your energy and wheel your cold beverages around • high density thermal insulation with leakproof PEVA lining • easy to roll with pull-up handle • extra zipper pocket and handles in front

materials: 600D polyester and PEVA lining • dimensions: 310 x 290 x 390 mm • colour: black and red



BB70402



5 410329 611248