



## BIKE

VÉLO  
 FIETS  
 FAHRRAD  
 BICICLETA



### EASY-FIT 2-LED BIKE LIGHTS

**PEREL®**

FR JEU DE 2 FEUX EASY-FIT POUR VÉLO À 2 LED  
 NL SET VAN 2 EASY-FIT FIETSLAMPEN MET 2 LEDS  
 DE SATZ MIT 2 EASY-FIT-FAHRRADLAMPEN MIT 2 LEDS  
 ES JUEGO CON 2 FAROS DE BICICLETA 'EASY-FIT' CON 2 LEDS

Set of a 2 LED white light and a 2 LED red light

universal 2 LED safety lights for running, cycling, rollerblading... • flexible rubber strap: quick release & mounting onto any bar, helmet, backpack... • water-resistant • modes: ◦ steady: on ◦ slow flash: on.....on.....on.....on ◦ strobe flash: on.on.....on.on.....on.on

power supply: 2x CR2032 per light (incl.) CR2032C • dimensions (LxWxH): 90-130mm x 35mm x 15mm • weight: ±20g/light



EBL9



5 410329 439996



### BIKE LED LIGHT SET

**PEREL®**

FR KIT D'ÉCLAIRAGE LED POUR BICYCLETTE  
 NL LED FIETSLICHTSET  
 DE FAHRRADLICHT-SET  
 ES JUEGO CON LUCES DE BICICLETA

can be used on almost any bike • headlight: ◦ 5 white LEDs ◦ modes: steady and flashing ◦ quick release bracket, fits all bikes ◦ 360° side visibility • taillight: ◦ 5 red LEDs ◦ modes: steady on and 6 flashing patterns ◦ with belt clip • up to 100 hours run time (depending on usage and batteries)

taillight: 2 x 1.5V AAA batteries (not incl.) • headlight: 4 x 1.5V AAA batteries (not incl.)



EBL10



5 410329 460365



### BIKE LIGHT WITH 1 SUPER BRIGHT RED LED

**PEREL®**

FR FEU ARRIÈRE POUR VÉLO - 1 LED ROUGE TRÈS LUMINEUSE  
 NL FIETSLAMP - 1 ZEER HELDERE RODE LED  
 DE FAHRRADLAMPE - 1 SEHR HELLE ROTE LED  
 ES FARO DE BICICLETA - 1 LED ROJO MUY LUMINOSO

universal LED safety light for running, cycling or rollerblading • flexible rubber strap: quick release & mounting onto any bar / helmet • extra bright through specially designed optical lens • water-resistant

LEDs: ◦ colour: red ◦ number: 1 • modes: ◦ steady ◦ flashing • power supply: 2x CR2025 (incl.)



EBL11R



5 410329 470203



### BIKE LIGHT WITH 1 SUPER BRIGHT WHITE LED

**PEREL®**

FR FEU AVANT POUR VÉLO - 1 LED BLANCHE TRÈS LUMINEUSE  
 NL FIETSLAMP - 1 ZEER HELDERE WITTE LED  
 DE FAHRRADLAMPE - 1 SEHR HELLE WEIÙE LED  
 ES FARO DE BICICLETA MUY LUMINOSO - 1 LED BLANCO

universal LED safety light for running, cycling or rollerblading • flexible rubber strap: quick release & mounting onto any bar / helmet • extra bright through specially designed optical lens • water-resistant

LEDs: ◦ colour: white ◦ number: 1 • modes: ◦ steady ◦ flashing • power supply: 2x CR2025 (incl.)



EBL11W



5 410329 470210



**EASY-FIT BIKE LEDS - 1 x RED LED - 1 x WHITE LED**

**PEREL®**

FR ÉCLAIRAGE À LED POUR BICYCLETTE EASY-FIT - 1 FEU AVANT ROUGE - 1 FEU ARRIÈRE BLANCHE  
 NL EASY-FIT FIETSVERLICHTING - LED - 1 x ROOD VOORLICHT - 1 x WIT ACHTERLICHT  
 DE EINFACH ZU MONTIERENDES FAHRRADLICHT - 1 WEIßE - 1 ROTE LED  
 ES FARO DE BICICLETA DE FÁCIL INSTALACIÓN - 1 x LED ROJO - 1 x LED BLANCO

head light with 1 white LED • tail light with 1 red LED • no tools needed for mounting  
 • 3 functions: fast flash - flash - always on

power supply: ◦ head light: 2 x CR2032 lithium battery (incl.) ◦ tail light: 1 x CR2032 lithium battery (incl.) • dimensions: 42 x 26 x 13 mm



**TAIL AND SAFETY LIGHT - 5 RED LEDS**

**PEREL®**

FR FEU ARRIÈRE POUR VÉLO - 5 LED ROUGES  
 NL FIETSACHTERLICHT - 5 RODE LEDS  
 DE FAHRRADRÜCKLICHT - 5 ROTE LEDS  
 ES LUZ TRASERA DE BICICLETA - 5 LEDS ROJOS

flexible rubber mounting strap: provides quick release & mounting of light bracket • plastic clip: to attach the light on a backpack, jacket ... • 5 super bright red LED light: provide 180 degree visibility to increase safety • lens optics + reflector increase visible distance  
 • water resistant case

LEDs: ◦ colour: red ◦ number: 5 • modes: ◦ steady ◦ flashing ◦ running • power supply: 2x 1.5V AAA battery (incl.) • run time: 150h (flashing mode)



**TAIL AND SAFETY LIGHT - 6 RED LEDS**

**PEREL®**

FR FEU ARRIÈRE POUR VÉLO - 6 LED ROUGES  
 NL FIETSACHTERLICHT - 6 RODE LEDS  
 DE FAHRRADRÜCKLICHT - 6 ROTE LEDS  
 ES LUZ TRASERA DE BICICLETA - 6 LEDS ROJOS

flexible rubber mounting strap: provides quick release & mounting of light bracket • 6 super bright red LED light: provide 270 degree visibility to increase safety • lens optics increase visible distance • water resistant case

LEDs: ◦ colour: red ◦ number: 6 • modes: ◦ steady ◦ flashing ◦ running • power supply: 2x 1.5V AAA battery (incl.) • run time: 150h (flashing mode)



**POWERFUL BICYCLE HEADLIGHT - 0.5 W LED**

**PEREL®**

FR PHARE AVANT PUISSANT POUR VÉLO - LED DE 0.5 W  
 NL KRACHTIGE FIETSKOPLAMP - 0.5 W LED  
 DE LEISTUNGSSTARKE FAHRRAD-FRONTLEUCHTE - 0,5 W-LED  
 ES POTENTE FARO DE BICICLETA - LED DE 0.5 W

flexible rubber mounting strap: provides quick release & mounting of light bracket • 0.5 Watt high power LED battery light, very bright and high efficiency • lens optics increase visible distance • long battery life with constant brightness • water resistant case • horizontally adjustable

LEDs: ◦ colour: white ◦ number: 1 • modes: ◦ steady ◦ flashing • power supply: 4x 1.5 V AAA battery (incl.)





### CLIP WITH LED LIGHT

**PEREL®**

FR CLIP À LED pour CHAUSSURE  
NL LED SCHOEN CLIP  
DE CLIP MIT LED  
ES CLIP CON LED

flexible clip with LED light • flashing and continuous light • attach and detach quickly  
• colour: green • modes: ○ on/flash/off

battery lifetime: ○ continuous: ± 70 h ○ flashing: ± 100 h • power supply: 2 x CR2032 battery (incl.) CR2032C • dimensions: Ø 50 to 90 x 12 mm • weight: 28 g



► May not be sold in France



EBL14



5 410329 587055



### BAND WITH LED LIGHT

**PEREL®**

FR BRASSARD À LED  
NL LED-ARM BAND  
DE LED-ARM BAND  
ES BRAZALETE CON LED

flexible and comfortable band with LED light • flashing and continuous light • attach and detach quickly • colour: green • adjustable band • modus: ○ on/flash/off

battery lifetime: ○ continuous: ± 70 h ○ flashing: ± 100 h • power supply: 2 x CR2032 battery (incl.) CR2032C • dimensions: 22 x 35 x 17 mm • weight: 42 g



► May not be sold in France



EBL15



5 410329 587093



### BICYCLE KEY LOCK Ø 10 mm

**PEREL®**

FR CÂBLE ANTIVOL POUR BICYCLETTE - Ø 10 mm  
NL KABELSLOT VOOR FIETS - Ø 10 mm  
DE SPIRALKABELSCHLOSS Ø 10 mm MIT SCHLÜSSEL  
ES CANDADO DE BICICLETA Ø 10 mm

Ø10mm steel cable with plastic sleeve • comes with 2 keys

dimensions: Ø10 x 650mm (25/64" x 2')



SLKB01



5 410329 367008



### BICYCLE KEY LOCK Ø 12 mm

**PEREL®**

FR CÂBLE ANTIVOL POUR BICYCLETTE - Ø 12 mm  
NL KABELSLOT VOOR FIETS - Ø 12 mm  
DE SPIRALKABELSCHLOSS MIT SCHLÜSSEL Ø 12 mm  
ES CANDADO DE BICICLETA Ø 12 mm

Ø12mm steel cable with plastic sleeve • comes with 2 keys • with clip to fasten the lock to the bicycle when the lock is not used • with key hole protection

dimensions: Ø 12 x 650 mm (15/32" x 2')



SLKB02



5 410329 367015



### BICYCLE KEY LOCK Ø 12 mm

**PEREL®**

FR CÂBLE ANTIVOL POUR BICYCLETTE - Ø 12 mm  
NL KABELSLOT VOOR FIETS - Ø 12 mm  
DE SPIRALKABELSCHLOSS MIT SCHLÜSSEL Ø 12 mm  
ES CANDADO DE BICICLETA Ø 12 mm

Ø12mm steel cable with plastic sleeve • comes with 2 keys • with clip to fasten the lock to the bicycle when the lock is not used • with key hole protection

dimensions: Ø12 x 1500mm (15/32" x 5')



SLKB03



5 410329 367022



**BICYCLE COMBINATION  
LOCK - Ø 12 mm**

**PEREL®**

FR ANTIVOL À COMBINAISON POUR BICYCLETTE - Ø 12 mm  
 NL COMBINATIESLOT VOOR FIETS - Ø 12 mm  
 DE SPIRAKABELSCHLOSS Ø 12 mm MIT ZAHLENCODE  
 ES CANDADO DE BICICLETA CON CÓDIGO - Ø 12 mm

Ø12mm steel cable with plastic sleeve • combination lock with 4-digit code

dimensions: Ø12 x 650mm (15/32" x 2')



SLKB04N



5 410329 553524



**U-SHACKLE KEY CYCLE LOCK**

**PEREL®**

FR ANTIVOL EN U POUR BICYCLETTE  
 NL BEUGELSLLOT VOOR FIETS  
 DE BÜGELSCHLOSS  
 ES CANDADO CON ARCO EN FORMA DE 'U' Y LLAVE

steel U-shackle with rubber coating • comes with 2 keys • with keyhole protection

thickness: Ø14mm • dimensions: 145 x 210mm



SLKB06



5 410329 389185



**U-SHACKLE KEY MOTORCYCLE  
LOCK Ø 16 mm**

**PEREL®**

FR ANTIVOL EN U POUR MOTO Ø 16 mm  
 NL BEUGELSLLOT VOOR MOTORFIETS Ø 16 mm  
 DE BÜGELSCHLOSS Ø 16 mm  
 ES CANDADO DE MOTO CON ARCO EN FORMA DE 'U' Y LLAVE Ø 16 mm

steel U-shackle with rubber coating • comes with 2 keys • with keyhole protection  
 • thickness: 16mm

dimensions: Ø 16 x 320mm (5/8" x 1')



SLKM01



5 410329 367046



**KEY MOTORCYCLE JOINT LOCK**

**PEREL®**

FR ANTIVOL ARTICULÉ À SERRURE POUR MOTO  
 NL GEPANTSERD SLEUTELSLLOT VOOR MOTORFIETS  
 DE PANZERKABELSCHLOSS MIT SCHLÜSSEL FÜR MOTORRÄDER  
 ES CANDADO DE MOTO BLINDADO CON LLAVE

heavy-duty steel joints with plastic sleeve • comes with 2 keys • thickness: Ø22mm

dimensions: Ø22 x 1200mm (55/64" x 3' 11")



SLKM04



5 410329 367084



**MOTORCYCLE COMBINATION  
JOINT LOCK - Ø 20 mm**

**PEREL®**

FR ANTIVOL ARTICULÉ À COMBINAISON POUR MOTO - Ø 20 mm  
 NL GEPANTSERD COMBINATIESLOT VOOR MOTORFIETS - Ø 20 mm  
 DE PANZERKABELSCHLOSS MIT ZAHLENSCHLOSS FÜR MOTORRÄDER - Ø 20 mm  
 ES CANDADO DE MOTO BLINDADO CON CERRADURA DE COMBINACIÓN - Ø 20 mm

heavy-duty steel joints with plastic sleeve • combination lock with 5-digit code • thickness: Ø20mm

dimensions: Ø20 x 1000mm (25/32" x 3')



SLKM03



5 410329 367077



**KEY CHAIN MOTORCYCLE LOCK**

**PEREL®**

FR CHAÎNE ANTIVOL POUR MOTOCYCLETTE  
 NL VEILIGHEIDSKETTING VOOR MOTORFIETS  
 DE KETTENSCHLOSS  
 ES CANDADO DE MOTO CON LLAVE

heavy-duty solid steel chain with textile covering • comes with 2 keys • with keyhole protection • thickness: Ø8mm

dimensions: Ø8 x 900mm (5/16" x 3')




SLKM02



5 410329 367053






**UNIVERSAL ELASTIC  
 STRAP - 450 x 20 mm**

FR SANGLE ELASTIQUE UNIVERSELLE - 450 x 20 mm  
 NL UNIVERSELE ELASTISCHE RIEM - 450 x 20 mm  
 DE SPANNGURT 450 x 20 mm  
 ES CINTA ELÁSTICA UNIVERSAL 450 x 20 mm


hooks: ◦ stronger and safer double shanks ◦ improved design: pass one hook through the other for easy fastening ◦ plastic coated non-scratch steel  
 ● strap: ◦ rot proof and UV resistant ◦ double stitched for greater strength  
 ◦ anti-roll flat design is stronger and safer ◦ solid core of 100% natural rubber



**UNIVERSAL ELASTIC  
 STRAP 600 x 20 mm**

FR SANGLE ELASTIQUE UNIVERSELLE 600 x 20 mm  
 NL UNIVERSELE ELASTISCHE RIEM 600 x 20 mm  
 DE SPANNGURT 600 x 20 mm  
 ES CINTA ELÁSTICA UNIVERSAL 600 x 20 mm


hooks: ◦ stronger and safer double shanks ◦ improved design: pass one hook through the other for easy fastening ◦ plastic coated non-scratch steel  
 ● strap: ◦ rot proof and UV resistant ◦ double stitched for greater strength  
 ◦ anti-roll flat design is stronger and safer ◦ solid core of 100% natural rubber



**UNIVERSAL ELASTIC  
 STRAP 750 x 20 mm**

FR SANGLE ELASTIQUE UNIVERSELLE 750 x 20 mm  
 NL UNIVERSELE ELASTISCHE RIEM 750 x 20 mm  
 DE SPANNGURT 750 x 20 mm  
 ES CINTA ELÁSTICA UNIVERSAL 750 x 20 mm



hooks: ◦ stronger and safer double shanks ◦ improved design: pass one hook through the other for easy fastening ◦ plastic coated non-scratch steel  
 ● strap: ◦ rot proof and UV resistant ◦ double stitched for greater strength  
 ◦ anti-roll flat design is stronger and safer ◦ solid core of 100% natural rubber



**UNIVERSAL ELASTIC  
 STRAP 900 x 25 mm**

FR SANGLE ELASTIQUE UNIVERSELLE 900 x 25 mm  
 NL UNIVERSELE ELASTISCHE RIEM 900 x 25 mm  
 DE SPANNGURT 900 x 25 mm  
 ES CINTA ELÁSTICA UNIVERSAL 900 x 25 mm


hooks: ◦ stronger and safer double shanks ◦ improved design: pass one hook through the other for easy fastening ◦ plastic coated non-scratch steel  
 ● strap: ◦ rot proof and UV resistant ◦ double stitched for greater strength  
 ◦ anti-roll flat design is stronger and safer ◦ solid core of 100% natural rubber



**UNIVERSAL ELASTIC  
 STRAP 1200 x 25 mm**

FR SANGLE ELASTIQUE UNIVERSELLE 1200 x 25 mm  
 NL UNIVERSELE ELASTISCHE RIEM 1200 x 25 mm  
 DE SPANNGURT 1200 x 25 mm  
 ES CINTA ELÁSTICA UNIVERSAL 1200 x 25 mm


hooks: ◦ stronger and safer double shanks ◦ improved design: pass one hook through the other for easy fastening ◦ plastic coated non-scratch steel  
 ● strap: ◦ rot proof and UV resistant ◦ double stitched for greater strength  
 ◦ anti-roll flat design is stronger and safer ◦ solid core of 100% natural rubber



**UNIVERSAL ELASTIC  
 STRAP 1500 x 25 mm**

FR SANGLE ELASTIQUE UNIVERSELLE 1500 x 25 mm  
 NL UNIVERSELE ELASTISCHE RIEM 1500 x 25 mm  
 DE SPANNGURT 1500 x 25 mm  
 ES CINTA ELÁSTICA UNIVERSAL 1500 x 25 mm

hooks: ◦ stronger and safer double shanks ◦ improved design: pass one hook through the other for easy fastening ◦ plastic coated non-scratch steel  
 ● strap: ◦ rot proof and UV resistant ◦ double stitched for greater strength  
 ◦ anti-roll flat design is stronger and safer ◦ solid core of 100% natural rubber



**LUGGAGE STRAP WITH  
 COMBINATION LOCK**

FR SANGLE À BAGAGE AVEC COMBINAISON  
 NL BAGAGERIEM MET COMBINATIESLOT  
 DE KOFFERGURT MIT ZAHLENSCHLOSS  
 ES CINTA DE EQUIPAJES CON CANDADO DE COMBINACIÓN

Luggage strap with resettable 3-digit combination lock.

contains: ◦ 6-colour luggage strap with resettable 3-digit combination lock ◦ identification card with ball chain ◦ resettable 3-digit padlock

dimensions: 50mm X 2m





**MULTI-CLAW ELASTIC - 8 CLAWS** **PEREL®**

FR PIEUVRE 8 BRANCHES  
 NL 8-VOUDIGE SNELBINDER  
 DE GEPÄCKGURT MIT 8 HAKEN  
 ES BANDA ELÁSTICA - 8 GANCHOS

multi-claw elastic binder • 4 x 50cm • 8 claws



611-8



5 411257 002467



**BIKE STAND** **PEREL®**

FR RANGE-VÉLOS  
 NL FIETSENREK  
 DE FAHRRADSTÄNDER  
 ES SOPORTE PARA BICICLETAS

for 3 bikes • steel with zinc plating for extra corrosion resistance

tube diameter: 16mm • length: 875mm • width: 400mm • height: 240mm • max. tire width: 55mm

► May not be sold in Monaco



OBS3



5 410329 434724



**WALL MOUNT BIKE HOOK** **PEREL®**

FR PORTE-VÉLO - MONTAGE MURAL  
 NL FIETSHOUDER - MUURMONTAGE  
 DE FAHRRAD-WANDHALTER  
 ES SOPORTE DE PARED PARA BICICLETAS

for hanging the bicycle and saving space in the garage • plastic coating to protect wheels from scratches

dimensions: 30.2 x 13 x 8.2 cm • weight: 930 g



OBH3



5 410329 564841



**WALL MOUNT BIKE RACK** **PEREL®**

FR PORTE-VÉLO - MONTAGE MURAL  
 NL FIETSHOUDER - MUURMONTAGE  
 DE FAHRRAD-WANDHALTER  
 ES SOPORTE DE PARED PARA BICICLETAS

for hanging the bicycle and saving space in the garage • plastic coating to protect the frame from scratches • foldable • storage for 2 bikes • max. load: 35 kg

dimensions: 59 x 53 x 50 cm • weight: 2100 g



OBH4



5 410329 585648



**BIKE HANGER**

FR PORTE-VÉLO  
 NL FIETSLIFT  
 DE FAHRRAD-DECKENLIFT  
 ES SOPORTE ELEVADOR DE BICICLETAS


maximum load: 20 kg • maximum height: 4 m



TL62000



5 411244 620001



**BIKE RACK - WALL MOUNT** **PEREL®**

FR PORTE-VÉLO - MONTAGE MURAL  
 NL FIETSHOUDER - MUURMONTAGE  
 DE FAHRRAD-WANDHALTER  
 ES SOPORTE DE PARED PARA BICICLETAS

2 hooks • max. load: 25kg • hooks can be flipped up when not used

length: 30cm



OBH1



5 410329 385323



### BICYCLE TOOL KIT WITH BELT POUCH - 15 pcs

**PEREL®**

FR TROUSSE DE RÉPARATION POUR BICYCLETTE - AVEC POCHE - 15 pcs  
NL SET MET FIETSGEREEDSCHAP EN OPBERGHOESJE - 15 st.  
DE FAHRRADWERKZEUG MIT GÜRTELTASCHE - 15 St.  
ES JUEGO CON HERRAMIENTAS DE BICICLETA Y FUNDA - 15 uds.

flat screwdriver, 5mm • cross screwdriver, PH1 • 7 x hex key (2 / 2.5 / 3 / 2 x 4 / 5 / 6mm)  
• drive socket, 8mm • 5 x ring spanner (9 / 10 / 12 / 13 / 15mm) • handy pouch



ABTS1



5 410329 375546

### BICYCLE PUMP



FR POMPE DE BICYCLETTE  
NL FIETSPOMP  
DE FAHRRADPUMPE  
ES INFLADOR DE BICICLETA

length: 40cm • weight: 105g

**PEREL®**



AFP04



5 410329 388492



### ALUMINIUM DOUBLE-STROKE AIR PUMP

**PEREL®**

FR POMPE À AIR À DOUBLE COURSE EN ALUMINIUM  
NL ALUMINIUM LUCHTPOMP MET DUBBELE SLAG  
DE DOPPELHUB-LUFTPUMPE AUS ALUMINIUM  
ES BOMBA DE DOBLE ACCIÓN - ALUMINIO

Pump up twice as fast with this double-stroke pump.

can be fixed to the bicycle frame with plastic straps (incl.) • pressure display in bar  
• comes with 3 adapters: for bicycle & car tyres, balls

pressure: max. 8 bar • max. stroke length: max. 340mm • dimensions: 255 x 55 x 21mm  
• weight: 145g

► May not be sold in France



AFP06



5 410329 404529



### FLOOR PUMP WITH PRESSURE GAUGE

**PEREL®**

FR POMPE A PIED AVEC MANOMETRE  
NL STAANDE POMP MET MANOMETER  
DE STANDPUMPE MIT MANOMETER  
ES BOMBA MANUAL CON MANÓMETRO

easy operation • comes with 3 adapters: bike, car, ball

tube diameter: 38mm • tube length: 450mm • max. pressure: 10 bar (145psi)



AFP03



5 410329 366957



### FLOOR PUMP WITH PRESSURE GAUGE

**PEREL®**

FR POMPE À PIED AVEC MANOMÈTRE  
NL STAANDE POMP MET MANOMETER  
DE STANDPUMPE MIT MANOMETER  
ES BOMBA MANUAL CON MANÓMETRO

aluminium tube • studded anti-slip handle • pressure-release button • easy-to-read pressure gauge

tube diameter: 38mm • tube length: 45cm • pressure: 10 bar (145 psi)

► May not be sold in France



AFP05



5 410329 404512



### SAFETY EQUIPMENT

ÉQUIPEMENT DE SÉCURITÉ  
VEILIGHEIDSUITRUSTING  
SICHERHEITSAUSRÜSTUNG  
EQUIPO DE SEGURIDAD



#### DISPOSABLE VINYL GLOVES - L



FR GANTS USAGE UNIQUE EN VINYLE - L  
NL VINYL WEGWERPHANDSCHOENEN - L  
DE VINYL-EINMALHANDSCHUHE - L  
ES GUANTES DESECHABLES DE VINILO - TALLA: L

100 gloves per box

size: L



2075-L100



5 411257 033997



#### DISPOSABLE VINYL GLOVES - M



FR GANTS USAGE UNIQUE EN VINYLE - M  
NL VINYL WEGWERPHANDSCHOENEN - M  
DE VINYL-EINMALHANDSCHUHE - M  
ES GUANTES DESECHABLES DE VINILO - TALLA: M

100 gloves per box

size: M



2075-M100



5 411257 033980



#### DISPOSABLE VINYL GLOVES - XL



FR GANTS USAGE UNIQUE EN VINYLE - XL  
NL VINYL WEGWERPHANDSCHOENEN - XL  
DE EINMALHANDSCHUHE - XL  
ES GUANTES DESECHABLES DE VINILO - TALLA: XL

100 gloves per box

size: XL



2075-XL100



5 411257 113446



#### VINYL WORK GLOVES



FR GANTS DE TRAVAIL EN VINYLE  
NL VINYL WERKHANDSCHOENEN  
DE VINYL-ARBEITSHANDSCHUHE  
ES GUANTES DE TRABAJO DE VINILO

size: XL (10) • green vinyl • impregnated • stripe cotton back



SWG08



5 410329 354619



#### NITRILE-COATED WORK GLOVES



FR GANTS DE TRAVAIL AVEC ENDUCTION NITRILE  
NL WERKHANDSCHOENEN MET NITRIL COATING  
DE NITRIL-ARBEITSHANDSCHUHE  
ES GUANTES DE TRABAJO DE NITRILO

size: XL (10) • light nitrile coating • cotton lining



SWG14



5 410329 354725



#### NITRILE-COATED WORK GLOVES



FR GANTS DE TRAVAIL AVEC ENDUCTION NITRILE  
NL WERKHANDSCHOENEN MET NITRIL COATING  
DE NITRIL-ARBEITSHANDSCHUHE  
ES GUANTES DE TRABAJO DE NITRILO

size: XL (10) • heavy nitrile coating • jersey lining



SWG15



5 410329 354732





## NITRILE-COATED WORK GLOVES **PEREL®**

FR GANTS DE TRAVAIL AVEC ENDUCTION NITRILE  
NL WERKHANDSCHOENEN MET NITRIL COATING  
DE NITRIL-ARBEITSHANDSCHUHE  
ES GUANTES DE TRABAJO DE NITRILO

size: M (8) • cotton lining



SWG16M



5 410329 354756



## NITRILE-COATED WORK GLOVES **PEREL®**

FR GANTS DE TRAVAIL AVEC ENDUCTION NITRILE  
NL WERKHANDSCHOENEN MET NITRIL COATING  
DE NITRIL-ARBEITSHANDSCHUHE  
ES GUANTES DE TRABAJO DE NITRILO

size: L (9) • cotton lining



SWG16L



5 410329 354763



## NEOPRENE-COATED WORK GLOVES **PEREL®**

FR GANTS DE TRAVAIL AVEC ENDUCTION NEOPRENE  
NL WERKHANDSCHOENEN MET NEOPRENCOATING  
DE NEOPREN-ARBEITSHANDSCHUHE  
ES GUANTES DE TRABAJO DE NEOPRENO

length: 300mm • lining: woven cotton



SWG19



5 410329 354824



## PVC DIPPED GLOVES **PEREL®**

FR GANTS DE TRAVAIL TREMPES EN PVC  
NL PVC GEDOMPELDE HANDSCHOENEN  
DE PVC-ARBEITSHANDSCHUHE  
ES GUANTES DE TRABAJO DE PVC

double dipped PVC • size: XL (10) • lining: interlock



SWG21



5 410329 354848



## PVC WORK GLOVES **PEREL®**

FR GANTS DE TRAVAIL EN PVC  
NL PVC WERKHANDSCHOENEN  
DE PVC-ARBEITSHANDSCHUHE  
ES GUANTES DE TRABAJO DE PVC

size: XL (10) / 400mm • lining: cotton



SWG22-40



5 410329 354862



## PVC DIPPED GLOVES **PEREL®**

FR GANTS DE TRAVAIL TREMPES EN PVC  
NL PVC GEDOMPELDE HANDSCHOENEN  
DE PVC-ARBEITSHANDSCHUHE  
ES GUANTES DE TRABAJO DE PVC

size: XL (10) • lining: cotton



SWG23



5 410329 354879



## PVC WORK GLOVES **PEREL®**

FR GANTS DE TRAVAIL EN PVC  
NL PVC WERKHANDSCHOENEN  
DE PVC-ARBEITSHANDSCHUHE  
ES GUANTES DE TRABAJO DE PVC

size: XL (10) • orange criss-cross pattern



SWG24



5 410329 354886

**WORK GLOVES - COTTON/  
POLYESTER, PVC DOTTED****PEREL®**

FR GANTS DE TRAVAIL - COTON/POLYESTER, PICOTS EN PVC  
 NL WERKHANDSCHOENEN - KATOEN/POLYESTER, PVC-NOPPEN  
 DE PVC-ARBEITSHANDSCHUHE - POLYESTER/BAUMWOLLE PUNKTIERT  
 ES GUANTES DE TRABAJO DE PVC - POLIÉSTER/ALGODÓN CON MOTIVO DE PUNTOS

size: XL (10) • 3 pairs • dotted cotton/polyester



SWG26



5 410329 354909

**COTTON INTERLOCK  
WORK GLOVES****PEREL®**

FR GANTS DE TRAVAIL INTERLOCK EN COTON  
 NL KATOENEN INTERLOCK WERKHANDSCHOENEN  
 DE ARBEITSHANDSCHUHE AUS INTERLOCKWARE  
 ES GUANTES DE TRABAJO INTERLOCK DE ALGODÓN

size: XL (10) • 3 pairs



SWG27



5 410329 354916

**COTTON DRILL GLOVES  
WITH JERSEY WRIST****PEREL®**

FR GANTS EN TISSU CHEVRONS AVEC POIGNET TRICOT  
 NL KEPERSTOF HANDSCHOENEN MET TRICOTBOORD  
 DE HANDSCHUHE AUS BAUMWOLLE MIT STRICKBUND  
 ES GUANTES DE TELA DE SARGA CON RIBETE TRICOT

size: XL (10) • 3 pairs



SWG28



5 410329 354923

**HEAVYWEIGHT GRIP  
GLOVE - SIZE 9/L****SHOWA®**

FR GANT POUR GROS TRAVAUX, BONNE ADHERENCE - TAILLE 9/L  
 NL HANDSCHOEN VOOR ZWAAR WERK, GOEDE GRIP - MAAT 9/L  
 DE HANDSCHUHE FÜR SCHWERE ARBEIT, AUSGEZEICHNTER GRIFF - GRÖßE 9/L  
 ES GUANTES DE TRABAJO DURO, EXCELENTE AGARRE - TALLA 9/L

A flexible, robust glove offering great dexterity and with good resistance to tearing. Protects the hand in damp environments or against aggressive detergents or alcohols. Breathable back of hand to reduce perspiration. Surface provides tactile feel and better grip Greater hygiene. Designed for easy movement and continuous wear. No irritation by seams in contact with the skin.

coated palm • elasticated cuff • rough finish over entire surface • antibacterial and anti-odour treatment • anatomical shape • seamless knit

size: 9/L • polyester/cotton knit • natural latex coating



SSH310L



4 901792 012386

**HEAVYWEIGHT GRIP  
GLOVE - SIZE 8/M****SHOWA®**

FR GANT POUR GROS TRAVAUX, BONNE ADHERENCE - TAILLE 8/M  
 NL HANDSCHOEN VOOR ZWAAR WERK, GOEDE GRIP - MAAT 8/M  
 DE HANDSCHUHE FÜR SCHWERE ARBEIT, AUSGEZEICHNTER GRIFF - GRÖßE 8/M  
 ES GUANTES DE TRABAJO DURO, EXCELENTE AGARRE - TALLA 98/M

A flexible, robust glove offering great dexterity and with good resistance to tearing. Protects the hand in damp environments or against aggressive detergents or alcohols. Breathable back of hand to reduce perspiration. Surface provides tactile feel and better grip Greater hygiene. Designed for easy movement and continuous wear. No irritation by seams in contact with the skin.

coated palm • elasticated cuff • rough finish over entire surface • antibacterial and anti-odour treatment • anatomical shape • seamless knit

size: 8/M • polyester/cotton knit • natural latex coating



SSH310M



4 901792 012379



## HEAVYWEIGHT GRIP GLOVE - SIZE 10/XL



FR GANT POUR GROS TRAVAUX, BONNE ADHERENCE - TAILLE 10/XL  
NL HANDSCHOEN VOOR ZWAAR WERK, GOEDE GRIP - MAAT 10/XL  
DE HANDSCHUHE FÜR SCHWERE ARBEIT, AUSGEZEICHNETER GRIFF - GRÖÖSE 10/XL  
ES GUANTES DE TRABAJO DURO, EXCELENTE AGARRE - TALLA 10/XL

A flexible, robust glove offering great dexterity and with good resistance to tearing. Protects the hand in damp environments or against aggressive detergents or alcohols. Breathable back of hand to reduce perspiration. Surface provides tactile feel and better grip Greater hygiene. Designed for easy movement and continuous wear. No irritation by seams in contact with the skin.

coated palm • elasticated cuff • rough finish over entire surface • antibacterial and anti-odour treatment • anatomical shape • seamless knit

size: 10/XL • polyester/cotton knit • natural latex coating



SSH310XL



4 901792 012447



## WET WORK & CEMENTING GLOVE - SIZE 8/L



FR GANT POUR TRAVAUX EN MILIEU HUMIDE ET CIMENTATION - TAILLE 8/L  
NL HANDSCHOEN VOOR NAT WERK EN CEMENTEREN - MAAT 8/L  
DE HANDSCHUHE FÜR ARBEIT IN EINER FEUCHTER UMGEBUNG UND ZUM ZEMENTIEREN - GRÖÖSE 8/L  
ES GUANTES PARA TRABAJOS EN UN AMBIENTE HÚMEDO Y PARA JAHARRAR - TALLA 8/L

A flexible, robust glove offering great dexterity and with good resistance to tearing. Glove stays correctly adjusted. Protects the hand from oils, hydrocarbons, grease and abrasion, with optimal long lasting grip. Impermeable for working in damp or greasy environments, with increased resistance to abrasion for better durability. Minimal allergy risks. Designed for easy movement and continuous wear. No irritation by seams in contact with the skin. Wrist well protected.

fully coated, extra coating on palm • reinforced knit cuff, scalloped edge • standard finish • without special treatment • anatomical shape • seamless knit

size: 8/L • polyester/nylon knit • nitrile foam coating on nitrile



SSH377L



4 901792 005524



## WET WORK & CEMENTING GLOVE - SIZE 7/M



FR GANT POUR TRAVAUX EN MILIEU HUMIDE ET CIMENTATION - TAILLE 7/M  
NL HANDSCHOEN VOOR NAT WERK EN CEMENTEREN - MAAT 7/M  
DE HANDSCHUHE FÜR ARBEIT IN EINER FEUCHTER UMGEBUNG UND ZUM ZEMENTIEREN - GRÖÖSE 7/M  
ES GUANTES PARA TRABAJOS EN UN AMBIENTE HÚMEDO Y PARA JAHARRAR - TALLA 7/M

A flexible, robust glove offering great dexterity and with good resistance to tearing. Glove stays correctly adjusted. Protects the hand from oils, hydrocarbons, grease and abrasion, with optimal long lasting grip. Impermeable for working in damp or greasy environments, with increased resistance to abrasion for better durability. Minimal allergy risks. Designed for easy movement and continuous wear. No irritation by seams in contact with the skin. Wrist well protected.

fully coated, extra coating on palm • reinforced knit cuff, scalloped edge • standard finish • without special treatment • anatomical shape • seamless knit

size: 7/M • polyester/nylon knit • nitrile foam coating on nitrile



SSH377M



4 901792 005517

**WET WORK & CEMENTING  
GLOVE - SIZE 9/XL**

FR GANT POUR TRAVAUX EN MILIEU HUMIDE ET CIMENTATION - TAILLE 9/XL  
 NL HANDSCHOEN VOOR NAT WERK EN CEMENTEREN - MAAT 9/XL  
 DE HANDSCHUHE FÜR ARBEIT IN EINER FEUCHTER UMGEBUNG UND ZUM ZEMENTIEREN - GRÖÙE 9/XL  
 ES GUANTES PARA TRABAJOS EN UN AMBIENTE HÚMEDO Y PARA JAHARRAR - TALLA 9/XL

A flexible, robust glove offering great dexterity and with good resistance to tearing. Glove stays correctly adjusted. Protects the hand from oils, hydrocarbons, grease and abrasion, with optimal long lasting grip. Impermeable for working in damp or greasy environments, with increased resistance to abrasion for better durability. Minimal allergy risks. Designed for easy movement and continuous wear. No irritation by seams in contact with the skin. Wrist well protected.

fully coated, extra coating on palm • reinforced knit cuff, scalloped edge • standard finish  
 • without special treatment • anatomical shape • seamless knit

size: 9/XL • polyester/nylon knit • nitrile foam coating on nitrile



SSH377XL



4 901792 005531

**LIGHTWEIGHT GRIP  
GLOVE - SIZE 8/L**

FR GANT POUR TRAVAUX LEGERS, BONNE ADHERENCE - TAILLE 8/L  
 NL HANDSCHOEN VOOR LICHT WERK, GOEDE GRIP - MAAT 8/L  
 DE HANDSCHUHE FÜR LEICHTE ARBEIT, AUSGEZEICHNTER GRIFF - GRÖÙE 8/L  
 ES GUANTES DE TRABAJO LIGERO, EXCELENTE AGARRE - TALLA 8/L

A light, elastic low-lint glove, resistant to deformation and which keeps its shape longer. Optimal long lasting grip in dry, light oily and oil submersion situations. Breathable back of hand to reduce perspiration. Surface encourages grease removal. Minimal allergy risks. Designed for easy movement and continuous wear. No irritation by seams in contact with the skin. Low-soil colour.

coated palm • elasticated cuff • foamed embossed finish • without special treatment  
 • anatomical shape • seamless knit

size: 8/L • antiskid nylon knit • microporous nitrile coating



SSH380L



4 901792 006637

**LIGHTWEIGHT GRIP  
GLOVE - SIZE 7/M**

FR GANT POUR TRAVAUX LEGERS, BONNE ADHERENCE - TAILLE 7/M  
 NL HANDSCHOEN VOOR LICHT WERK, GOEDE GRIP - MAAT 7/M  
 DE HANDSCHUHE FÜR LEICHTE ARBEIT, AUSGEZEICHNTER GRIFF - GRÖÙE 7/M  
 ES GUANTES DE TRABAJO LIGERO, EXCELENTE AGARRE - TALLA 7/M

A light, elastic low-lint glove, resistant to deformation and which keeps its shape longer. Optimal long lasting grip in dry, light oily and oil submersion situations. Breathable back of hand to reduce perspiration. Surface encourages grease removal. Minimal allergy risks. Designed for easy movement and continuous wear. No irritation by seams in contact with the skin. Low-soil colour.

coated palm • elasticated cuff • foamed embossed finish • without special treatment  
 • anatomical shape • seamless knit

size: 7/M • antiskid nylon knit • microporous nitrile coating



SSH380M



4 901792 006620





## LIGHTWEIGHT GRIP GLOVE - SIZE 9/XL



FR GANT POUR TRAVAUX LEGERS, BONNE ADHERENCE - TAILLE 9/XL  
NL HANDSCHOEN VOOR LICHT WERK, GOEDE GRIP - MAAT 9/XL  
DE HANDSCHUHE FÜR LEICHTE ARBEIT, AUSGEZEICHNTER GRIFF - GRÖÙE 9/XL  
ES GUANTES DE TRABAJO LIGERO, EXCELENTE AGARRE - TALLA 9/XL

A light, elastic low-lint glove, resistant to deformation and which keeps its shape longer. Optimal long lasting grip in dry, light oily and oil submersion situations. Breathable back of hand to reduce perspiration. Surface encourages grease removal. Minimal allergy risks. Designed for easy movement and continuous wear. No irritation by seams in contact with the skin. Low-soil colour.

coated palm • elasticated cuff • foamed embossed finish • without special treatment  
• anatomical shape • seamless knit

size: 9/XL • antiskid nylon knit • microporous nitrile coating



SSH380XL



4 901792 006644



## THERMO FLEECE WORK GLOVE - SIZE 9/L



FR GANT DE TRAVAIL THERMOPOLAIRE - TAILLE 9/L  
NL THERMOFLEECE WERKHANDSCHOEN - MAAT 9/L  
DE THERMISCHE FLEECE-ARBEITSHANDSCHUHE - GRÖÙE 9/L  
ES GUANTES TÉRMICOS CON FORRO POLAR - TALLA 9/L

A comfortable, flexible glove that is resistant to abrasion and very pleasant to wear in cold weather. Protects the hand in damp environments or against aggressive detergents or alcohols. Breathable back of hand to reduce perspiration. Surface provides tactile feel and better grip. Greater hygiene. Designed for easy movement and continuous wear. No irritation by seams in contact with the skin. Low-soil colour.

coated palm • elasticated cuff • rough finish over entire surface • antibacterial and anti-odour treatment • anatomical shape • seamless knit

size: 9/L • acrylic/cotton/polyester knit • natural latex coating



SSH451L



4 901792 012577



## THERMO FLEECE WORK GLOVE - SIZE 10/XL



FR GANT DE TRAVAIL THERMOPOLAIRE - TAILLE 10/XL  
NL THERMOFLEECE WERKHANDSCHOEN - MAAT 10/XL  
DE THERMISCHE FLEECE-ARBEITSHANDSCHUHE - GRÖÙE 10/XL  
ES GUANTES TÉRMICOS CON FORRO POLAR - TALLA 10/XL

A comfortable, flexible glove that is resistant to abrasion and very pleasant to wear in cold weather. Protects the hand in damp environments or against aggressive detergents or alcohols. Breathable back of hand to reduce perspiration. Surface provides tactile feel and better grip. Greater hygiene. Designed for easy movement and continuous wear. No irritation by seams in contact with the skin. Low-soil colour.

coated palm • elasticated cuff • rough finish over entire surface • antibacterial and anti-odour treatment • anatomical shape • seamless knit

size: 10/XL • acrylic/cotton/polyester knit • natural latex coating



SSH451XL



4 901792 012584



## ANTI CUT HIGH DEXTERITY GLOVE - SIZE 8/L



FR GANT ANTI-COUPURE, BONNE LIBERTE DE MOUVEMENT - TAILLE 8/L  
NL SNIJVASTE WERKHANDSCHOEN, HOGE BEWEGINGSVRIJHEID - MAAT 8/L  
DE SCHNITTSCHUTZHANDSCHUH, HOHE BEWEGUNGSFREIHEIT - GRÖÙE 8/L  
ES GUANTES ANTICORTE, GRAN LIBERTAD DE MOVIMIENTO - TALLA 8/L

A flexible, light glove providing effective protection against cuts and very resistant to abrasion. Protects the hand from oils and abrasion while remaining elastic and breathable. Breathable back of hand to reduce perspiration. Minimal allergy risks. Designed for easy movement and continuous wear. No irritation by seams in contact with the skin. Low-soil colour.

coated palm • elasticated cuff • standard finish • without special treatment • high performance polyethylene (HPPE) • anatomical shape • seamless knit

size: 8/L • HPPE knit • polyurethane coating



SSH541L



4 901792 973380

**ANTI CUT HIGH DEXTERITY  
GLOVE - SIZE 7/M**

FR GANT ANTI-COUPURE, BONNE LIBERTE DE MOUVEMENT - TAILLE 7/M  
 NL SNIJVASTE WERKHANDSCHOEN, HOGE BEWEGINGSVRIJHEID - MAAT 7/M  
 DE SCHNITTSCHUTZHANDSCHUH, HOHE BEWEGUNGSFREIHEIT - GRÖÖE 7/M  
 ES GUANTES ANTICORTE, GRAN LIBERTAD DE MOVIMIENTO - TALLA 7/M

A flexible, light glove providing effective protection against cuts and very resistant to abrasion. Protects the hand from oils and abrasion while remaining elastic and breathable. Breathable back of hand to reduce perspiration. Minimal allergy risks. Designed for easy movement and continuous wear. No irritation by seams in contact with the skin. Low-soil colour.

coated palm • elasticated cuff • standard finish • without special treatment • high performance polyethylene (HPPE) • anatomical shape • seamless knit

size: 7/M • HPPE knit • polyurethane coating



SSH541M

**ANTI CUT HIGH DEXTERITY  
GLOVE - SIZE 9/XL**

FR GANT ANTI-COUPURE, BONNE LIBERTE DE MOUVEMENT - TAILLE 9/XL  
 NL SNIJVASTE WERKHANDSCHOEN, HOGE BEWEGINGSVRIJHEID - MAAT 9/XL  
 DE SCHNITTSCHUTZHANDSCHUH, HOHE BEWEGUNGSFREIHEIT - GRÖÖE 9/XL  
 ES GUANTES ANTICORTE, GRAN LIBERTAD DE MOVIMIENTO - TALLA 9/XL

A flexible, light glove providing effective protection against cuts and very resistant to abrasion. Protects the hand from oils and abrasion while remaining elastic and breathable. Breathable back of hand to reduce perspiration. Minimal allergy risks. Designed for easy movement and continuous wear. No irritation by seams in contact with the skin. Low-soil colour.

coated palm • elasticated cuff • standard finish • without special treatment • high performance polyethylene (HPPE) • anatomical shape • seamless knit

size: 9/XL • HPPE knit • polyurethane coating



SSH541XL

**OIL RESISTANT LONG SLEEVED  
GLOVE - SIZE 10/XL**

FR GANT À MANCHETTE LONGUE - RÉÉSISTANT À L'HUILE - TAILLE 10/XL  
 NL OLIEBESTENDIGE HANDSCHOEN MET LANGE MANCHET - MAAT 10/XL  
 DE ÖLBESTÄNDIGE LANGE HANDSCHUHE - GRÖÖE 10/XL  
 ES GUANTES LARGOS RESISTENTES AL ACEITE - TALLA 10/XL

A flexible, soft glove that absorbs perspiration, for ultra comfortable extended wear and with good mechanical resistance. Seals and protects the hand against chemicals while remaining flexible. Impermeable for working in damp or greasy environments, enabling you to grip objects securely. Sleeve stays correctly adjusted. Surface provides tactile feel and better grip. Greater hygiene. Easy hang storage. Designed for easy movement and continuous wear. No irritation by seams in contact with the skin. Extended protection for the entire arm.

fully coated, extra coating over entire hand • extended bonded sleeve, elasticated border • rough finish over entire surface • antibacterial and anti-odour treatment • special hydrocarbon treatment • eyelet for ventilation and hanging • anatomical shape

size: 10/XL • cotton knit • PVC coating



SSH690XL

**KNEEPADS**

FR GENOUILLÈRES  
 NL KNIEBESCHERMERS  
 DE KNIESCHONER  
 ES RODILLERAS

straps included



HE969000





### SPARE STRAP FOR KNEEPAD

FR COURROIE POUR GENOUILLÈRES  
NL RIEM VOOR KNEBESCHERMERS  
DE ERSATZRIEMEN FÜR KNIESCHONER  
ES CORREA DE RECAMBIO PARA RODILLERAS

**Toolland**  
a land of possibilities



HE969001



5 411244 969018



### KNEEPADS - HARMONICA SHAPED

FR GENOUILLÈRES  
NL KNEBESCHERMERS  
DE KNIESCHONER  
ES RODILLERAS

**Toolland**  
a land of possibilities

straps included



HE969400



5 411244 969407



### GEL-FILLED KNEE PADS

FR GENOUILLÈRES DE PROTECTION AU GEL  
NL KNEBESCHERMERS MET GELVULLING  
DE GEL-KNIESCHONER  
ES RODILLERAS CON GEL

**PEREL®**

the gel absorbs the weight and disperses it within the pad • a heavy-duty, hard-shell cap allows you to swivel and manoeuvre easily on work surfaces while offering maximum knee protection • single neoprene fastening strip below knee for all day wearability and comfort



SKNP



5 410329 375454



### KNEE GUARDS - ECONOMY


FR GENOUILLÈRE - STANDARD  
NL KNEBESCHERMERS - ECONOMY  
DE KNIESCHONER - STANDARD  
ES RODILLERAS - ESTÁNDAR



HE97641



4 007535 490944



### DISPLAY BOX WITH 100 PAIRS OF SILICONE EAR PLUGS

**PEREL®**

FR PRÉSENTOIR AVEC 100 PAIRES DE BOUCHONS DE PROTECTION AUDITIVE  
NL DISPLAY MET 100 PAAR SILICONE OORDOPPEN  
DE DISPLAY MIT SILIKON-OHRSTÖPSELN - 100 PAAR  
ES EXPOSITOR CON 100 PARES DE TAPONES PARA LOS OÍDOS - SILICONA

triple flange ear plugs • three soft flanges offer a better fit in the ear canal for a tighter seal and better attenuation • NRR (Noise Reduction Rating): 23 dB • SNR (Single Number Rating): 28 dB • complies with NF EN 352-2 • for single use

diameter: 8 - 12 mm



SP12D



5 410329 439798



### EARMUFFS - 25.7 dB

**PEREL®**

FR CASQUE ANTIBRUIT - 25,7 dB  
NL OORBESCHERMERS - 25,7 dB  
DE GEHÖRSCHÜTZER - 25,7 dB  
ES PROTECTOR AUDITIVO - 25,7 dB

Avoid noise-induced hearing loss with these earmuffs.

foam-filled cushions • adjustable headband • CE-certified according to EN 352-1:2002

noise reduction rating: 25.7 dB

► May not be sold in France



EP-101



5 410329 479480

**EARMUFFS - 28.5 dB****PEREL®**

FR CASQUE ANTIBRUIT - 28,5 dB  
 NL OORBESCHERMERS - 28,5 dB  
 DE GEHÖRSCHÜTZER - 28,5 dB  
 ES PROTECTOR AUDITIVO - 28,5 dB

Avoid noise-induced hearing loss with these earmuffs.

foam-filled cushions • adjustable headband • CE-certified according to EN352-1:2002

noise reduction rating: 28.5 dB

► May not be sold in France



EP-107



5 410329 480097

**SAFETY GOGGLES****PEREL®**

FR LUNETTES DE PROTECTION  
 NL VEILIGHEIDSBRIL  
 DE SCHUTZBRILLE  
 ES GAFAS DE PROTECCIÓN

Optical class 1 (no distortion). Eye protection against medium energy impact (symbol B) and liquids (symbol 3) as defined in EN 166:2001.

transparent PVC frame • ventilation holes • clear polycarbonate ocular • adjustable elastic strap

► May not be sold in France



SP01



5 410329 381714

**SAFETY GLASSES WITH LEDs****PEREL®**

FR LUNETTES DE PROTECTION À LED  
 NL VEILIGHEIDSBRIL MET LEDVERLICHTING  
 DE SCHUTZBRILLE MIT LEDs  
 ES GAFAS DE PROTECCIÓN CON LEDs

conform to: EN166:2002 (eye-protection) • temples extendable in length • 2 rotatable ultra-bright LED lights • ON/OFF sliding switch

weight: 54g • power supply: 2 x CR2032 per lamp (incl.)



► May not be sold in France



SP11



5 410329 428952

**WELDING GOGGLES****PEREL®**

FR LUNETTES DE SOUDEUR  
 NL LASBRIL  
 DE SCHWEIßBRILLE  
 ES GAFAS PROTECTORAS

soft PVC frame • 50mm dark green flip-up lenses • 4 vents for adequate air circulation • adjustable elastic strap • EN175 approved • Shade #5

► May not be sold in France



SP05



5 410329 381707

**WELDING HELMET****PEREL®**

FR MASQUE DE SOUDAGE  
 NL LASHELM  
 DE SCHWEIßHELM  
 ES PANTALLA DE SOLDADURA

impact-resistant polypropylene shell • adjustable high-strength nylon headband • flip-up front • EN175 approval

lens size: 100 x 43mm

► May not be sold in France



SP09



5 410329 390952





## FACE SHIELD IN PVC

**PEREL®**

FR ÉCRAN FACIAL EN PVC  
NL GEZICHTSBESCHERMING IN PVC  
DE GESICHTSCHUTZSCHIRM AUS PVC  
ES PANTALLA DE PROTECCIÓN FACIAL - PVC

adjustable headband • transparent and retractable visor • forehead protection • according to: EN 1731:2007 / EN 166:2001

visor dimensions: 20 x 30 cm

► May not be sold in France



SP04



5 410329 388621



## SAFETY HELMET

**PEREL®**

FR CASQUE DE CHANTIER  
NL VEILIGHEIDSHOED  
DE SCHUTZHELM  
ES CASCO DE SEGURIDAD

high-density polythene shell (HDPE) • low dome profile with rain gutter • adjustable polythene harness with 4-point suspension • EN397 approved

► May not be sold in France



SP06



5 410329 381745



## SAFETY HELMET - YELLOW

FR CASQUE DE CHANTIER - JAUNE  
NL VEILIGHEIDSHOED - GEEL  
DE SCHUTZHELM - GELB  
ES CASCO DE SEGURIDAD - COLOR AMARILLO



SF5656



3 375555 632066



## DUST MASK - 50 pcs

FR MASQUES ANTI-POUSSIÈRES - 50 pcs  
NL STOFMASKERS - 50 st.  
DE STAUBMASKE - 50-tlg.  
ES MASCARILLA - 50 uds.



HE97511



4 007535 325406



## PARTICULATE RESPIRATOR (5 pcs) - FFP1D

**PEREL®**

FR MASQUE DE PROTECTION JETABLE (5 pcs) - FFP1D  
NL WEGWERPSTOFMASKER (5 st.) - FFP1D  
DE FEINSTAUBFILTERMASKE (5 St.) - FFP1D  
ES MASCARILLA (5 uds.) - FFP1D

FFP1D: protection against non-toxic solid and liquid aerosols (e.g. oil-mists) in concentrations up to 4.5 x MAC/OEL/TLV or 4 x APF. Additional Dolomite dust test passed. • MAC = Maximum Admissible Concentration. • OEL = Occupational Exposure Limit. • TLV = Threshold Limit Value. • APF = Assigned Protection Factor.

protection against non toxic solid and liquid particles • two straps for contoured fit • adjustable aluminum nose bridge • conforms to EN149:2001 - FFP1D specifications

► May not be sold in France



SP07



5 410329 381769



## PARTICULATE RESPIRATOR (5 pcs) - FFP2D

**PEREL®**

FR MASQUE DE PROTECTION JETABLE (5 pcs) - FFP2D  
NL WEGWERPSTOFMASKER (5 st.) - FFP2D  
DE FEINSTAUBFILTERMASKE (5 St.) - FFP2D  
ES MASCARILLA (5 uds.) - FFP2D

FFP2D: protection against non-toxic and low-to-average toxicity solid and liquid aerosols (e.g. oil-mists) in concentrations up to 12 x MAC/OEL/TLV or 10 x APF. Additional Dolomite dust test passed. • MAC = Maximum Admissible Concentration. • OEL = Occupational Exposure Limit. • TLV = Threshold Limit Value. • APF = Assigned Protection Factor. • D = Dolomite test passed.

protection against non-toxic and low-to-average toxicity solid and liquid aerosols • two straps for contoured fit • adjustable aluminum nose bridge • conforms to EN149:2001 - FFP2D specifications

► May not be sold in France



SP10



5 410329 422837

**VALVED PARTICULATE RESPIRATOR (3 pcs) - FFP3D****PEREL®**

FR MASQUE DE PROTECTION À MÉDIA FILTRANT (3 pcs) - FFP3D  
 NL STOFMASKER MET UITADEMVENTIEL (3 st.) - FFP3D  
 DE FEINSTAUBFILTERMASKE MIT AUSATEMVENTIL (3 St.) - FFP3D  
 ES MASCARILLA CON VÁLVULA (3 uds.) - FFP3D

FFP3D: protection against non-toxic, low-to-average toxicity and high toxicity solid and liquid aerosols (e.g. oil-mists) in concentrations up to 50 x MAC/OEL/TLV or 20 x APF. Additional Dolomite dust test passed. • MAC = Maximum Admissible Concentration. • OEL = Occupational Exposure Limit. • TLV = Threshold Limit Value. • APF = Assigned Protection Factor.

protection against very fine toxic dusts, fibres, aqueous mists, oil mists, welding fumes (not nitrate gases) and microbiological hazards • for use in pharmaceutical, iron and steel and construction industries • exhalation valve lessens built-up humidity and heat and provides greater comfort • adjustable straps for contoured fit • adjustable aluminum nose bridge • conforms to EN149:2001 - FFP3D specifications

► May not be sold in France



SP08



5 410329 390945

**SAFETY EQUIPMENT SET****PEREL®**

FR ÉQUIPEMENT DE SÉCURITÉ  
 NL VEILIGHEIDSUITRUSTING  
 DE SICHERHEITSAUSRÜSTUNG  
 ES EQUIPO DE SEGURIDAD

contains: ◦ safety goggles: SP01 ◦ earmuffs: EP-101 ◦ particulate respirator: SP07

► May not be sold in France



SPS1



5 410329 390969

**MEGAPHONE 10 W****PEREL®**

FR MEGAPHONE - 10 W  
 NL MEGAFOON - 10 W  
 DE MEGAPHON 10 W  
 ES MEGÁFONO 10 W

Hand-held megaphone with shoulder strap. With siren & music/speak, on/off switch and volume control. ABS housing.

foldable handle • carrying strap

rated power: 10W max • range: 100m depending on conditions • power supply: 4 x 1.5V D battery (LR20C, not incl.) • weight: 0.6 kg • dimensions cone: Ø155mm • length: 245mm



SM10N



5 410329 412029

**POWER MEGAPHONE 25 W****PEREL®**

FR MEGAPHONE PUISSANT - 25 W  
 NL KRACHTIGE MEGAFOON - 25 W  
 DE LEISTUNGSSTARKES MEGAPHON 25 W  
 ES MEGÁFONO DE POTENCIA 25 W

Hand-held megaphone with shoulder strap. whistle and siren. Detachable anti-howl microphone with coiled lead, on/off switch and volume control. ABS housing.

carrying strap

rated power: 25W • range: 300 ~ 500m depending on conditions • impedance: 8&#937 • power supply: 8 x 1.5V C batteries (not incl.) or via 12Vdc connector and cigar lighter (incl) • weight: 1650g • dimensions cone: Ø230mm • length: 345mm



SM25N



5 410329 414573



## PADLOCKS

CADENAS  
SLOTEN  
VORHÄNGESCHLÖSSER  
CANDADOS



### LUGGAGE PADLOCK - ZINC - 20 mm - 3 DIGITS - WITH CABLE - BLACK

FR CADENAS DE BAGAGE - ZINC - 20 mm -  
3 CHIFFRES - AVEC CÂBLE - NOIR  
NL HANGSLOT VOOR REISBAGAGE - ZINK -  
20 mm - 3 CIJFERS - MET KABEL - ZWART  
DE ZAHLENSCHLOSS FÜR REISEGEPÄCK - ZINK -  
20 mm - 3-STELLIG - MIT KABEL - SCHWARZ  
ES CANDADO DE EQUIPAJE - ZINC - 20 mm -  
3 DÍGITOS - CON CABLE - COLOR NEGRO

security indicator (shows when security people opened the padlock)

shackle diameter: 2.5 mm • shackle height: 37 mm • shackle inner width: -  
• body height: 48 mm • body width: 20 mm



S742-060



4 008496 828692

**STANLEY**



### LUGGAGE PADLOCK - ZINC - 20 mm - 3 DIGITS - WITH CABLE - YELLOW

FR CADENAS DE BAGAGE - ZINC - 20 mm -  
3 CHIFFRES - AVEC CÂBLE - JAUNE  
NL HANGSLOT VOOR REISBAGAGE - ZINK -  
20 mm - 3 CIJFERS - MET KABEL - GEEL  
DE ZAHLENSCHLOSS FÜR REISEGEPÄCK - ZINK  
- 20 mm - 3-STELLIG - MIT KABEL - GELB  
ES CANDADO DE EQUIPAJE - ZINC - 20 mm -  
3 DÍGITOS - CON CABLE - AMARILLO

security indicator (shows when security people opened the padlock)

shackle diameter: 2.5 mm • shackle height: 37 mm • shackle inner width: -  
• body height: 48 mm • body width: 20 mm



S742-061



4 008496 828739

**STANLEY**



### PADLOCK - SOLID BRASS - STANDARD SHACKLE - 20 mm

FR CADENAS - EN LAITON MASSIF - ANSE STANDARD - 20 mm  
NL HANGSLOT - MESSING - STANDAARD BEUGEL - 20 mm  
DE VORHÄNGESCHLOSS - AUS MASSIVEM  
MESSING - STANDARD-BÜGEL - 20 mm  
ES CANDADO - LATÓN MACIZO - ARCO ESTÁNDAR - 20 mm

double locking hardened steel shackle • solid brass body • anti-pick pin  
• stainless steel springs • 2 keys

shackle diameter: 3.5 mm • shackle height: 13 mm • shackle inner width:  
10 mm • body height: 20 mm • body width: 20 mm



S742-028



4 008496 827534

**STANLEY**



### PADLOCK - SOLID BRASS - STANDARD SHACKLE - 25 mm

FR CADENAS - EN LAITON MASSIF - ANSE STANDARD - 25 mm  
NL HANGSLOT - MESSING - STANDAARD BEUGEL - 25 mm  
DE VORHÄNGESCHLOSS - AUS MASSIVEM  
MESSING - STANDARD-BÜGEL - 25 mm  
ES CANDADO - LATÓN MACIZO - ARCO ESTÁNDAR - 25 mm

double locking hardened steel shackle • solid brass body • anti-pick pin  
• stainless steel springs • 2 keys

shackle diameter: 4 mm • shackle height: 14 mm • shackle inner width:  
12.5 mm • body height: 24.5 mm • body width: 25 mm



S742-029



4 008496 827572

**STANLEY**



### PADLOCK - SOLID BRASS - STANDARD SHACKLE - 30 mm

FR CADENAS - EN LAITON MASSIF - ANSE STANDARD - 30 mm  
NL HANGSLOT - MESSING - STANDAARD BEUGEL - 30 mm  
DE VORHÄNGESCHLOSS - AUS MASSIVEM  
MESSING - STANDARD-BÜGEL - 30 mm  
ES CANDADO - LATÓN MACIZO - ARCO ESTÁNDAR - 30 mm

double locking hardened steel shackle • solid brass body • anti-pick pin  
• stainless steel springs • 2 keys

shackle diameter: 5 mm • shackle height: 16 mm • shackle inner width:  
15 mm • body height: 28 mm • body width: 30 mm



S742-030



4 008496 827619

**STANLEY**



### PADLOCK - SOLID BRASS - STANDARD SHACKLE - 40 mm

FR CADENAS - EN LAITON MASSIF - ANSE STANDARD - 40 mm  
NL HANGSLOT - MESSING - STANDAARD BEUGEL - 40 mm  
DE VORHÄNGESCHLOSS - AUS MASSIVEM  
MESSING - STANDARD-BÜGEL - 40 mm  
ES CANDADO - LATÓN MACIZO - ARCO ESTÁNDAR - 40 mm

double locking hardened steel shackle • solid brass body • anti-pick pin  
• stainless steel springs • 2 keys

shackle diameter: 6.5 mm • shackle height: 22 mm • shackle inner width:  
22 mm • body height: 33 mm • body width: 40 mm



S742-031



4 008496 826360

**STANLEY**

**PADLOCK - SOLID BRASS - STANDARD SHACKLE - 50 mm**

FR CADENAS - EN LAITON MASSIF - ANSE STANDARD - 50 mm  
 NL HANGSLOT - MESSING - STANDAARD BEUGEL - 50 mm  
 DE VORHÄNGESCHLOSS - AUS MASSIVEM MESSING - STANDARD-BÜGEL - 50 mm  
 ES CANDADO - LATÓN MACIZO - ARCO ESTÁNDAR - 50 mm

double locking hardened steel shackle • solid brass body • anti-pick pin  
 • stainless steel springs • 2 keys

shackle diameter: 8 mm • shackle height: 29 mm • shackle inner width: 27 mm • body height: 40.5 mm • body width: 50 mm



S742-032



4 008496 827657

**STANLEY****PADLOCK - SOLID BRASS - STANDARD SHACKLE - 60 mm**

FR CADENAS - EN LAITON MASSIF - ANSE STANDARD - 60 mm  
 NL HANGSLOT - MESSING - STANDAARD BEUGEL - 60 mm  
 DE VORHÄNGESCHLOSS - AUS MASSIVEM MESSING - STANDARD-BÜGEL - 60 mm  
 ES CANDADO - LATÓN MACIZO - ARCO ESTÁNDAR - 60 mm

double locking hardened steel shackle • solid brass body • anti-pick pin  
 • stainless steel springs • 2 keys

shackle diameter: 10 mm • shackle height: 36.5 mm • shackle inner width: 32 mm • body height: 42.5 mm • body width: 60 mm



S742-033



4 008496 827695

**STANLEY****PADLOCK - SOLID BRASS - STANDARD SHACKLE - 70 mm**

FR CADENAS - EN LAITON MASSIF - ANSE STANDARD - 70 mm  
 NL HANGSLOT - MESSING - STANDAARD BEUGEL - 70 mm  
 DE VORHÄNGESCHLOSS - AUS MASSIVEM MESSING - STANDARD-BÜGEL - 70 mm  
 ES CANDADO - LATÓN MACIZO - ARCO ESTÁNDAR - 70 mm

double locking hardened steel shackle • solid brass body • anti-pick pin  
 • stainless steel springs • 2 keys

shackle diameter: 11 mm • shackle height: 41 mm • shackle inner width: 39.5 mm • body height: 48 mm • body width: 70 mm



S742-034



4 008496 827732

**STANLEY****PADLOCK - SOLID BRASS - STANDARD SHACKLE - 30 mm - 2 pcs**

FR CADENAS - EN LAITON MASSIF - ANSE STANDARD - 30 mm - 2 pcs  
 NL HANGSLOT - MESSING - STANDAARD BEUGEL - 30 mm - 2 stuks  
 DE VORHÄNGESCHLOSS - AUS MASSIVEM MESSING - STANDARD-BÜGEL - 30 mm - 2-tlg.  
 ES CANDADO - LATÓN MACIZO - ARCO ESTÁNDAR - 30 mm - 2 uds.

double locking hardened steel shackle • solid brass body • anti-pick pin  
 • stainless steel springs • 2 keys

shackle diameter: 5 mm • shackle height: 16 mm • shackle inner width: 15 mm • body height: 28 mm • body width: 30 mm



S742-035



4 008496 827770

**STANLEY****PADLOCK - SOLID BRASS - STANDARD SHACKLE - 40 mm - 2 pcs**

FR CADENAS - EN LAITON MASSIF - ANSE STANDARD - 40 mm - 2 pcs  
 NL HANGSLOT - MESSING - STANDAARD BEUGEL - 40 mm - 2 stuks  
 DE VORHÄNGESCHLOSS - AUS MASSIVEM MESSING - STANDARD-BÜGEL - 40 mm - 2-tlg.  
 ES CANDADO - LATÓN MACIZO - ARCO ESTÁNDAR - 40 mm - 2 uds.

double locking hardened steel shackle • solid brass body • anti-pick pin  
 • stainless steel springs • 2 keys

shackle diameter: 6.5 mm • shackle height: 22 mm • shackle inner width: 22 mm • body height: 33 mm • body width: 40 mm



S742-036



4 008496 827817

**STANLEY****PADLOCK - SOLID BRASS - STANDARD SHACKLE - 50 mm - 2 pcs**

FR CADENAS - EN LAITON MASSIF - ANSE STANDARD - 50 mm - 2 pcs  
 NL HANGSLOT - MESSING - STANDAARD BEUGEL - 50 mm - 2 stuks  
 DE VORHÄNGESCHLOSS - AUS MASSIVEM MESSING - STANDARD-BÜGEL - 50 mm - 2-tlg.  
 ES CANDADO - LATÓN MACIZO - ARCO NORMAL - 50 mm - 2 uds.

double locking hardened steel shackle • solid brass body • anti-pick pin  
 • stainless steel springs • 2 keys

shackle diameter: 8 mm • shackle height: 29 mm • shackle inner width: 27 mm • body height: 40.5 mm • body width: 50 mm



S742-037



4 008496 827855

**STANLEY****PADLOCK - SOLID BRASS - LONG SHACKLE - 20 mm**

FR CADENAS - EN LAITON MASSIF - ANSE LONGUE - 20 mm  
 NL HANGSLOT - MESSING - LANGE BEUGEL - 20 mm  
 DE VORHÄNGESCHLOSS - AUS MASSIVEM MESSING - GROßER BÜGEL - 20 mm  
 ES CANDADO - LATÓN MACIZO - ARCO ALARGADO - 20 mm

double locking hardened steel shackle • solid brass body • anti-pick pin  
 • stainless steel springs • 2 keys

shackle diameter: 3.5 mm • shackle height: 23.5 mm • shackle inner width: 10 mm • body height: 20 mm • body width: 20 mm



S742-040



4 008496 827978

**STANLEY**





**PADLOCK - SOLID BRASS -  
LONG SHACKLE - 25 mm**

FR CADENAS - EN LAITON MASSIF - ANSE LONGUE - 25 mm  
NL HANGSLOT - MESSING - LANGE BEUGEL - 25 mm  
DE VORHÄNGESCHLOSS - AUS MASSIVEM  
MESSING - GROßER BÜGEL - 25 mm  
ES CANDADO - LATÓN MACIZO - ARCO ALARGADO - 25 mm

double locking hardened steel shackle • solid brass body • anti-pick pin  
• stainless steel springs • 2 keys

shackle diameter: 4 mm • shackle height: 27 mm • shackle inner width:  
12.5 mm • body height: 24.5 mm • body width: 25 mm



S742-041



4 008496 828012

**STANLEY**



**PADLOCK - SOLID BRASS -  
LONG SHACKLE - 30 mm**

FR CADENAS - EN LAITON MASSIF - ANSE LONGUE - 30 mm  
NL HANGSLOT - MESSING - LANGE BEUGEL - 30 mm  
DE VORHÄNGESCHLOSS - AUS MASSIVEM  
MESSING - GROßER BÜGEL - 30 mm  
ES CANDADO - LATÓN MACIZO - ARCO ALARGADO - 30 mm

double locking hardened steel shackle • solid brass body • anti-pick pin  
• stainless steel springs • 2 keys

shackle diameter: 5 mm • shackle height: 33 mm • shackle inner width:  
15 mm • body height: 28 mm • body width: 30 mm



S742-042



4 008496 828050

**STANLEY**



**PADLOCK - SOLID BRASS -  
LONG SHACKLE - 40 mm**

FR CADENAS - EN LAITON MASSIF - ANSE LONGUE - 40 mm  
NL HANGSLOT - MESSING - LANGE BEUGEL - 40 mm  
DE VORHÄNGESCHLOSS - AUS MASSIVEM  
MESSING - GROßER BÜGEL - 40 mm  
ES CANDADO - LATÓN MACIZO - ARCO ALARGADO - 40 mm

double locking hardened steel shackle • solid brass body • anti-pick pin  
• stainless steel springs • 2 keys

shackle diameter: 6.5 mm • shackle height: 33 mm • shackle inner width:  
22 mm • body height: 42 mm • body width: 40 mm



S742-043



4 008496 828098

**STANLEY**



**PADLOCK - SOLID BRASS -  
LONG SHACKLE - 50 mm**

FR CADENAS - EN LAITON MASSIF - ANSE LONGUE - 50 mm  
NL HANGSLOT - MESSING - LANGE BEUGEL - 50 mm  
DE VORHÄNGESCHLOSS - AUS MASSIVEM  
MESSING - GROßER BÜGEL - 50 mm  
ES CANDADO - LATÓN MACIZO - ARCO ALARGADO - 50 mm

double locking hardened steel shackle • solid brass body • anti-pick pin  
• stainless steel springs • 2 keys

shackle diameter: 8 mm • shackle height: 76 mm • shackle inner width:  
27 mm • body height: 40.5 mm • body width: 50 mm



S742-044



4 008496 828135

**STANLEY**



**COMBINATION PADLOCK - SOLID  
BRASS - 20 mm - 3 DIGITS**

FR CADENAS À COMBINAISON - EN LAITON  
MASSIF - 20 mm - 3 CHIFFRES  
NL COMBINATIEHANGSLOT - MESSING - 20 mm - 3 CIJFERS  
DE ZAHLenschLOSS - AUS MASSIVEM MESSING - 20 mm - 3-STELLIG  
ES CANDADO DE COMBINACIÓN - LATÓN MACIZO - 20 mm - 3 DÍGITOS

double locking hardened steel shackle • solid brass body • anti-pick pin  
• stainless steel springs • 2 keys

shackle diameter: 3 mm • shackle height: 22.5 mm • shackle inner width:  
9 mm • body height: 29.5 mm • body width: 20 mm



S742-050



4 008496 828371

**STANLEY**



**COMBINATION PADLOCK - SOLID  
BRASS - 30 mm - 3 DIGITS**

FR CADENAS À COMBINAISON - EN LAITON  
MASSIF - 30 mm - 3 CHIFFRES  
NL COMBINATIEHANGSLOT - MESSING - 30 mm - 3 CIJFERS  
DE ZAHLenschLOSS - AUS MASSIVEM MESSING - 30 mm - 4-STELLIG  
ES CANDADO DE COMBINACIÓN - LATÓN MACIZO - 30 mm - 3 DÍGITOS

double locking hardened steel shackle • solid brass body • anti-pick pin  
• stainless steel springs • 2 keys

shackle diameter: 5 mm • shackle height: 27 mm • shackle inner width:  
12 mm • body height: 42 mm • body width: 27.5 mm



S742-051



4 008496 828418

**STANLEY**



**COMBINATION PADLOCK - SOLID  
BRASS - 30 mm - 4 DIGITS**

FR CADENAS À COMBINAISON - EN LAITON  
MASSIF - 30 mm - 4 CHIFFRES  
NL COMBINATIEHANGSLOT - MESSING - 30 mm - 4 CIJFERS  
DE ZAHLenschLOSS - AUS MASSIVEM MESSING - 30 mm - 4-STELLIG  
ES CANDADO DE COMBINACIÓN - LATÓN MACIZO - 30 mm - 4 DÍGITOS

double locking hardened steel shackle • solid brass body • anti-pick pin  
• stainless steel springs • 2 keys

shackle diameter: 5 mm • shackle height: 31 mm • shackle inner width:  
12 mm • body height: 49 mm • body width: 28 mm



S742-052



4 008496 826407

**STANLEY**

**COMBINATION PADLOCK - SOLID BRASS - 40 mm - 4 DIGITS**

FR CADENAS À COMBINAISON - EN LAITON  
 MASSIF - 40 mm - 4 CHIFFRES  
 NL COMBINATIEHANGSLOT - MESSING - 40 mm - 4 CIJFERS  
 DE ZAHLENSCHLOSS - AUS MASSIVEM MESSING - 40 mm - 4-STELLIG  
 ES CANDADO DE COMBINACIÓN - LATÓN MACIZO - 40 mm - 4 DÍGITOS

double locking hardened steel shackle • solid brass body • anti-pick pin  
 • stainless steel springs • 2 keys

shackle diameter: 6 mm • shackle height: 30 mm • shackle inner width:  
 18.5 mm • body height: 38 mm • body width: 38 mm



S742-053



4 008496 828456

**LUGGAGE PADLOCK - ZINC - 30 mm - 3 DIGITS - BLACK**

FR CADENAS DE BAGAGE - ZINC - 30 mm - 3 CHIFFRES - NOIR  
 NL HANGSLOT VOOR REISBAGAGE - ZINK - 30 mm - 3 CIJFERS - ZWART  
 DE ZAHLENSCHLOSS FÜR REISEGEPÄCK - ZINK - 30 mm - 3-STELLIG - SCHWARZ  
 ES CANDADO DE EQUIPAJE - ZINC - 30 mm - 3 DÍGITOS - COLOR NEGRO

security indicator (shows when security people opened the padlock)

shackle diameter: 3 mm • shackle height: 20 mm • shackle inner width:  
 13 mm • body height: 37.5 mm • body width: 30 mm



S742-054



4 008496 828494

**LUGGAGE PADLOCK - ZINC - 30 mm - 3 DIGITS - RED**

FR CADENAS DE BAGAGE - ZINC - 30 mm - 3 CHIFFRES - ROUGE  
 NL HANGSLOT VOOR REISBAGAGE - ZINK - 30 mm - 3 CIJFERS - ROOD  
 DE ZAHLENSCHLOSS FÜR REISEGEPÄCK - ZINK - 30 mm - 3-STELLIG - ROT  
 ES CANDADO DE EQUIPAJE - ZINC - 30 mm - 3 DÍGITOS - COLOR ROJO

security indicator (shows when security people opened the padlock)

shackle diameter: 3 mm • shackle height: 20 mm • shackle inner width:  
 13 mm • body height: 37.5 mm • body width: 30 mm



S742-055



4 008496 828531

**LUGGAGE PADLOCK - ZINC - 30 mm - 3 DIGITS - YELLOW**

FR CADENAS DE BAGAGE - ZINC - 30 mm - 3 CHIFFRES - JAUNE  
 NL HANGSLOT VOOR REISBAGAGE - ZINK - 30 mm - 3 CIJFERS - GEEL  
 DE ZAHLENSCHLOSS FÜR REISEGEPÄCK - ZINK - 30 mm - 3-STELLIG - GELB  
 ES CANDADO DE EQUIPAJE - ZINC - 30 mm - 3 DÍGITOS - COLOR AMARILLO

security indicator (shows when security people opened the padlock)

shackle diameter: 3 mm • shackle height: 20 mm • shackle inner width:  
 13 mm • body height: 37.5 mm • body width: 30 mm



S742-056



4 008496 828579

**SECURITY LOCK - LAMINATED - STANDARD SHACKLE - 50 mm**

FR VERROUILLAGE DE SÉCURITÉ - LAMINÉ - ANSE STANDARD - 50 mm  
 NL VEILIGHEIDSSLOT - GELAMINEERD - STANDAARD BEUGEL - 50 mm  
 DE SICHERHEITS-VORHÄNGESCHLOSS - LAMELLEN - STANDARD-BÜGEL - 50 mm  
 ES CANDADO DE SEGURIDAD - LAMINADO - ARCO ESTÁNDAR - 50 mm

cut resistant steel shackle protects against sawing and cutting attacks • dual ball-bearing locking system resists pry attacks • hardened steel protects lock from attacks • six-pin rekeyable solid brass cylinder with anti-pick pin that resists picking attack • patented keyway cover protects against drilling attacks

shackle diameter: 9.5 mm • shackle height: 26.5 mm • shackle inner width:  
 19.5 mm • body height: 60 mm • body width: 50 mm



S742-005



4 008496 826650

**SECURITY LOCK - LAMINATED - LONG SHACKLE - 60 mm**

FR VERROUILLAGE DE SÉCURITÉ - LAMINÉ - ANSE LONGUE - 60 mm  
 NL VEILIGHEIDSSLOT - GELAMINEERD - LANGE BEUGEL - 60 mm  
 DE SICHERHEITS-VORHÄNGESCHLOSS - LAMELLEN - GROßER BÜGEL - 60 mm  
 ES CANDADO DE SEGURIDAD - LAMINADO - ARCO ALARGADO - 60 mm

cut resistant steel shackle protects against sawing and cutting attacks • dual ball-bearing locking system resists pry attacks • hardened steel protects lock from attacks • six-pin rekeyable solid brass cylinder with anti-pick pin that resists picking attack • patented keyway cover protects against drilling attacks

shackle diameter: 11 mm • shackle height: 39.5 mm • shackle inner width:  
 31.5 mm • body height: 60 mm • body width: 60 mm



S742-007



4 008496 826735

**COMBINATION PADLOCK - LONG SHACKLE - 50 mm**

FR CADENAS À COMBINAISON - ANSE LONGUE - 50 mm  
 NL COMBINATIEHANGSLOT - LANGE BEUGEL - 50 mm  
 DE ZAHLENSCHLOSS - GROßER BÜGEL - 50 mm  
 ES CANDADO DE COMBINACIÓN - ARCO ALARGADO - 50 mm

cut resistant steel shackle protects against sawing and cutting attacks • dual ball-bearing locking system resists pry attacks • hardened steel protects lock from attacks • six-pin rekeyable solid brass cylinder with anti-pick pin that resists picking attack • patented keyway cover protects against drilling attacks

shackle diameter: 8 mm • shackle height: 39 mm • shackle inner width:  
 25 mm • body height: 61 mm • body width: 50 mm



S742-008



4 008496 826773



### PADLOCK - LAMINATED STEEL - STANDARD SHACKLE - 50 mm

FR CADENAS - EN ACIER LAMINÉ - ANSE STANDARD - 50 mm  
NL MARINE HANGSLOT - MESSING - LANGE BEUGEL - 50 mm  
DE VORHÄNGESCHLOSS - LAMELLEN AUS  
STAHL - STANDARD-BÜGEL - 50 mm  
ES CANDADO - ACERO LAMINADO - ARCO ESTÁNDAR - 50 mm

double locking hardened steel shackle • solid brass body • anti-pick pin  
• stainless steel springs • 2 keys

shackle diameter: 8.8 mm • shackle height: 25 mm • shackle inner width:  
24 mm • body height: 39 mm • body width: 50 mm



S742-020



4 008496 827213



### BAYONET PADLOCK - SOLID BRASS - 50 mm

FR CADENAS À BAÏONNETTE - EN LAITON MASSIF - 50 mm  
NL HANGSLOT MET BAJONETVERGREDELING  
- MASSIEF MESSING - 50 mm  
DE VORHÄNGESCHLOSS MIT BAJONETTVERSCHLUSS  
- AUS MASSIVEM MESSING - 50 mm  
ES CANDADO CON CIERRE DE BAYONETA - LATÓN MACIZO - 50 mm

double locking hardened steel shackle • solid brass body • anti-pick pin  
• stainless steel springs • 2 keys

shackle diameter: 8 mm • shackle height: - • shackle inner width: 16 mm  
• body height: 38 mm • body width: 50 mm



S742-025



4 008496 827411



### BAYONET PADLOCK - SOLID BRASS - 70 mm

FR CADENAS À BAÏONNETTE - EN LAITON MASSIF - 70 mm  
NL HANGSLOT MET BAJONETVERGREDELING  
- MASSIEF MESSING - 70 mm  
DE VORHÄNGESCHLOSS MIT BAJONETTVERSCHLUSS  
- AUS MASSIVEM MESSING - 70 mm  
ES CANDADO CON CIERRE DE BAYONETA - LATÓN MACIZO - 70 mm

double locking hardened steel shackle • solid brass body • anti-pick pin  
• stainless steel springs • 2 keys

shackle diameter: 12 mm • shackle height: - • shackle inner width: 20 mm  
• body height: 48 mm • body width: 70 mm



S742-026



4 008496 827459



### BAYONET PADLOCK - SOLID BRASS - 90 mm

FR CADENAS À BAÏONNETTE - EN LAITON MASSIF - 90 mm  
NL HANGSLOT MET BAJONETVERGREDELING  
- MASSIEF MESSING - 90 mm  
DE VORHÄNGESCHLOSS MIT BAJONETTVERSCHLUSS  
- AUS MASSIVEM MESSING - 90 mm  
ES CANDADO CON CIERRE DE BAYONETA - LATÓN MACIZO - 90 mm

double locking hardened steel shackle • solid brass body • anti-pick pin  
• stainless steel springs • 2 keys


shackle diameter: 12 mm • shackle height: - • shackle inner width: 37 mm  
• body height: 60 mm • body width: 90 mm



S742-027



4 008496 827497



### PADLOCK 30 mm

FR CADENAS 30 mm  
NL HANGSLOT 30 mm  
DE VORHÄNGESCHLOSS 30 mm  
ES CANDADO 30 mm

solid messing body • chrome-plated steel shackle • rustproof inner parts  
• supplied with 3 keys


shackle size: mm x Ø • body size: 30mm • weight: 80g



SLK30



5 410329 327149



### PADLOCK 40 mm

FR CADENAS 40 mm  
NL HANGSLOT 40 mm  
DE VORHÄNGESCHLOSS 40 mm  
ES CANDADO 40 mm

solid messing body • chrome-plated steel shackle • rustproof inner parts  
• supplied with 3 keys

shackle size: 35mm x Ø7mm • body size: 40mm • weight: 125g



SLK40



5 410329 345723



### PADLOCK 50 mm

FR CADENAS 50 mm  
NL HANGSLOT 50 mm  
DE VORHÄNGESCHLOSS 50 mm  
ES CANDADO 50 mm

solid messing body • chrome-plated steel shackle • rustproof inner parts  
• supplied with 3 keys


shackle size: 43mm x Ø9mm • body size: 50mm • weight: 240g



SLK50



5 410329 345730



### PADLOCK 60 mm

FR CADENAS 60 mm  
NL HANGSLOT 60 mm  
DE VORHÄNGESCHLOSS 60 mm  
ES CANDADO 60 mm

solid messing body • chrome-plated steel shackle • rustproof inner parts  
• supplied with 3 keys

shackle size: mm x Ømm • body size: 60mm • weight: 380g



SLK60



5 410329 345747



**PADLOCK WITH HIGH SHACKLE 40 mm x 70 mm**

- FR CADENAS A ANSE HAUTE 40 mm x 70 mm
- NL HANGSLOT MET HOGE BEUGEL 40 mm x 70 mm
- DE VORHÄNGESCHLOSS MIT GROßEM BÜGEL 40 mm x 70 mm
- ES CANDADO CON ARCO LARGO 40 mm x 70 mm

solid messing body • extra high hardened chrome-plated steel shackle  
 • rustproof inner parts • hardened double ball locking mechanism • disk lock mechanism • solid brass cylinder • supplied with 3 keys

shackle size: 70mm x Ø7mm • body size: 40mm • weight: 225g

**PEREL®**

**SLKHB40**

5 410329 345785



**HEAVY-DUTY PADLOCK 40 mm**

- FR CADENAS ROBUSTE 40 mm
- NL HEAVY-DUTY HANGSLOT 40 mm
- DE VORHÄNGESCHLOSS FÜR HOHE SICHERHEITSANSPRÜCHE 40 mm
- ES CANDADO ROBUSTO 40 mm

high-security padlock for heavy-duty use • solid messing body • hardened chrome-plated steel shackle • rustproof inner parts • hardened double ball locking mechanism • disk lock mechanism • solid brass cylinder • supplied with 3 keys

shackle size: 35mm x Ø7mm • body size: 40mm • weight: 180g

**PEREL®**

**SLKHD40**

5 410329 345754



**DISC PADLOCK 70 mm**

- FR CADENAS DISQUE 70 mm
- NL SCHIJFHANGSLOT 70 mm
- DE DISKUS-SCHLOSS 70 mm
- ES CANDADO REDONDO 70 mm

high-security padlock for heavy-duty use • solid chrome-plated brass body  
 • hardened chrome-plated steel shackle • rustproof inner parts • hardened double ball locking mechanism • disk lock mechanism • solid brass cylinder • supplied with 3 keys

shackle size: mm x Ømm • body size: Ø70mm • weight: -

**PEREL®**

**SLKD70**

5 410329 345822



**COMBINATION PADLOCK 50 mm**

- FR CADENAS A COMBINAISON 50 mm
- NL CIJFERHANGSLOT 50 mm
- DE MESSING-ZAHLENSCHLOSS 50 mm
- ES CANDADO DE COMBINACIÓN 50 mm

high-security padlock for heavy-duty use • solid messing body • chrome-plated steel shackle • rustproof inner parts • hardened double ball locking mechanism • disk lock mechanism • solid brass cylinder • 4-digit combination

shackle size: 30mm x Ø8mm • body size: 50mm • weight: 280g

**PEREL®**

**SLKC50**

5 410329 345808



**LAMINATED PADLOCK 45 mm**

- FR CADENAS LAMINE 45 mm
- NL GELAMINEERD HANGSLOT 45 mm
- DE LAMELLENSCHLOSS 45 mm
- ES CANDADO LAMINADO 45 mm

high-security padlock for heavy-duty use • laminated steel body • hardened chrome-plated steel shackle • rustproof inner parts • hardened double ball locking mechanism • disk lock mechanism • solid brass cylinder • supplied with 3 keys

shackle size: 30mm x Ø7mm • body size: 45mm • weight: 230g

**PEREL®**

**SLKL45**

5 410329 345839



**HIGH-SECURITY PADLOCK 45 mm**

- FR CADENAS HAUTE SECURITE 45 mm
- NL HIGH-SECURITY HANGSLOT 45 mm
- DE VORHÄNGESCHLOSS FÜR HOHE SICHERHEITSANSPRÜCHE 45 mm
- ES CANDADO DE SEGURIDAD 45 mm


high-security padlock for heavy-duty use • solid chrome-plated messing body  
 • hardened chrome-plated steel shackle • rustproof inner parts • hardened double ball locking mechanism • disk lock mechanism • solid brass security cylinder • supplied with 4 special security keys

shackle size: 25mm x Ø9mm • body size: 45mm • weight: 350g

**PEREL®**

**SLKS45**

5 410329 345846



**COMBINATION PADLOCK SET 3 x 20 mm**

- FR JEU DE 3 CADENAS A COMBINAISON 20 mm
- NL SET VAN 3 CIJFERHANGSLOTEN 20 mm
- DE ZAHLENSCHLÖSSER-SET 3 ST. 20 mm
- ES JUEGO DE 3 CANDADOS DE COMBINACIÓN 20 mm

set of 3 mini padlocks • solid messing body • chrome-plated steel shackle  
 • rustproof inner parts • 4-digit combination • ideal protection for your suitcase, hand-luggage, etc.

shackle size: 10mm x Ø3mm • body size: 20mm • weight: 150g

**PEREL®**

**SLKCSET**

5 410329 345815





## SIGNALLING

SIGNALISATION  
AFBAKENING  
WARNMARKIERUNGEN  
SEÑALIZACIÓN



### MARKING PAINT

FR PEINTURE DE MARQUAGE  
NL MARKEERVERF  
DE MARKIERUNGSFARBE  
ES PINTURA DE SEÑALIZACIÓN



HE972601



4 007535 484110



### WARNING TAPE - RED-WHITE - 100 m

FR RUBAN DE SIGNALISATION - ROUGE-BLANC - 100 m  
NL SIGNALISATIELINT - ROOD-WIT - 100 m - TALIAPLAST  
DE ABSPERRBAND - ROT-WEIß - 100 m  
ES CINTA DE SEÑALIZACIÓN - COLOR ROJO-BLANCO - 100 m



HE972610



4 007535 424307



### WARNING TAPE - RED-WHITE - 500 m

FR RUBAN DE SIGNALISATION - ROUGE-BLANC - 500 m  
NL SIGNALISATIELINT - ROOD-WIT - 500 m - TALIAPLAST  
DE ABSPERRBAND - ROT-WEIß - 500 m  
ES CINTA DE SEÑALIZACIÓN - COLOR ROJO-BLANCO - 500 m



HE972650



4 007535 424314



### WARNING TAPE - RED-WHITE - 100 m - 5 cm

FR RUBAN DE SIGNALISATION - ROUGE-BLANC - 100 m - 5 cm  
NL SIGNALISATIELINT - ROOD-WIT - 100 m - 5 cm  
DE ABSPERRBAND - ROT-WEIß - 100 m - 5 cm  
ES CINTA DE SEÑALIZACIÓN - COLOR ROJO-BLANCO - 100 m - 5 cm



SF54050



3 375555 403048



### WARNING TAPE - RED-WHITE - 500 m - 7 cm

FR RUBAN DE SIGNALISATION ROUGE-BLANC - 500 m - 7 cm  
NL SIGNALISATIELINT - ROOD-WIT - 500 m - 7 cm  
DE ABSPERRBAND - ROT-WEIß - 500 m - 7 cm  
ES CINTA DE SEÑALIZACIÓN - COLOR ROJO-BLANCO - 500 m - 7 cm

## DEFI



SF54500



5 411244 545007



### RED/WHITE SAFETY TAPE - 100 m

FR RUBAN DE SIGNALISATION ROUGE/BLANC - 100 m  
NL ROOD/WIT SIGNALISATIELINT - 100 m  
DE ABSPERRBAND  
ES CINTA DE SEÑALIZACIÓN - COLOR ROJO/BLANCO - 100 m

## PEREL®

red/white plastic

width: 80mm • length: 100m



1187-100



5 411257 005635



### RED/WHITE SAFETY TAPE - 250 m

FR RUBAN DE SIGNALISATION ROUGE/BLANC - 250 m  
NL ROOD/WIT SIGNALISATIELINT - 250 m  
DE ABSPERRBAND 25 m ROT/WEIß  
ES CINTA DE SEÑALIZACIÓN - COLOR ROJO/BLANCO - 250 m

## PEREL®

red/white plastic

width: 80mm • length: 250m



1187-250



5 411257 005642



### RED/WHITE SAFETY TAPE - 500 m

FR RUBAN DE SIGNALISATION ROUGE/BLANC - 500 m  
NL ROOD/WIT SIGNALISATIELINT - 500 m  
DE ABSPERRBAND ROT/WEIß 500 m  
ES CINTA DE SEÑALIZACIÓN - COLOR ROJO/BLANCO - 500 m

## PEREL®

red/white plastic

width: 80mm • length: 500m



1187-500



5 411257 005659



### LANE MARKING TAPE - 50 mm x 33 m - RED/WHITE

FR RUBAN DE MARQUAGE - 50 mm x 33 m - ROUGE/BLANC  
NL MARKEERTAPE - 50 mm x 33 m - ROOD/WIT  
DE WARNKLEBEBAND - 50 mm x 33 m - ROT/WEIß  
ES CINTA SEÑALIZADORA - 50 mm x 33 m - COLOR ROJO/BLANCO

## PEREL®

bold duo-tone colour strip • general identification marking • suitable for lane marking, section demarcation, color coding, hazard warning, sealing and identifying • highly visible • good flexibility • high adhesion


material: PVC • adhesive: rubber • colour: red/white • adhesion to steel: 4.8N/inch • elongation: 200% • shape: roll • dimensions: 50mm x 33m • quantity: 1 • weight: 435g



DTWR



5 410329 405519

**BLACK/YELLOW SAFETY TAPE - 100 m**

FR RUBAN DE SIGNALISATION NOIR/JAUNE - 100 m  
 NL GEEL/ZWART SIGNALISATIELINT - 100 m  
 DE ABSPERRBAND  
 ES CINTA DE SEÑALIZACIÓN - COLOR NEGRO/AMARILLO - 100 m

yellow/black plastic

width: 80mm • length: 100m



1188-100



5 411257 005666

**PEREL®****BLACK/YELLOW SAFETY TAPE - 250 m**

FR RUBAN DE SIGNALISATION NOIR/JAUNE - 250 m  
 NL GEEL/ZWART SIGNALISATIELINT - 250 m  
 DE ABSPERRBAND 250 m SCHWARZ/GELB  
 ES CINTA DE SEÑALIZACIÓN - COLOR NEGRO/AMARILLO - 250 m

yellow/black plastic

width: 80mm • length: 250m



1188-250



5 411257 031597

**PEREL®****BLACK/YELLOW SAFETY TAPE - 500 m**

FR RUBAN DE SIGNALISATION NOIR/JAUNE - 500 m  
 NL GEEL/ZWART SIGNALISATIELINT - 500 m  
 DE ABSPERRBAND 500 m SCHWARZ/GELB  
 ES CINTA DE SEÑALIZACIÓN - COLOR NEGRO/AMARILLO - 500 m

yellow/black plastic


width: 80mm • length: 500m



1188-500



5 411257 005673

**PEREL®****LANE MARKING TAPE -  
50 mm x 33 m - YELLOW/BLACK**

FR RUBAN DE MARQUAGE - 50 mm x 33 m - JAUNE/NOIR  
 NL MARKEERTAPE - 50 mm x 33 m - GEEL/ZWART  
 DE WARNKLEBBAND - 50 mm x 33 m - GELB/SCHWARZ  
 ES CINTA SEÑALIZADORA - 50 mm x 33 m - COLOR AMARILLO/NEGRO

bold duo-tone colour strip • general identification marking • suitable for lane marking, section demarcation, color coding, hazard warning, sealing and identifying • highly visible • good flexibility • high adhesion

material: PVC • adhesive: rubber • colour: yellow/black • adhesion to steel: 4.8N/inch • elongation: 200% • shape: roll • dimensions: 50mm x 33m • quantity: 1 • weight: 435g



DTWY



5 410329 405502

**PEREL®****PLASTIC POST FOR  
SECURITY CHAIN - 2 pcs**

FR POTEAU EN PLASTIQUE POUR CHAÎNE DE SIGNALISATION - 2 pcs  
 NL PLASTIC PAAL VOOR SIGNALISATIEKETTING - 2 st.  
 DE KUNSTSTOFFPFOSTEN FÜR ABSPERRKETTE - 2 St.  
 ES POSTE DE PLÁSTICO PARA CADENA DE SEÑALIZACIÓN - 2 uds.

for security chain • fillable base

post diameter: 4 cm • base diameter: 30 cm • total height: 90 cm



SCP90



5 410329 378332

**PEREL®****RED/WHITE CHAIN - 5 m**

FR CHAÎNE ROUGE/BLANC - 5 m  
 NL ROOD/WITTE KETTING - 5 m  
 DE KUNSTSTOFFKETTE ROT/WEIß 5 m x 6 mm  
 ES CADENA - COLOR ROJO/BLANCO - 5 m

red/white plastic

Ø: 6mm • length: 5m



1186-5



5 411257 005628

**PEREL®****RED/WHITE CHAIN - 10 m**

FR CHAÎNE ROUGE/BLANC - 10 m  
 NL ROOD/WITTE KETTING - 10 m  
 DE KUNSTSTOFFKETTE ROT/WEIß 10 m x 6 mm  
 ES CADENA - COLOR ROJO/BLANCO - 10 m

red/white plastic

Ø: 6mm • length: 10m



1186-10



5 411257 005604

**PEREL®****RED/WHITE CHAIN - 25 m**

FR CHAÎNE ROUGE/BLANC - 25 m  
 NL ROOD/WITTE KETTING - 25 m  
 DE KUNSTSTOFFKETTE ROT/WEIß 25 m x 6 mm  
 ES CADENA - COLOR ROJO/BLANCO - 25 m

red/white plastic

Ø: 6mm • length: 25m



1186-25



5 411257 005611

**PEREL®**



### RED/WHITE CHAIN 8 mm ON REEL - 25 m

FR CHAÎNE ROUGE/BLANC 8 mm SUR DÉVIDOIR - 25 m  
NL ROOD/WITTE KETTING 8 mm OP HASPEL - 25 m  
DE ROTE/WEIßE KETTE 8 mm AUF ROLLE - 25 m  
ES CADENA ROJA/BLANCA 8 mm EN BOBINA - 25 m

plastic red/white

dimensions: Ø 8mm x 25m

**PEREL®**



SCR8R



5 410329 399443



### CONE - BIG MODEL

FR CÔNE - GRAND MODÈLE  
NL KEGEL - GROOT MODEL  
DE KEGEL - GROß  
ES CONO - PEQUEÑO



HE97251



4 007535 483397



### CONE - SMALL MODEL

FR CÔNE - PETIT MODÈLE  
NL PION - KLEIN MODEL  
DE KEGEL - KLEIN  
ES CONO - GRANDE



HE97252



4 007535 483380



### RED/WHITE CONE 30 cm

FR CÔNE ROUGE/BLANC 30 cm  
NL ROOD/WITTE AFBAKENINGSKEGEL 30 cm  
DE LEITKEGEL 30 cm ROT/WEIß  
ES CONO DE SEÑALIZACIÓN - COLOR ROJO/BLANCO 30 cm

red/white PVC

height: 30cm

**PEREL®**



1190-30



5 411257 005703



### RED/WHITE CONE 50 cm

FR CÔNE ROUGE/BLANC 50 cm  
NL ROOD/WITTE AFBAKENINGSKEGEL 50 cm  
DE LEITKEGEL 50 cm ROT/WEIß  
ES CONO DE SEÑALIZACIÓN - COLOR ROJO/BLANCO 50 cm

red/white PVC

height: 50cm

**PEREL®**



1190-50



5 411257 005710



### RED/WHITE CONE 75 cm

FR CÔNE ROUGE/BLANC 75 cm  
NL ROOD/WITTE AFBAKENINGSKEGEL 75 cm  
DE LEITKEGEL 75 cm ROT/WEIß  
ES CONO DE SEÑALIZACIÓN - COLOR ROJO/BLANCO 75 cm

red/white PVC

height: 75 cm • weight: 4015 g

**PEREL®**



1190-75



5 410329 435868



### YELLOW/BLACK CHAIN - 10 m

FR CHAÎNE JAUNE/NOIR - 10 m  
NL GEEL/ZWARTE KETTING - 10 m  
DE KUNSTSTOFFKETTE GELB/SCHWARZ  
ES CADENA - COLOR AMARILLO/NEGRO - 10 m

yellow/black plastic

Ø: 6mm • length: 10m

**PEREL®**



1185-10



5 411257 005581



### YELLOW/BLACK CHAIN - 25 m

FR CHAÎNE JAUNE/NOIR - 25 m  
NL GEEL/ZWARTE KETTING - 25 m  
DE KUNSTSTOFFKETTE GELB/SCHWARZ 25 m x 6 mm  
ES CADENA - COLOR AMARILLO/NEGRO - 25 m

plastic yellow/black

Ø: 6mm • length: 25m

**PEREL®**



1185-25



5 411257 005598

**YELLOW/BLACK CHAIN**  
**8 mm ON REEL - 25 m**

FR CHAÎNE JAUNE/NOIR 8 mm SUR DÉVIDOIR - 25 m  
 NL GEEL/ZWARTE KETTING 8 mm OP HASPEL - 25 m  
 DE GELBE/SCHWARZE KETTE 8 mm AUF ROLLE - 25 m  
 ES CADENA AMARILLA/NEGRA 8 mm EN BOBINA - 25 m

plastic yellow/black

dimensions: Ø 8mm x 25m



SCR8Y



5 410329 399450

**PEREL®****YELLOW/BLACK CONE 30 cm**

FR CÔNE JAUNE/NOIR 30 cm  
 NL GEEL/ZWARTE AFBAKENINGSKEGEL 30 cm  
 DE LEITKEGEL  
 ES CONO DE SEÑALIZACIÓN - COLOR AMARILLO/NEGRO 30 cm

yellow/black PVC

height: 30cm



1189-30



5 411257 005680

**PEREL®****YELLOW/BLACK CONE 50 cm**

FR CÔNE JAUNE/NOIR 50 cm  
 NL GEEL/ZWARTE AFBAKENINGSKEGEL 50 cm  
 DE LEITKEGEL 50 cm GELB/SCHWARZ  
 ES CONO DE SEÑALIZACIÓN - COLOR AMARILLO/NEGRO 50 cm

yellow/black PVC

height: 50cm



1189-50



5 411257 005697

**PEREL®****SIGN - PASSAGE PRIVÉ**

FR PANNEAU - PASSAGE PRIVÉ  
 NL BORD - PASSAGE PRIVÉ  
 DE WARNSCHILD - PASSAGE PRIVÉ  
 ES SEÑAL DE ADVERTENCIA - PASSAGE PRIVÉ



NV621635



3 375556 216357

**taliaplast****SIGN - PRIÈRE DE NE PAS STATIONNER**

FR PANNEAU - PRIÈRE DE NE PAS STATIONNER  
 NL BORD - PRIÈRE DE NE PAS STATIONNER  
 DE WARNSCHILD - DÉFENSE DE STATIONNER  
 ES SEÑAL DE ADVERTENCIA - DÉFENSE DE STATIONNER



NV622211



3 375556 222112

**taliaplast****SIGN - PROPRIÉTÉ PRIVÉE**

FR PANNEAU - PROPRIÉTÉ PRIVÉE  
 NL BORD - PROPRIÉTÉ PRIVÉE  
 DE WARNSCHILD - PROPRIÉTÉ PRIVÉE  
 ES SEÑAL DE ADVERTENCIA - PROPRIÉTÉ PRIVÉE



NV622220



3 375556 222204

**taliaplast**





## SURVEILLANCE

SURVEILLANCE  
BEWAKING  
ÜBERWACHUNG  
VIGILANCIA



### ECONOMIC VIDEO SECURITY SET: DVR + 4 CAMERAS + ACCESSORIES + 500 GB HARD DISK

**PEREL®**

FR SET DE BASE DE SÉCURITÉ VIDÉO: DVR + 4 CAMÉRAS + ACCESSOIRES + DISQUE DUR DE 500 Go

NL STANDAARD VIDEOBEWAKINGSSET: DVR + 4 CAMERA'S + ACCESSOIRES + 500 GB HD

DE KOSTENGÜNSTIGER ÜBERWACHUNGSSATZ: DVR + 4 KAMERAS + ZUBEHÖR + 500 GB-FESTPLATTE

ES JUEGO DE VIGILANCIA ECONÓMICO: VIDEOGRABADORA DIGITAL + 4 CÁMARAS + ACCESORIOS + DISCO DURO DE 500 GB

This economic camera security set is an easy-to use security system for home surveillance. This set contains 4 CMOS cameras with 600 TV lines and an the IR-cut filter will filter the IR light, so it cannot distort the colour image during daytime. The digital video recorder can record the video images on the built-in 500GB hard disk via motion detection, timer or manual record. Plug-and-play remote surveillance via smartphone apps.

contains: ◦ 1 x DVR with built-in SATA connection ◦ 4 x CMOS bullet camera with IR LEDs  
◦ 4 x 18 m camera cable ◦ USB mouse and accessories ◦ 1 x 12 V PSU ◦ hard disk: 500 GB  
• plug-and-play remote surveillance via smartphone apps ◦ Android: ATVCloud  
◦ Apple (iPhone, iPod, and iPad): ATVCloud • optional (not incl.): ◦ VGA or HDMI monitor

DVR: ◦ video format: PAL ◦ video compression: H.264 (FRAME/D1) ◦ video input: 4 channels, composite video signal 1 Vpp / 75 ohms BNC ◦ video output: BNC, VGA & HDMI ◦ maximum recording rate (PAL): frame / D1 - 704 x 576 pixels @ 100 IPS (PAL)  
◦ image quality setting: highest / higher / high / low / lower / lowest ◦ hard disk storage: built-in 500GB hard disk ◦ recording mode: manual / timer / motion ◦ refresh rate: 100 IPS for PAL  
◦ motion detection area: 16 x 12 grids per channel ◦ motion detection sensitivity: 1 parameter with 6 sensitivity levels ◦ backup device: USB flash drive and network backup  
◦ PTZ control: RS-485 ◦ key lock: yes ◦ video loss detection: yes ◦ camera title: up to 8 characters  
◦ video adjustments: contrast / brightness / saturation ◦ power supply: 12 VDC ◦ operating temperature: 10°C ~ 40°C (50°F ~ 104°F) ◦ system recovery: system auto recovery after power reconnected ◦ dimensions: 258 x 213 x 42 mm ◦ weight: 950 g  
• camera: (4 x) ◦ IP rating: IP65 ◦ scanning system: PAL ◦ pick-up element: CMOS sensor  
◦ number of pixels: 752 x 582 - PAL ◦ resolution: 600 TV lines ◦ min. illumination: 0 lux (IR on) ◦ IR LEDs: 24 ◦ max. IR projection distance: 15 m ◦ IR filter: yes ◦ video output: 1.0Vpp composite, 75 ohms ◦ built-in lens: 3.6 mm ◦ lens angle: 79° ◦ power supply: 12 VDC ◦ dimensions: 56 x 54 x 142 mm ◦ weight: 220 g



CCTVSET2





## REAL PLUG AND PLAY IP COLOUR CAMERA - WIFI

velleman®

FR: CAMÉRA IP - INTÉRIEUR - IR - WIFI - REAL PLUG - AND - PLAY  
 NL: IP-CAMERA - GEBRUIK BINNENSHUIS - IR - WIFI - REAL PLUG-AND-PLAY  
 DE: REAL PLUG AND PLAY IP-FARBKAMERA - WIFI  
 ES: CÁMARA IP - PARA USO EN INTERIORES - IR - WIFI - REAL PLUG - AND - PLAY

Real plug-and-play Wi-Fi IP camera. Connect your iPhone or Android smartphone wirelessly to the CAMIP15. Then quickly set it up with the easy-to-use iSecurity+ app, which is available from iTunes and the Google Play store. After finishing the easy setup your camera is ready to monitor from anywhere in the world with your iPhone, Android phone or via your computer web browser. View the CCTV Table 2013 (PDF)

easy wireless setup via: iPhone, iPad and Android smartphone • network access: ◦ wired: Ethernet IEEE802.3, 8P8C (RJ45) connector ◦ wireless: Wi-Fi IEEE 802.11 b/g/n (built-in antenna) • built-in microphone • free smartphone software and web browser login: iSecurity+ iTunes, iSecurity+ Google Play or iSecurity+ • notification service via charged iSecurity+ software for iPhone, iPad and Android smartphones

image sensor: 0.3 Mpixel sensor • lens: f2.18mm / F2.8 • lens angle: 63.5° • number of pixels: 640 (H) x 480 (V) • min. illumination: 1 lux (0 lux with IR LEDs on) • IR LEDs: 8 pcs • AEI: 1/5 - 1/16000 s • white balance: AWB • minimum focus distance: 0.5 m • video compression format: MJPEG • video resolution: 320 x 240 and 640 x 480 • frame rate: up to 30 frames/s • audio compression: G.711 (PCM 64 kbit/s) • power supply: 5 VDC 1.5 A • dimensions: 58 x 96 mm • weight: 130 g • IP rating: n.a.



CAMIP15



5 410329 475543



## COLOUR VIDEO INTERCOM DOORPHONE SYSTEM

PEREL®

FR: SYSTÈME INTERPHONE VIDÉO AVEC ÉCRAN COULEUR LCD  
 NL: VIDEOINTERCOMSYSTEEM MET LCD-KLEURENSCHERM  
 DE: FARB-VIDEO-TÜRSPRECHANLAGE  
 ES: VIDEOPORTERO A COLOR

Hands-free video doorphone system for domestic installation. The internal unit has a 7" LCD monitor with capacitive touch buttons. The solid metal outdoor camera unit has infrared LEDs for night vision.

camera with IR LEDs for night vision • two-way audio intercom • 7" LCD colour display • door can be opened through the monitor with optional electrical door lock: HAA272 • electrical door lock (12 V / 1 A): HAA272 (not incl.) • optional power supply for professional installation: VMBSMPS (not incl.)

4-wire telephone cable (10 m included) • power supply: 15 VDC / 1 A (incl.) • operating temperature: -10 °C to +50 °C • monitor: ◦ current consumption: < 500 mA ◦ type: 7" LCD colour ◦ pixels: 480 x 234 ◦ controls: brightness, contrast, saturation, volume, camera ON/OFF, door unlock • camera: ◦ type: pinhole ◦ viewing angle: 50° ◦ IR LEDs: 5 ◦ IP rating: IP22 • door unlock function: ◦ output voltage: 12 VDC ◦ maximum load: 1 kohm • dimensions: ◦ monitor: 216 x 148 x 25 mm ◦ camera: 73 x 123 x 44 mm • weight: ◦ monitor: ± 460 g ◦ camera: ± 240 g



SCAMSET



5 410329 575564



## DUMMY ROTATING CAMERA WITH LED

PEREL®

FR: CAMERA FACTICE ROTATIVE AVEC LED  
 NL: DRAAIENDE NEPCAMERA MET LED  
 DE: DREHENDE KAMERA-ATTRAPPE MIT LED  
 ES: CÁMARA FALSA GIRATORIA CON LED

excellent imitation of a real security camera • with motion sensor • motorised pan movement • LED lights when the device is turned on • no wiring needed

power supply: 3 x 1.5 V AA batteries (not incl.) • height: ± 170 mm • weight: 150g



SCAMD



5 410329 344320



## WIRELESS TOUCH-SCREEN SECURITY SYSTEM WITH RECORDING AND NETWORK

**PEREL®**

FR SYSTÈME DE VIDÉOSURVEILLANCE SANS FIL AVEC MONITEUR TACTILE, FONCTION D'ENREGISTREMENT ET CONNEXION RÉSEAU

NL DRAADLOOS BEVEILIGINGSSYSTEEM MET AANRAAKSCHERM, OPNAMEFUNCTIE EN NETWERKAANSLUITING

DE DRAHTLOSES ÜBERWACHUNGSSYSTEM MIT BERÜHRUNGSBILDSCHIRM, AUFNAHME-FUNKTION UND NETZWERKANSLUSS

ES SISTEMA DE VIGILANCIA INALÁMBRICO CON PANTALLA TÁCTIL, FUNCIÓN DE GRABACIÓN Y CONEXIÓN DE RED

This wireless camera security system is an easy-to use security system for home surveillance. The touch screen monitor can record video on an SD-card and can record via motion detection, timer or manual setting. The monitor has a built-in battery for flexible use and the docking station can be connected to the LAN port of the router. Plug-and-play remote surveillance via smartphone apps is available once the monitor is plugged into the docking station.

2.4 GHz encrypted digital transmission between camera and monitor • 150 m radius service range in open space • 7" touch screen monitor • monitor with built-in Li-ion battery for portable use • Ethernet connectivity via docking charger • plug-and-play remote surveillance via smart phone apps • Android: OMguard • Apple (iPhone, iPod, and iPad): OMguard • recording via SD/SDHC memory card (max. 32 GB) • system expandable up to 4 cameras • optional camera: CCTVSETW1/CAM

video format: PAL • video compression: H.264 • video transmission: 2.4 GHz encrypted digital transmission • camera: • pick-up element: 1/4" CMOS sensor • lens: 3.6 mm • lens angle: 64° • night vision: 20 IR LEDs (8 m range) • IP rating: IP66 • maximum recording rate: • single camera: 640 x 480 pixels (VGA) (25 FPS) • multiple cameras: 320 x 240 pixels (QVGA) (25 FPS) • monitor battery: • capacity: 1800 mAh Li-ion (3.7 V) • operating time: maximum 1.5 h • monitor size: 7" touch screen • recording: on SDHC card (not incl.) (max. 32 GB) • recording mode: manual / timer / motion • audio: built-in microphone • network connection: via docking station • remote surveillance: plug and play via smart phone applications • digital zoom: 2x • video loss detection: yes • power source (docking and camera): 5 Vdc / 1 A • dimensions: • camera: 151 x 74 x 49 mm • monitor: 184 x 128 x 28 mm • weight: 1295g



## OPTIONAL CAMERA FOR CCTVSETW1

FR CAMÉRA OPTIONNELLE POUR CCTVSETW1

NL OPTIONELE CAMERA VOOR CCTVSETW1

DE ZUSÄTZLICHE KAMERA FÜR CCTVSETW1

ES CÁMARA OPCIONAL PARA CCTVSETW1

for use with: CCTVSETW1

video format: PAL • camera: • pick-up element: 1/4" CMOS sensor • lens: 3.6 mm • lens angle: 64° • night vision: 20 IR LEDs (8 m range) • IP rating: IP66 • power source (docking and camera): 5 Vdc / 1 A • dimensions: 151 x 74 x 49 mm



CAM



**PEREL®**

CCTVSETW1/