



## TRANSPORT

TRANSPORT  
TRANSPORT  
TRANSPORT  
TRANSPORTE



### UNIVERSAL HAND TRUCK - CAPACITY 80 kg

**PEREL®**

FR DIABLE UNIVERSEL - CAPACITE 80 kg  
NL UNIVERSELE STEEKWAGEN - LAADVERMOGEN 80 kg  
DE SACKKARRE - BELASTUNG 80 kg  
ES CARRETILLA DE MANO UNIVERSAL - CAPACIDAD 80 kg

easily foldable, telescopic

max. load: 80kg ● dimensions: ○ platform: 355 x 240mm ○ folded: 745 x 400 x 180mm  
○ unfolded: 1115 x 400 x 410mm ○ wheel: Ø 6" (150mm) ● weight: 5.9kg



OHT3



5 410329 422370



### HAND TROLLEY - max. LOAD 90 kg

**Toolland**  
a land of possibilities

FR DIABLE - CHARGE MAX. 90 kg  
NL STEEKWAGEN - max. BELASTING 90 kg  
DE HANDWAGEN - MAX. LAST 90 kg  
ES CARRETILLA DE MANO - CARGA MÁX. 90 kg

aluminium

toe plate dimensions: 35.5 x 24 cm ● height: 74 to 110 cm ● maximum load: 90 kg  
● weight: 5.3 kg ● wheel diameter: 155 mm



QT101



5 411244 991019



### TELESCOPIC HAND TROLLEY

**Toolland**  
a land of possibilities

FR DIABLE TÉLESCOPIQUE  
NL TELESCOPISCHE STEEKWAGEN  
DE KLAPPBARE SACKKARRE  
ES CARRETILLA DE MANO CON PALA ABATIBLE

with safety handle ● foldable

toe plate dimensions: 29 x 29 cm ● height: 80 to 120 cm ● maximum load: 200 kg  
● weight: 12 kg ● wheel diameter: 260 mm



QT102



5 411244 991026



### WHEEL - FOR QT102

FR ROUE - POUR QT102  
NL WIEL - VOOR QT102  
DE ROLLE - FÜR QT102  
ES RUEDA - PARA QT102

for: QT102



QTZ102



5 411244 102118



### HAND TRUCK - CAPACITY 180 kg

**PEREL®**

- FR DIABLE - CAPACITE 180 kg
- NL STEEKWAGEN - LAADVERMOGEN 180 kg
- DE SACKKARRE - BELASTUNG 180 kg
- ES CARRETILLA DE MANO - CAPACIDAD 180 kg

pneumatic wheels

net weight: 11kg • dimensions: 1170 x 495 x 510mm • Ø wheels: 250mm • spare wheel: OHT7W



OHT8



### HAND TRUCK - CAPACITY 200 kg

**PEREL®**

- FR DIABLE - CAPACITE 200 kg
- NL STEEKWAGEN - LAADVERMOGEN 200 kg
- DE SACKKARRE - BELASTUNG 200 kg
- ES CARRETILLA DE MANO - CAPACIDAD 200 kg

pneumatic wheels

capacity: 200kg • dimensions: 1250 x 560 x 450mm • Ø wheels: 200mm • spare wheel: OHT1W



OHT4



### HAND TROLLEY - max. LOAD 200 kg

**Toolland**  
a land of possibilities

- FR DIABLE - CHARGE MAX. 200 kg
- NL STEEKWAGEN - max. BELASTING 200 kg
- DE SACKKARRE - MAX. TRAGKRAFT 200 kg
- ES CARRETILLA DE MANO - CARGA MÁX. 200 kg

toe plate dimensions: 35 x 20 cm • height: 114 cm • maximum load: 200 kg • weight: 10.5 kg • wheel diameter: 260 mm



QT103



### WHEEL - FOR QT103

- FR ROUE - POUR QT103
- NL WIEL - VOOR QT103
- DE ROLLE - FÜR QT103
- ES RUEDA - PARA QT103

for: QT103



QTZ103





**HEAVY-DUTY ALUMINIUM HAND TRUCK - CAPACITY 200 kg**

**PEREL®**

- FR DIABLE EN ALUMINIUM - CAPACITÉ 200 kg
- NL ALUMINIUM STEEKWAGEN - LAADVERMOGEN 200 kg
- DE ROBUSTE ALU-SACKKARRE - BELASTUNG 200 kg
- ES ROBUSTA CARRETILLA DE MANO DE ALUMINIO - CAPACIDAD 200 kg

aluminium frame • pneumatic wheels

capacity: 200 kg • net weight: 8.3 kg • dimensions: ◊ overall: 1180 x 480 x 555 mm ◊ foot plate: 308 x 208 x 6 mm ◊ wheels: Ø 260 x 85 mm



OHT10  5 410329 597887



**SPARE WHEEL FOR OHT5 & OHT8**

**PEREL®**

- FR ROUE POUR DIABLE AVEC CAPACITE DE 180 kg
- NL WIELTJE VOOR STEEKWAGEN MET LAADVERMOGEN 180 kg
- DE RAD FÜR SACKKARRE MIT BELASTBARKEIT VON 180 kg
- ES RUEDA PARA CARRETILLA DE MANO CON CAPACIDAD 180 kg

for: OHT5, OHT8

axis diameter: 1.5 cm • diameter complete wheel: 25 cm

OHT7W  5 410329 431259



**STAIR-CLIMBING 6-WHEEL HAND TRUCK**

**PEREL®**

- FR DIABLE À 6 ROUES
- NL STEEKWAGEN MET 6 WIELEN
- DE TREPPEN-SACKKARRE MIT 6 RÄDERN
- ES CARRETILLA DE MANO PARA ESCALERAS CON 6 RUEDAS

material: steel • loading capacity: 150kg • wheels: ◊ tyres: rubber ◊ dimensions: Ø146mm • dimensions: ◊ 47 x 118 x 56cm ◊ platform: 31 x 21cm • weight: 11kg



OHT6  5 410329 423445




**FOLDABLE HAND TROLLEY - max. LOAD 30 kg**

**Toolland**  
a land of possibilities

- FR CHARIOT PLIABLE - CHARGE MAX. 30 kg
- NL INKLAPBARE STEEKWAGEN - MAX. BELASTING 30 kg
- DE KLAPPBARE SACKKARRE - MAX. TRAGKRAFT 30 kg
- ES CARRETILLA DE MANO CON PALA ABATIBLE - carga MÁX. 30 kg

foldable • telescopic handle • available colours: blue/grey or yellow/black

toe plate dimensions: 38.5 x 28 cm • maximum height: 95.5 cm • maximum load: 30 kg • weight: 3.2 kg • wheel diameter: 125 mm

QT114  5 411244 001145




**FOLDABLE HAND TRUCK - CAPACITY 70 kg**

**PEREL®**

- FR DIABLE PLIABLE - CAPACITÉ 70 kg
- NL OPVOUWBARE LASTWAGEN - LAADVERMOGEN 70 kg
- DE KLAPPBARE SACKKARRE - BELASTBARKEIT 70 kg
- ES CARRETILLA DE MANO CON PALA ABATIBLE - CAPACIDAD 70 kg

easily foldable • adjustable in height

max. load: 70 kg • dimensions: ◊ adjustable height: 73-99 cm ◊ platform: 430 x 255 mm ◊ folded: 730 x 430 x 60 mm ◊ unfolded: 990 x 430 x 420 mm ◊ wheel: Ø 145 mm • weight: 4.5 kg

OHT2  5 410329 421625



### FOLDABLE HAND TRUCK - CAPACITY 60 kg

**PEREL®**

FR DIABLE PLIABLE - CAPACITÉ 60 kg  
NL OPVOUWBARE LASTWAGEN - LAADVERMOGEN 60 kg  
DE KLAPPBARE SACKKARRE - TRAGKRAFT 60 kg  
ES CARRETILLA DE MANO CON PALA ABATIBLE - CAPACIDAD 60 kg

easily foldable • adjustable height

max. load: 60 kg • dimensions: ◊ adjustable height: 69-96 cm ◊ platform: 380 x 235 mm  
◊ folded: 690 x 380 x 60 mm ◊ unfolded: 960 x 380 x 380 mm ◊ wheel: Ø 136 mm  
• weight: 3 kg • materials: ◊ base structure: steel ◊ tires: rubber



OHT9



5 410329 588458



### FOLDABLE ALUMINIUM HAND TRUCK - CAPACITY 68 kg

**PEREL®**

FR DIABLE PLIABLE EN ALUMINIUM - CAPACITÉ 68 kg  
NL OPVOUWBARE ALUMINIUM STEEKWAGEN - LAADVERMOGEN 68 kg  
DE KLAPPBARE SACKKARRE - BELASTBARKEIT 68 kg  
ES CARRETILLA DE MANO CON PALA ABATIBLE - CAPACIDAD 68 kg

easily foldable • adjustable height • aluminium frame • non-skid base plate • 5" TPR (Thermoplastic Rubber) wheels

max. load: 68 kg • dimensions: ◊ adjustable height: 90-100 cm ◊ platform: 390 x 280 mm  
◊ folded: 635 x 385 x 55 mm ◊ unfolded: 400 x 400 x 1000 mm ◊ wheel: Ø 125 mm  
• weight: 3.3 kg



OHTPRO1



5 410329 577100



### FOLDABLE ALUMINIUM HAND TRUCK - CAPACITY 90 kg

**PEREL®**

FR DIABLE PLIABLE EN ALUMINIUM - CAPACITÉ 90 kg  
NL OPVOUWBARE ALUMINIUM STEEKWAGEN - LAADVERMOGEN 90 kg  
DE KLAPPBARE SACKKARRE - BELASTBARKEIT 90 kg  
ES CARRETILLA DE MANO CON PALA ABATIBLE - CAPACIDAD 90 kg

easily foldable • adjustable height • aluminium frame • non-skid base plate • 7" TPR (Thermoplastic Rubber) wheels

max. load: 90 kg • dimensions: ◊ adjustable height: ◊ platform: 485 x 285 mm ◊ folded:  
810 x 485 x 60 mm ◊ unfolded: 500 x 400 x 1080 mm ◊ wheel: Ø 175 mm • weight: 4.8 kg



OHTPRO2



5 410329 577124



### FOLDABLE ALUMINIUM HAND TRUCK - CAPACITY 125 kg

**PEREL®**

FR DIABLE PLIABLE EN ALUMINIUM - CAPACITÉ 125 kg  
NL OPVOUWBARE ALUMINIUM STEEKWAGEN - LAADVERMOGEN 125 kg  
DE KLAPPBARE SACKKARRE - BELASTBARKEIT 125 kg  
ES CARRETILLA DE MANO CON PALA ABATIBLE - CAPACIDAD 125 kg

easily foldable • adjustable height • heavy-duty aluminium frame • non-skid base plate  
• 7" TPR (Thermoplastic Rubber) wheels

max. load: 125 kg • dimensions: ◊ adjustable height: ◊ platform: 485 x 350 mm ◊ folded:  
750 x 500 x 65 mm ◊ unfolded: 520 x 510 x 1090 mm ◊ wheel: Ø 175 mm • weight: 6.8 kg



OHTPRO3



5 410329 577131



### FOLDABLE ALUMINIUM HAND TRUCK - CAPACITY 200 kg

**PEREL®**

FR DIABLE PLIABLE EN ALUMINIUM - CAPACITÉ 200 kg  
NL OPVOUWBARE ALUMINIUM STEEKWAGEN - LAADVERMOGEN 200 kg  
DE KLAPPBARE ALU-SACKKARRE - BELASTBARKEIT 200 kg  
ES CARRETILLA DE MANO (ALUMINIO) CON PALA ABATIBLE - CAPACIDAD 200 kg

easily foldable • adjustable height • heavy-duty aluminium frame • non-skid base plate  
• 8" TPR (Thermoplastic Rubber) wheels • handles with soft-grip foam protection

max. load: 200 kg • dimensions: ◊ adjustable height: ◊ platform: 590 x 400 mm ◊ folded:  
900 x 600 x 60 mm ◊ unfolded: 600 x 600 x 1125 mm ◊ wheel: Ø 200 mm • weight:  
10.5 kg



OHTPRO4



5 410329 577148



**FOLDABLE PLATFORM HAND TRUCK - CAPACITY 150 kg**

**PEREL®**

- FR CHARIOT PLATEFORME PLIABLE - CAPACITÉ 150 kg
- NL OPVOUWBARE TRANSPORTWAGEN - LAADVERMOGEN 150 kg
- DE PLATTFORMWAGEN - KLAPPBAR - TRAGKRAFT 150 kg
- ES CARRETILLA DE MANO CON PALA ABATIBLE - CAPACIDAD 150 kg

easily foldable • the wheels fold underneath the platform when the handle is folded for a very compact size • adjustable height • aluminium frame • sturdy PP platform • 4" TPR (Thermoplastic Rubber) wheels • handle with soft-grip foam protection

max. load: 150 kg • dimensions: ◦ adjustable height: 72-82-92 cm ◦ platform: 680 x 410 mm ◦ folded: 680 x 410 x 80 mm ◦ unfolded: 680 x 410 x 920 mm ◦ wheel: Ø 101 mm • weight: 6.3 kg



OHTPRO5



**PLATFORM HAND TRUCK - 710 x 470 mm - max. 150 kg**

**PEREL®**

- FR CHARIOT PLATE-FORME 710 x 470 mm - MAX. 150 kg
- NL TRANSPORTWAGEN 710 x 470 mm - max. 150 kg
- DE PLATTFORMWAGEN - 710 x 470 mm - MAX. 150 kg
- ES CARRETILLA DE MANO CON PLATAFORMA - CARGA MÁX.: 150 kg - 710 x 470 mm

folding back • rubber mat • 2 fixed wheels • 2 swivel wheels • handle with soft-grip foam protection

max. load: 150kg • dimensions: ◦ folded: 74x48x23cm ◦ unfolded: 74x48x83cm • wheel: Ø 4" (10cm)



OHT150



**PLATFORM HAND TRUCK - 910 x 610 mm - max. 300 kg**

**PEREL®**

- FR CHARIOT PLATE-FORME 910 x 610 mm - MAX. 300 kg
- NL TRANSPORTWAGEN 910 x 610 mm - max. 300 kg
- DE PLATTFORMWAGEN - 910 x 610 mm - MAX. 300 kg
- ES CARRETILLA DE MANO CON PLATAFORMA - CARGA MÁX.: 300 kg - 910 x 610 mm

folding back • rubber mat • 2 fixed wheels • 2 swivelling wheels • handle with soft-grip foam protection

max. load: 300kg • dimensions: ◦ folded: 91x61x27cm ◦ unfolded: 91x61x87cm • wheel: Ø 5" (12.5cm)



OHT300



**PLATFORM TRUCK - 725 x 475 x 750 mm - max. LOAD 150 kg**

**Toolland**  
a land of possibilities

- FR CHARIOT PLIABLE - 725 x 475 x 750 mm - CHARGE MAX. 150 kg
- NL PLATFORM HANDWAGEN - 725 x 475 x 750 mm - max. BELASTING 150 kg
- DE PLATTFORMWAGEN - 725 x 475 x 750 mm - MAX. TRAGKRAFT 150 kg
- ES PLATAFORMA - 725 x 475 x 750 mm - CARGA MÁX. 150 kg

foldable • foldable

platform dimensions: 72.5 x 47.5 cm • height: 75 cm • maximum load: 150 kg • weight: 8.4 kg • wheel diameter: 105 mm



QT105







**PLATFORM TRUCK**  
- 910 x 610 x 750 mm -  
max. LOAD 300 kg



FR CHARIOT PLIABLE - 910 x 610 x 750 mm - CHARGE MAX. 300 kg  
NL PLATFORM HANDWAGEN - 910 x 610 x 750 mm - MAX. BELASTING 300 kg  
DE PLATTFORMWAGEN - 910 x 610 x 750 mm - MAX. TRAGKRAFT 300 kg  
ES CARRETILLA DE MANO CON PLATAFORMA - 910 x 610 x 750 mm - CARGA MÁX. 300 kg

foldable

platform dimensions: 91 x 61 cm • height: 75 cm • maximum load: 300 kg • weight: 14 kg  
• wheel diameter: 125 mm



QT112



5 411244 001121



**GAS CYLINDER TROLLEY**



FR CHARIOT PORTE-BOUTEILLE DE GAZ  
NL GASFLESSENTROLLEY  
DE SACKKARRE FÜR GASFLASCHEN  
ES CARRETILLA DE MANO PARA BOMBONAS

rustproof zinc-iron trolley • for 10-15-25 kg gas cylinders • with storage brackets for torch and hose

dimensions: 45 x 43 x 105 cm • weight: 6.7 kg • wheel: Ø 20 cm • max. capacity: 150 kg



DICAR1



8 013729 040303



**4 NYLON CASTERS WITH FIXED  
BASE - BLACK - 25 mm - 10 kg/pc**

FR 4 ROULETTES FIXES EN NYLON - NOIR - 25 mm, 10 kg/pc  
NL 4 NYLON WIELTJES - ZWART - 25 mm, 10 kg/st  
DE 4 NYLON-BOCKROLLEN - SCHWARZ - 25 mm, 10 kg/St.  
ES 4 RUEDAS FIJAS DE NYLON - COLOR NEGRO - 25 mm, 10 kg/ud.

wheel dimensions: Ø25 x 14mm • total height: 34mm • base plate dimensions: 37 x 24mm • max. load: 10kg • wheel material: black nylon  
• hub material: - • weight: 37g • 4 pcs per package



OCAS2B-25



5 410329 354343



**4 NYLON CASTERS WITH FIXED  
BASE - BLACK - 30 mm - 15 kg/pc**

FR 4 ROULETTES FIXES EN NYLON - NOIR - 30 mm, 15 kg/pc  
NL 4 NYLON WIELTJES - ZWART - 30 mm, 15 kg/st  
DE 4 NYLON-BOCKROLLEN - SCHWARZ - 30 mm, 15 kg/St.  
ES 4 RUEDAS FIJAS DE NYLON - COLOR NEGRO - 30 mm, 15 kg/ud.

wheel dimensions: Ø30 x 14mm • total height: 37mm • base plate dimensions: 37 x 24mm • max. load: 15kg • wheel material: black nylon  
• hub material: - • weight: 50g • 4 pcs per package



OCAS2B-30



5 410329 354350



**4 NYLON CASTERS WITH FIXED  
BASE - BLACK - 38 mm - 20 kg/pc**

FR 4 ROULETTES FIXES EN NYLON - NOIR - 38 mm, 20 kg/pc  
NL 4 NYLON WIELTJES - ZWART - 38 mm, 20 kg/st  
DE 4 BOCKROLLEN - SCHWARZ - 38 mm, 20 kg/St.  
ES 4 RUEDAS FIJA DE NYLON - COLOR NEGRO - 38 mm, 20 kg/ud.

wheel dimensions: Ø38 x 17mm • total height: 54mm • base plate dimensions: 45 x 40mm • max. load: 20kg • wheel material: black nylon  
• hub material: - • weight: 77g • 4 pcs per package



OCAS2B-38



5 410329 354367



**4 NYLON CASTERS WITH FIXED  
BASE - BLACK - 50 mm - 30 kg/pc**

FR 4 ROULETTES FIXES EN NYLON - NOIR - 50 mm, 30 kg/pc  
NL 4 NYLON WIELTJES - ZWART - 50 mm, 30 kg/st  
DE 4 BOCKROLLEN - SCHWARZ - 50 mm, 30 kg/St.  
ES 4 RUEDAS FIJAS DE NYLON - COLOR NEGRO - 50 mm, 30 kg/ud.

wheel dimensions: Ø50 x 22mm • total height: 65mm • base plate dimensions: 58 x 47mm • max. load: 30kg • wheel material: black nylon  
• hub material: - • weight: 150g • 4 pcs per package



OCAS2B-50



5 410329 354374



**4 NYLON CASTERS WITH FIXED  
BASE - WHITE - 25 mm - 10 kg/pc**

FR 4 ROULETTES FIXES EN NYLON - BLANC - 25 mm, 10 kg/pc  
NL 4 NYLON WIELTJES - WIT - 25 mm, 10 kg/st  
DE 4 NYLON-BOCKROLLEN - WEISS - 25 mm, 10 kg/St.  
ES 4 RUEDAS FIJAS DE NYLON - COLOR BLANCO - 25 mm, 10 kg/ud.

wheel dimensions: Ø25 x 14mm • total height: 34mm • base plate dimensions: 37 x 24mm • max. load: 10kg • wheel material: white nylon  
• hub material: - • weight: 37g • 4 pcs per package



OCAS2W-25



5 410329 354213



**4 NYLON CASTERS WITH FIXED BASE - WHITE - 30 mm - 15 kg/pc**

FR 4 ROULETTES FIXES EN NYLON - BLANC - 30 mm, 15 kg/pc  
 NL 4 NYLON WIELTJES - WIT - 30 mm, 15 kg/st  
 DE 4 NYLON-BOCKROLLEN - WEIß - 30 mm, 15 kg/St.  
 ES 4 RUEDAS FIJAS DE NYLON - COLOR BLANCO - 30 mm, 15 kg/ud.

wheel dimensions: Ø30 x 14mm • total height: 37mm • base plate dimensions: 37 x 24mm • max. load: 15kg • wheel material: white nylon • hub material: - • weight: 50g • 4 pcs per package

**PEREL®**

OCAS2W-30

5 410329 354220



**4 NYLON CASTERS WITH FIXED BASE - WHITE - 38 mm - 20 kg/pc**

FR 4 ROULETTES FIXES EN NYLON - BLANC - 38 mm, 20 kg/pc  
 NL 4 NYLON WIELTJES - WIT - 38 mm, 20 kg/st  
 DE 4 NYLON-BOCKROLLEN - WEIß - 38 mm, 20 kg/St.  
 ES 4 RUEDAS FIJAS DE NYLON - COLOR BLANCO - 38 mm, 20 kg/ud.

wheel dimensions: Ø38 x 17mm • total height: 54mm • base plate dimensions: 45 x 40mm • max. load: 20kg • wheel material: white nylon • hub material: - • weight: 77g • 4 pcs per package

**PEREL®**

OCAS2W-38

5 410329 354237



**4 NYLON CASTERS WITH FIXED BASE - WHITE - 50 mm - 30 kg/pc**

FR 4 ROULETTES FIXES EN NYLON - BLANC - 50 mm, 30 kg/pc  
 NL 4 NYLON WIELTJES - WIT - 50 mm, 30 kg/st  
 DE 4 NYLON-BOCKROLLEN - WEIß - 50 mm, 30 kg/St.  
 ES 4 RUEDAS FIJAS DE NYLON - COLOR BLANCO - 50 mm, 30 kg/ud.

wheel dimensions: Ø50 x 22mm • total height: 65mm • base plate dimensions: 58 x 47mm • max. load: 30kg • wheel material: white nylon • hub material: - • weight: 150g • 4 pcs per package

**PEREL®**

OCAS2W-50

5 410329 354244



**4 RUBBER CASTERS WITH FIXED BASE - BLACK - 65 mm - 35 kg/pc**

FR 4 ROULETTES FIXES EN CAOUTCHOUC - NOIR - 65 mm, 35 kg/pc  
 NL 4 RUBBEREN WIELTJES - ZWART - 65 mm, 35 kg/st  
 DE 4 GUMMI-BOCKROLLEN - SCHWARZ - 65 mm, 35 kg/St.  
 ES 4 RUEDAS FIJAS DE GOMA - COLOR NEGRO - 65 mm, 35 kg/ud.

wheel dimensions: Ø65 x 23mm • total height: 82mm • base plate dimensions: 65 x 54mm • max. load: 35kg • wheel material: black rubber • hub material: - • weight: 260g • 4 pcs per package

**PEREL®**

OCAS4-65

5 410329 354411



**4 RUBBER CASTERS WITH FIXED BASE - BLACK - 75 mm - 45 kg/pc**

FR 4 ROULETTES FIXES EN CAOUTCHOUC - NOIR - 75 mm, 45 kg/pc  
 NL 4 RUBBEREN WIELTJES - ZWART - 75 mm, 45 kg/st  
 DE 4 GUMMI-BOCKROLLEN - SCHWARZ - 75 mm, 45 kg/St.  
 ES 4 RUEDAS FIJAS DE GOMA - COLOR NEGRO - 75 mm, 45 kg/ud.

wheel dimensions: Ø75 x 25mm • total height: 97mm • base plate dimensions: 84 x 72mm • max. load: 45kg • wheel material: black rubber • hub material: - • weight: 365g • 4 pcs per package

**PEREL®**

OCAS4-75

5 410329 354428



**ACCESSORIES**  
 ACCESSOIRES  
 ACCESSOIRES  
 ZUBEHÖR  
 ACCESORIOS



**HORIZONTAL WINCH - 1t**

FR TREUIL HORIZONTAL - 1t  
 NL HANDLIER HORIZONTAAL TOT 1000 kg  
 DE HANDSEILWINDE - 1t  
 ES POLEA DE MANO HORIZONTAL - 1t

For tightening fences, freeing stuck vehicles, pulling tree-stumps, ... High leverage ratio. Automatic let-down safety latch.

chrome-plated steel • 2 hooks

max. cable length: 3.6m • cable Ø: 5mm • working capacity: 1000kg

**PEREL®**

WHORW2T

5 410329 365424



## HORIZONTAL WINCH - 1.5t

**PEREL®**

FR TREUIL HORIZONTAL - 1.5t  
NL HANDLIER HORIZONTAAL TOT 1500 kg  
DE HANDSEILWINDE - 1.5t  
ES POLEA DE MANO HORIZONTAL - 1.5t

For tightening fences, freeing stuck vehicles, pulling tree-stumps, ... High leverage ratio. Automatic let-down safety latch.

chrome-plated steel • 3 hooks

max. cable length: 3m • cable Ø: 5.7mm • working capacity: 1500kg



WHORW4T



5 410329 365431



## COUNTER DISPLAY WITH 10 x MAGNETIC TRAY - diam 10 cm

**PEREL®**

FR PRÉSENTOIR AVEC 10 COUPES MAGNÉTIQUES - Ø 10 cm  
NL TOONBANKDISPLAY MET 10 MAGNETISCHE SCHAALTJES - Ø 10 cm  
DE DISPLAY MIT 10 MAGNETSCHALEN - Ø 10 cm  
ES EXPOSITOR CON 10 BANDEJAS MAGNÉTICAS - Ø 10 cm

for holding metal items such as screws, nuts, bolts, ... • stainless steel finish

magnetic inductivity: 0.1T (Tesla) • dimensions: Ø 10cm



HPUT2D



5 410329 464073



## MAGNETIC TRAY

**PEREL®**

FR COUPE MAGNÉTIQUE  
NL MAGNETISCH SCHAALTJE  
DE MAGNETSCHALE  
ES BANDEJA MAGNÉTICA

for holding metal items such as screws, nuts, bolts... • stainless steel finish • 2 powerful magnets • protective rubber on bottom surface

dimensions: 237 x 136 x 28 mm



HPUT3



5 410329 552749



## MULTIPURPOSE UTILITY TRAY - 76 x 40 x 2.6 cm

**PEREL®**

FR PLATEAU MULTIFONCTIONS - 76 x 40 x 2.6 cm  
NL UNIVERSELE WERKMAT - 76 x 40 x 2.6 cm  
DE MULTIFUNKTIONSSCHALE - 76 x 40 x 2.6 cm  
ES BANDEJA MULTIFUNCIÓN - 76 x 40 x 2.6 cm

for use in garage, storeroom, shed, kitchen (sink cabinet), etc. • sturdy PP plastic

dimensions: 76 x 40 x 2.6 cm • weight: 585 g



OMUT1



5 410329 589264



## MULTIPURPOSE UTILITY TRAY - 37.2 x 38.4 x 2.6 cm

**PEREL®**

FR PLATEAU MULTIFONCTIONS - 37.2 x 38.4 x 2.6 cm  
NL UNIVERSELE WERKMAT - 37.2 x 38.4 x 2.6 cm  
DE MULTIFUNKTIONSSCHALE - 37.2 x 38.4 x 2.6 cm  
ES BANDEJA MULTIFUNCIÓN - 37.2 x 38.4 x 2.6 cm

for use in garage, storeroom, shed, kitchen (sink cabinet), etc. • sturdy PP plastic

dimensions: 37.2 x 38.4 x 2.6 cm • weight: 280 g



OMUT2



5 410329 589271





**WORK BENCH**

FR ÉTABLI  
 NL WERKBANK  
 DE WERKBANK  
 ES BANCO DE TRABAJO



20 hooks included • quick installation • 2 drawers • 2 shelves


dimensions: 122 x 61 x 151 cm • materials: ◦ frame: powder coated steel ◦ worktop board: MDF (15 mm) ◦ bottom board: MDF (9 mm) ◦ peg board: MDF (4.5 mm) • working height: 90 cm



MP80



5 411244 388000



**HOOK - FOR MP80**

FR CROCHET - POUR MP80  
 NL HAAK - VOOR MP80  
 DE HAKEN - FÜR MP80  
 ES GANCHO - PARA MP80


20 pieces



MPZ88-1



5 411244 388017



**HAND WINCH - 250 kg**

FR TREUIL MANUEL - 250 kg  
 NL HANDLIER TOT 250 kg  
 DE HANDWINDE - 250 kg  
 ES CABRESTANTE - 250 kg



solid gear construction • black electrostatic discharge coating finish against rusting  
 • internally lubricated drum and pinion gear bushings • moulded handle for smooth rotation  
 • formed reinforcements in frame for added strength


gear ratio: 3.1:1 • working capacity: 250 kg • dimensions: ◦ A: 95 mm ◦ B: 104 mm ◦ C: 89 mm ◦ D: 50 mm ◦ E: 230 mm ◦ F: 205 mm ◦ G: 11 mm ◦ body thickness: 3.2 mm  
 ◦ gear thickness: 7.0 mm • weight: 1980 g



WHW250



5 410329 586454



**HAND WINCH - 420 kg**

FR TREUIL MANUEL - 420 kg  
 NL HANDLIER TOT 420 kg  
 DE HANDWINDE - 420 kg  
 ES CABRESTANTE - 420 kg



solid gear construction • black electrostatic discharge coating finish against rusting  
 • internally lubricated drum and pinion gear bushings • moulded handle for smooth rotation  
 • formed reinforcements in frame for added strength

gear ratio: 4.3:1 • working capacity: 420 kg • dimensions: ◦ A: 138 mm ◦ B: 153 mm ◦ C: 89 mm ◦ D: 52 mm ◦ E: 240 mm ◦ F: 223 mm ◦ G: 12 mm ◦ body thickness: 3.5 mm  
 ◦ gear thickness: 8.0 mm • weight: 2760 g



WHW420



5 410329 586461



**CHAIN BLOCK 3 m - 1000 kg**

FR PALAN 3 m - 1000 kg  
 NL TAKEL 3 m - 1000 kg  
 DE KETTENZUG 3 m - 1000 kg  
 ES POLIPASTO 3 m - 1000 kg



hook suspension

chain: 3 m • capacity: 1000 kg • actual lifting height: 2.8 m

► May not be sold in France



WCB1001



5 410329 356477



## CHAIN BLOCK 3 m - 2000 kg

**PEREL®**

FR PALAN 3 m - 2000 kg  
NL TAKEL 3 m - 2000 kg  
DE KETTENZUG 3 m - 2000 kg  
ES POLIPASTO 3 m - 2000 kg

hook suspension

chain: 3 m • capacity: 2000 kg • actual lifting height: 2.8 m




► May not be sold in France



WCB2001



5 410329 356484



## SLOT-TYPE DRILL VICE 100 mm - 4" PEREL®

FR ETAU PERCEUSE 100 mm  
NL BANKSCHROEF 100 mm  
DE SCHRAUBSTOCK 100 mm  
ES TORNILLO DE BANCO 100 mm

cast steel • steel jaws

prismatic jaws: 106mm • jaw opening: 100mm - 4" • total height: 65mm • total width: 175mm • distance between slots: 140mm



2013-100



5 411257 012077



## ROLLING STAND

**Tooland**  
a land of possibilities

FR SERVANTE À ROULEAU  
NL ROLBOK  
DE HALTERUNG  
ES SOPORTE

telescopic height

width: 28 cm • height: 65 - 108 cm • maximum load: 40 kg • height: 61-108 cm  
• capacity: 60 kg



MP90



5 411244 380905



## SCAFFOLD HOIST SWING ARM

**PEREL®**

FR BRAS PIVOTANT POUR PALANS  
NL ZWENKARM VOOR TAKELS  
DE SCHWENKARM FÜR FLASCHENZUG  
ES BRAZO PIVOTANTE PARA POLIPASTO

pivoting arm for hoists WEH200, WEH300 • loading capacity up to 600 kg

loading capacity: ○ at 750 mm: 600 kg ○ at 1100 mm: 300 kg

► May not be sold in France



WEHSA



5 410329 554866



## ELECTRIC HOIST 200-400 kg

**PEREL®**

FR PALAN ÉLECTRIQUE 200-400 kg  
NL ELEKTRISCHE KABELTAKEL 200-400 kg  
DE ELEKTRO-KETTENZUG 200-400 kg  
ES POLIPASTO ELÉCTRICO 200-400 kg

remote control with emergency stop • spare switch: 3440-200SW • spare remote control: WEHTELE

power supply: 230 VAC / 50 Hz • power consumption: 1000 W • single hook configuration:  
○ max. load capacity: 200 kg ○ lifting height: 12 m ○ lifting speed: 10 m/min • double hook  
configuration: ○ max. load capacity: 400 kg ○ lifting height: 6 m ○ lifting speed: 5 m/min  
• steel cable dimensions: Ø 3.5 mm x 12 m

► May not be sold in France



WEH200



5 410329 376680



**ELECTRIC HOIST 300-600 kg**

**PEREL®**

- FR PALAN ÉLECTRIQUE 300-600 kg
- NL ELEKTRISCHE KABELTAKEL 300-600 kg
- DE ELEKTRO-KETTENZUG 300- 600 kg
- ES POLIPASTO ELÉCTRICO 300-600 kg

remote control with emergency stop • spare switch: 3440-200SW • spare remote control: WEHTELE

power supply: 230 VAC / 50 Hz • power consumption: 1050 W • single hook configuration: ◦ max. load capacity: 300 kg ◦ lifting height: 12 m ◦ lifting speed: 10 m/min • double hook configuration: ◦ max. load capacity: 600 kg ◦ lifting height: 6 m ◦ lifting speed: 5 m/min • steel cable dimensions: Ø 4.5 mm x 12 m

► May not be sold in France



WEH300



5 410329 355043



**PORTABLE STEEL SAWHORSES (2 pcs) - max. 100 kg/pc**

**PEREL®**

- FR TRÉTEAUX PORTABLES EN ACIER (2 pcs) - MAX. 100 kg/pc
- NL INKLAPBARE STALEN SCHRAGEN (2 st.) - max. 100 kg/st.
- DE TRAGBARE SÄGEBÖCKE (2 ST.) MAX. 100 kg /ST.
- ES CABALLETES PORTÁTILES DE ACERO - máx. 100 kg/unidad

foldable for easy storage • anti-slip foam strip • carrying handle

dimensions: ◦ folded: 995 x 100 x 35mm ◦ opened: 995 x 100/485 x 780mm • max load: 100kg/pc



2002-B



5 411257 109746



**PORTABLE METAL SAWHORSES (2 pcs) - MAX. 150 kg/pc**

**PEREL®**

- FR TRETEAUX PORTABLES METALLIQUES (2 pcs) - MAX. 150 kg/pc
- NL INKLAPBARE METALEN SCHRAGEN (2 st.) - max. 150 kg/st.
- DE TRAGBARE SÄGEBÖCKE (2 ST.) - MAX. 150 kg/ST.
- ES CABALLETES PORTÁTILES DE METAL (2 uds.) - MÁX. 150 kg/UNIDAD

adjustable in height • telescopic: 12 positions • foldable for easy storage • anti-slip foam strip • carrying handle

adjustable height: 650 - 915mm • max. load: 150kg/pc • dimensions folded: 995 x 125 x 35mm • dimensions unfolded: 995 x 125/625 x 650-915mm



2002-150



5 411257 114887



**PORTABLE METAL SAWHORSE - max. 180 kg/pc**

**PEREL®**

- FR TRETEAU PORTABLE METALLIQUE - MAX. 180 kg/pc
- NL INKLAPBARE METALEN SCHRAAG - max. 180 kg/st.
- DE METALL-SCHRAGEN (1 ST.) - MAX. 180 kg/ST.
- ES CABALLETE PORTÁTIL DE METAL - MÁX. 180 kg/UNIDAD

adjustable in height • telescopic: 7 positions • foldable for easy storage • non-slip feet • extra sturdy


adjustable height: 810 - 1300mm • maximum load: 180kg/pc • dimensions folded: 680 x 160 x 840mm • dimensions unfolded: 680 x 580 x 800-1300mm



2002-200



5 411257 113613



**HOOKS - FOR MP52 - 10 pcs**

- FR CROCHETS - POUR MP52 - 10 pcs
- NL HAKEN - VOOR MP52 - 10 st
- DE HAKEN - FÜR MP52 - 10-tlg.
- ES GANCHOS - PARA MP52 - 10 uds.

18 HOOKS FOR MP52

**Toolland**  
a land of possibilities



MP521



5 411244 521209



## STANLEY • COMPRESSORS

STANLEY • COMPRESSEURS  
 STANLEY • COMPRESSOREN  
 STANLEY • COMPRESSORS  
 STANLEY • COMPRESORES



### COMPRESSOR AIR KIT - 1.5 hp

**STANLEY**

FR KIT AIR COMPRESSEUR - 1.5 ch  
 NL COMPRESSOR AIR KIT - 1.5 pk  
 DE KOMPRESSOR AIR KIT - 1.5 PS  
 ES COMPRESOR AIR KIT - 1.5 CV

lightweight, compact and portable, easy to store • without air tank • simple oil-free maintenance • built-in storage for accessories • accessories: ◦ 3m rubber hose ◦ inflating gun with pressure gauge ◦ blowing nozzle ◦ kit of 3 needles: for inflating balls, bicycles and small mattresses

rated power: 1100W / 1.5Hp • max. pressure: 8 bar • capacity: 180 litre/min • motor: 3400rpm • power supply: 230VAC • current consumption: 5A • weight: 5430g  
 • dimensions: 325 x 255 x 290mm

► May only be sold in Belgium, Luxemburg, The Netherlands



W8215190STN



8 016738 753899



### LUBRICATED DIRECT-DRIVE COMPRESSOR - 2 hp / 6 L / 8 bar

**STANLEY**

FR COMPRESSEUR COAXIAL LUBRIFIÉ - 2 ch / 6 L / 8 bar  
 NL COMPRESSOR MET DIRECTE AANDRIJVING EN SMERING - 2 pk / 6 L / 8 bar  
 DE ÖLGESCHMIERTER DIREKTANGETRIEBENER KOMPRESSOR - 2 PS / 6 L / 8 bar  
 ES COMPRESOR LUBRICADO CON TRANSMISIÓN DIRECTA - 2 CV / 6 L / 8 bar

lubricated

rated power (W/Hp): 1500 / 2 • max. pressure (bar / psi): 8 / 116 • capacity (l/min): 222 • reservoir capacity (l): 6 • motor (rpm): 2850 • operating voltage: 230VAC / 50Hz  
 • current consumption (A): 6 • dimensions (mm): 530 x 210 x 540 • weight (kg): 18

► May only be sold in Belgium



WD210/8/6



8 016738 703061



### OILLESS COMPRESSOR - 1.5 hp / 6 L / 8 bar

**STANLEY**

FR COMPRESSEUR SANS HUILE - 1.5 ch / 6 L / 8 bar  
 NL COMPRESSOR ZONDER OLIE - 1.5 pk / 6 L / 8 bar  
 DE ÖLLOSER KOMPRESSOR - 1.5 PS / 6 L / 8 bar  
 ES COMPRESOR SIN ACEITE - 1.5 CV / 6 L / 8 bar

lubricated

rated power (W/Hp): 1100 / 1.5 • max. pressure (bar / psi): 8/116 • capacity (l/min): 180 • reservoir capacity (l): 6 • motor (rpm): 3400 • operating voltage: 230VAC / 50Hz  
 • current consumption (A): 5.5 • dimensions (mm): 530x210x540 • weight (kg): 17

► May only be sold in Belgium



WDN200/8/6



8 016738 703788



### OILLESS COMPRESSOR - 1.5 hp / 24 L / 10 bar

**STANLEY**

FR COMPRESSEUR SANS HUILE - 1.5 ch / 24 L / 10 bar  
 NL COMPRESSOR ZONDER OLIE - 1.5 pk / 24 L / 10 bar  
 DE ÖLLOSER KOMPRESSOR - 1.5 PS / 24 L / 10 bar  
 ES COMPRESOR SIN ACEITE - 1.5 CV / 24 L / 10 bar

oil-free

rated power (W/Hp): 1100 / 1.5 • max. pressure (bar / psi): 10 / 145 • capacity (l/min): 180 • reservoir capacity (l): 24 • motor (rpm): 3400 • operating voltage: 230VAC / 50Hz  
 • current consumption (A): 5.5 • dimensions (mm): 570 x 255 x 445 • weight (kg): 18 • spare belt: PJ-307 NU9075047

► May only be sold in Belgium, France, Luxemburg



WD200/10/24



8 016738 702637





## TWENTY - VERTICAL OILLESS COMPRESSOR - 1.5 hp / 24 L / 10 bar

**STANLEY**

FR COMPRESSEUR TWENTY SANS HUILE - 1.5 ch / 24 L / 10 bar  
 NL COMPRESSOR TWENTY ZONDER OLIE - 1.5 pk / 24 L / 10 bar  
 DE ÖLLOSER KOMPRESSOR TWENTY - 1.5 PS / 24 L / 10 bar  
 ES COMPRESOR TWENTY SIN ACEITE - 1.5 CV / 24 L / 10 bar

oil-free • rubber feet for stability when in use • light, compact and portable

rated power (W/Hp): 1100 / 1.5 • max. pressure (bar / psi): 10 / 145 • capacity (l/min): 180 • reservoir capacity (l): 24 • motor (rpm): 3400 • operating voltage: 230VAC / 50Hz • current consumption (A): 5.5 • dimensions (mm): 640x310x320 • weight (kg): 16,3

► May only be sold in Belgium



WD200/10/24V



8 016738 754940



## COMPRESSOR - 2 hp / 50 L VERTICAL / 10 bar

**STANLEY**

FR COMPRESSEUR - 2 cv / 50 L VERTICAL / 10 bar  
 NL COMPRESSOR - 2 pk / 50 L VERTIKAAL / 10 bar  
 DE KOMPRESSOR - 2 PS / 50 L VERTIKAL / 10 bar  
 ES COMPRESOR - 2 CV / 50 L VERTICAL / 10 bar

oil-free • easy to transport, easy to store

rated power: 1500W / 2Hp • max. pressure: 10 bar (145 psi) • capacity: 222 l/min • reservoir capacity: 50l • power supply: 230VAC-50Hz • dimensions: 330x330x845mm • weight: 22,2kg

► May only be sold in Belgium



W8117180STN



8 016738 750478



## COMPRESSOR - 2.5 hp / 100 L VERTICAL / 10 bar

**STANLEY**

FR COMPRESSEUR - 2,5 cv / 100 L VERTICAL / 10 bar  
 NL COMPRESSOR - 2,5 pk / 100 L VERTIKAAL / 10 bar  
 DE KOMPRESSOR - 2,5 PS / 100 L VERTIKAL / 10 bar  
 ES COMPRESOR - 2,5HP / 100 L VERTICAL / 10 bar

oil-free • easy to transport, easy to store

rated power: 1800W / 2,5Hp • max. pressure: 10 bar (145 psi) • capacity: 270 l/min • reservoir capacity: 100l • power supply: 230VAC-50Hz • dimensions: 467x455x1100mm • weight: 42kg

► May only be sold in Belgium, Luxemburg



W8213343STN



8 016738 753882



## NUAIR - COMPRESSOR + KIT - 2.5 hp - 50 L - 8 bar

**STANLEY**

FR NUAIR - COMPRESSEUR + KIT - 2.5 ch - 50 L - 8 bar  
 NL NUAIR - COMPRESSOR + KIT - 2.5 pk - 50 L - 8 bar  
 DE NUAIR - KOMPRESSOR 50 L - 3 PS  
 ES NUAIR - COMPRESOR 50 L - 3 CV

This semi-professional 2.5 hp compressor with its 50l tank is the perfect for all your DIY jobs at home and in the garage. Comes with multifunctional accessories.

accessories: ◦ inflating gun ◦ 3 nozzles ◦ blow gun ◦ gravity spray gun - 0.5L ◦ spiral hose (5m)

capacity: 260l/min (9.2 CFM) • pressure: 8 bar (116 psi) • motor: 2.5 hp • operating voltage: 230VAC / 50Hz • tank: 50l • dimensions: 830 x 325 x 735mm • weight: 96kg

► May only be sold in Belgium, Luxemburg, The Netherlands



W8213815



8 016738 700268





## LUBRICATED DIRECT-DRIVE COMPRESSOR - 2 hp / 24 L / 8 bar

**STANLEY**

FR COMPRESSEUR COAXIAL LUBRIFIÉ - 2 ch / 24 L / 8 bar  
NL COMPRESSOR MET DIRECTE AANDRIJVING EN SMERING - 2 pk / 24 L / 8 bar  
DE ÖLGESCHMIERTER DIREKTANGETRIEBENER KOMPRESSOR - 2 PS / 24 L / 8 bar  
ES COMPRESOR LUBRICADO CON TRANSMISIÓN DIRECTA - 2 CV / 24 L / 8 bar

lubricated

rated power (W/Hp): 1500 / 2 • max. pressure (bar / psi): 8 / 116 • capacity (l/min):  
222 • reservoir capacity (l): 24 • motor (rpm): 2850 • operating voltage: 230VAC / 50Hz  
• current consumption (A): 6 • dimensions (mm): 570 x 255 x 590 • weight (kg): 23

► May only be sold in Belgium



WD210/8/24



8 016738 702644



## LUBRICATED DIRECT-DRIVE COMPRESSOR - 2 hp / 50 L / 8 bar

**STANLEY**

FR COMPRESSEUR COAXIAL LUBRIFIÉ - 2 ch / 50 L / 8 bar  
NL COMPRESSOR MET DIRECTE AANDRIJVING EN SMERING - 2 pk / 50 L / 8 bar  
DE ÖLGESCHMIERTER DIREKTANGETRIEBENER KOMPRESSOR - 2 PS / 50 L / 8 bar  
ES COMPRESOR LUBRICADO CON TRANSMISIÓN DIRECTA - 2 CV / 50 L / 8 bar

lubricated

rated power (W/Hp): 1500 / 2 • max. pressure (bar / psi): 8 / 116 • capacity (l/min):  
222 • reservoir capacity (l): 50 • motor (rpm): 2850 • operating voltage: 230VAC / 50Hz  
• current consumption (A): 6 • dimensions (mm): 770 x 310 x 640 • weight (kg): 34

► May only be sold in Belgium



WD210/8/50



8 016738 702651



## LUBRICATED DIRECT- DRIVE COMPRESSOR - 2.2 hp / 24 L / 10 bar

**STANLEY**

FR COMPRESSEUR COAXIAL LUBRIFIÉ - 2.2 ch / 24 L / 10 bar  
NL COMPRESSOR MET DIRECTE AANDRIJVING EN SMERING - 2.2 pk / 24 L / 10 bar  
DE ÖLGESCHMIERTER DIREKTANGETRIEBENER KOMPRESSOR - 2.2 PS / 24 L /  
10 bar  
ES COMPRESOR LUBRICADO CON TRANSMISIÓN DIRECTA - 2.2 CV / 24 L / 10 bar

lubricated

rated power (W/Hp): 1800 / 2.5 • max. pressure (bar / psi): 10 / 145 • capacity (l/min):  
250 • reservoir capacity (l): 24 • motor (rpm): 2850 • operating voltage: 230VAC / 50Hz  
• current consumption (A): 7.5 • dimensions (mm): 570 x 255 x 590 • weight (kg): 25

► May only be sold in Belgium



WDL250/10/24



8 016738 704143



## LUBRICATED DIRECT- DRIVE COMPRESSOR - 2.2 hp / 50 L / 10 bar

**STANLEY**

FR COMPRESSEUR COAXIAL LUBRIFIÉ - 2.2 ch / 50 L / 10 bar  
NL COMPRESSOR MET DIRECTE AANDRIJVING EN SMERING - 2.2 pk / 50 L / 10 bar  
DE ÖLGESCHMIERTER DIREKTANGETRIEBENER KOMPRESSOR - 2.2 PS / 50 L /  
10 bar  
ES COMPRESOR LUBRICADO CON TRANSMISIÓN DIRECTA - 2.2 CV / 50 L / 10 bar

lubricated

rated power (W/Hp): 1800 / 2.5 • max. pressure (bar / psi): 10 / 145 • capacity (l/min):  
250 • reservoir capacity (l): 50 • motor (rpm): 2850 • operating voltage: 230VAC / 50Hz  
• current consumption (A): 7.5 • dimensions (mm): 770 x 310 x 640 • weight (kg): 36

► May only be sold in Belgium



WDL250/10/50



8 016738 704136



## LUBRICATED DIRECT-DRIVE COMPRESSOR

**STANLEY**

- 2.5 hp / 50 L / 10 bar

- FR COMPRESSEUR COAXIAL LUBRIFIÉ - 2.5 ch / 50 L / 10 bar
- NL COMPRESSOR MET DIRECTE AANDRIJVING EN SMERING - 2.5 pk / 50 L / 10 bar
- DE ÖLGESCHMIERTER DIREKTANGETRIEBENER KOMPRESSOR - 2.5 PS / 50 L / 10 bar
- ES COMPRESOR LUBRICADO CON TRANSMISIÓN DIRECTA - 2.5 CV / 50 L / 10 bar

lubricated

rated power (W/Hp): 1800 / 2.5 • max. pressure (bar / psi): 10 / 145 • capacity (l/min): 260 • reservoir capacity (l): 50 • motor (rpm): 2850 • operating voltage: 230VAC / 50Hz • current consumption (A): 9 • dimensions (mm): 800 x 310 x 70 • weight (kg): 40

► May only be sold in Belgium, The Netherlands



WD260/10/50



8 016738 702682



## LUBRICATED DIRECT-DRIVE TWIN 'V' CYLINDERS COMPRESSOR - 3 hp / 24 L / 9 bar

**STANLEY**

- FR COMPRESSEUR BICYLINDRE EN V COAXIAL LUBRIFIÉ - 3 ch / 24 L / 9 bar
- NL COMPRESSOR MET DIRECTE AANDRIJVING, V-TWIN EN SMERING - 3 pk / 24 L / 9 bar
- DE ÖLGESCHMIERTER DIREKTANGETRIEBENER KOMPRESSOR MIT ZWEIZYLINDER - 3 PS / 24 L / 9 bar
- ES COMPRESOR DE DOS CILINDROS EN V COAXIAL LUBRICADO - 3 CV / 24 L / 9 bar

lubricated

rated power (W/Hp): 2200 / 3 • max. pressure (bar / psi): 10 / 145 • capacity (l/min): 356 • reservoir capacity (l): 24 • motor (rpm): 2850 • operating voltage: 230VAC / 50Hz • current consumption (A): 11 • dimensions (mm): 440 x 650 x 745 • weight (kg): 48

► May only be sold in Belgium



WDV2400/10/24P



8 016738 702811



## LUBRICATED DIRECT-DRIVE TWIN 'V' CYLINDERS COMPRESSOR - 3 hp / 24 L / 9 bar

**STANLEY**

- FR COMPRESSEUR BICYLINDRE EN V COAXIAL LUBRIFIÉ - 3 ch / 24 L / 9 bar
- NL COMPRESSOR MET DIRECTE AANDRIJVING, V-TWIN EN SMERING - 3 pk / 24 L / 9 bar
- DE ÖLGESCHMIERTER DIREKTANGETRIEBENER KOMPRESSOR MIT ZWEIZYLINDER - 3 PS / 24 L / 9 bar
- ES COMPRESOR DE DOS CILINDROS EN V COAXIAL LUBRICADO - 3 CV / 24 L / 9 bar

lubricated

rated power (W/Hp): 2200 / 3 • max. pressure (bar / psi): 10 / 145 • capacity (l/min): 350 • reservoir capacity (l): 24 • motor (rpm): 1450 • operating voltage: 230VAC / 50Hz • current consumption (A): 13.5 • dimensions (mm): 540 x 650 x 810 • weight (kg): 51

► May only be sold in Belgium



WDV4400/10/24P



8 016738 702828



## LUBRICATED DIRECT-DRIVE TWIN 'V' CYLINDERS COMPRESSOR - 3 hp / 50 L / 10 bar

**STANLEY**

- FR COMPRESSEUR BICYLINDRE EN V COAXIAL LUBRIFIÉ - 3 ch / 50 L / 10 bar
- NL COMPRESSOR MET DIRECTE AANDRIJVING, V-TWIN EN SMERING - 3 pk / 50 L / 10 bar
- DE ÖLGESCHMIERTER DIREKTANGETRIEBENER KOMPRESSOR MIT ZWEIZYLINDER - 3 PS / 50 L / 10 bar
- ES COMPRESOR DE DOS CILINDROS EN V COAXIAL LUBRICADO - 3 CV / 50 L / 10 bar

lubricated

rated power (W/Hp): 2200 / 3 • max. pressure (bar / psi): 10 / 145 • capacity (l/min): 356 • reservoir capacity (l): 50 • motor (rpm): 2850 • operating voltage: 230VAC / 50Hz • current consumption (A): 11 • dimensions (mm): 830 x 350 x 650 • weight (kg): 45

► May only be sold in Belgium



WDV2400/10/50



8 016738 703115



### LUBRICATED DIRECT-DRIVE TWIN 'V' CYLINDERS COMPRESSOR - 3 hp / 50 L / 10 bar + KIT

**STANLEY**

FR COMPRESSEUR BICYLINDRE EN V COAXIAL LUBRIFIÉ - 3 ch / 50 L / 10 bar  
 NL COMPRESSOR MET DIRECTE AANDRIJVING, V-TWIN EN SMERING - 3 pk / 50 L / 10 bar  
 DE ÖLGESCHMIERTER DIREKTANGETRIEBENER KOMPRESSOR MIT ZWEIZYLINDER - 3 PS / 50 L / 10 bar  
 ES COMPRESOR DE DOS CILINDROS EN V COAXIAL LUBRICADO - 3 CV / 50 L / 10 bar

lubricated • included accessories: ◦ 5m PE spiral hose ◦ blowing gun ◦ inflating gun + 3 nozzles kit ◦ washing spray gun 1L ◦ air/water wash gun ◦ gravity spray gun ◦ impact wrench kit: = 10 sockets: 9,10,11,13,14,17,19,22,24,27 = 1 extension = 1 oil bottle = 2 quick coupling 1/4 M" (D & FR) = 1 mini oiler = 1 socket head key

rated power (W/Hp): 2200 / 3 • max. pressure (bar / psi): 10 / 145 • capacity (l/min): 356 • reservoir capacity (l): 50 • motor (rpm): 2850 • operating voltage: 230VAC / 50Hz • current consumption (A): 11 • dimensions (mm): 830 x 350 x 650 • weight (kg): 45

► May only be sold in Belgium



WDV2400/10/50K



8 016738 703610



### BELT-DRIVEN TWIN-CYLINDER COMPRESSOR - 2 hp / 50 L / 10 bar

**STANLEY**

FR COMPRESSEUR BICYLINDRE À COURROIE - 2 ch / 50 L / 10 bar  
 NL COMPRESSOR MET RIEMAANDRIJVING EN TWEECILINDER - 2 pk / 50 L / 10 bar  
 DE RIEMENGETRIEBENER KOMPRESSOR MIT ZWEIZYLINDER - 2 PS / 50 L / 10 bar  
 ES COMPRESOR DE DOS CILINDROS CON CORREA - 2 CV / 50 L / 10 bar

lubricated

rated power (W/Hp): 1500 / 2 • max. pressure (bar / psi): 10 / 145 • capacity (l/min): 255 • reservoir capacity (l): 50 • motor (rpm): 1250 • operating voltage: 230VAC / 50Hz • current consumption (A): - • dimensions (mm): 800 x 390 x 750 • weight (kg): 50

► May only be sold in Belgium



WB255/10/50



8 016738 702699



### BELT-DRIVEN TWIN-CYLINDER COMPRESSOR - 2 hp / 100 L / 10 bar

**STANLEY**

FR COMPRESSEUR BICYLINDRE À COURROIE - 2 ch / 100 L / 10 bar  
 NL COMPRESSOR MET RIEMAANDRIJVING EN TWEECILINDER - 2 pk / 100 L / 10 bar  
 DE RIEMENGETRIEBENER KOMPRESSOR MIT ZWEIZYLINDER - 2 PS / 100 L / 10 bar  
 ES COMPRESOR DE DOS CILINDROS CON CORREA - 2 CV / 100 L / 10 bar

lubricated

rated power (W/Hp): 1500 / 2 • max. pressure (bar / psi): 10 / 145 • capacity (l/min): 255 • reservoir capacity (l): 100 • motor (rpm): 1250 • operating voltage: 230VAC / 50Hz • current consumption (A): - • dimensions (mm): 1025 x 435 x 845 • weight (kg): 63

► May only be sold in Belgium



WB255/10/100



8 016738 702712



### BELT-DRIVEN TWIN-CYLINDER COMPRESSOR - 3 hp / 50 L / 10 bar

**STANLEY**

FR COMPRESSEUR BICYLINDRE À COURROIE - 3 ch / 50 L / 10 bar  
 NL COMPRESSOR MET RIEMAANDRIJVING EN TWEECILINDER - 3 pk / 50 L / 10 bar  
 DE RIEMENGETRIEBENER KOMPRESSOR MIT ZWEIZYLINDER - 3 PS / 50 L / 10 bar  
 ES COMPRESOR DE DOS CILINDROS CON CORREA - 3 CV / 50 L / 10 bar

lubricated

rated power (W/Hp): 2200 / 3 • max. pressure (bar / psi): 10 / 145 • capacity (l/min): 330 • reservoir capacity (l): 50 • motor (rpm): 1570 • operating voltage: 230VAC / 50Hz • current consumption (A): - • dimensions (mm): 800 x 390 x 750 • weight (kg): 48

► May only be sold in Belgium

WB350/10/50



8 016738 702705





**BELT-DRIVEN TWIN-CYLINDER  
COMPRESSOR - 3 hp / 100 L / 10 bar**

**STANLEY**

FR COMPRESSEUR BICYLINDRE À COURROIE - 3 ch / 100 L / 10 bar  
NL COMPRESSOR MET RIEMAANDRIJVING EN TWEECILINDER - 3 pk / 100 L / 10 bar  
DE RIEMENGETRIEBENER KOMPRESSOR MIT ZWEIZYLINDER - 3 PS / 100 L / 10 bar  
ES COMPRESOR DE DOS CILINDROS CON CORREA - 3 CV / 100 L / 10 bar

lubricated

rated power (W/Hp): 2200 / 3 ● max. pressure (bar / psi): 10 / 145 ● capacity (l/min): 330 ● reservoir capacity (l): 100 ● motor (rpm): 1570 ● operating voltage: 230VAC / 50Hz ● current consumption (A): - ● dimensions (mm): 1025 x 435 x 845 ● weight (kg): 69

► May only be sold in Belgium



WB350/10/100



8 016738 702736



**BELT-DRIVEN TWIN-CYLINDER  
COMPRESSOR - 3 hp / 200 L / 10 bar**

**STANLEY**

FR COMPRESSEUR BICYLINDRE À COURROIE - 3 ch / 200 L / 10 bar  
NL COMPRESSOR MET RIEMAANDRIJVING EN TWEECILINDER - 3 pk / 200 L / 10 bar  
DE RIEMENGETRIEBENER KOMPRESSOR MIT ZWEIZYLINDER - 3 PS / 200 L / 10 bar  
ES COMPRESOR DE DOS CILINDROS CON CORREA - 3 CV / 200 L / 10 bar

lubricated

rated power (W/Hp): 2200 / 3 ● max. pressure (bar / psi): 10 / 145 ● capacity (l/min): 330 ● reservoir capacity (l): 200 ● motor (rpm): 1570 ● operating voltage: 230VAC / 50Hz ● current consumption (A): - ● dimensions (mm): 1435 x 475 x 1125 ● weight (kg): 96

► May only be sold in Belgium



WB350/10/200



8 016738 702750



**BELT-DRIVEN TWIN-CYLINDER  
COMPRESSOR - 3 hp / 100 L / 10 bar**

**STANLEY**

FR COMPRESSEUR BICYLINDRE À COURROIE - 3 ch / 100 L / 10 bar  
NL COMPRESSOR MET RIEMAANDRIJVING EN TWEECILINDER - 3 pk / 100 L / 10 bar  
DE RIEMENGETRIEBENER KOMPRESSOR MIT ZWEIZYLINDER - 3 PS / 100 L / 10 bar  
ES COMPRESOR DE DOS CILINDROS CON CORREA - 3 CV / 100 L / 10 bar

lubricated

rated power (W/Hp): 2200 / 3 ● max. pressure (bar / psi): 10 / 145 ● capacity (l/min): 390 ● reservoir capacity (l): 100 ● motor (rpm): 1100 ● operating voltage: 230AC / 50Hz ● current consumption (A): - ● dimensions (mm): 1025 x 435 x 915 ● weight (kg): 75

► May only be sold in Belgium



WB400/10/100



8 016738 702873



**BELT-DRIVEN TWIN-CYLINDER  
COMPRESSOR - 3 hp / 200 L / 10 bar**

**STANLEY**

FR COMPRESSEUR BICYLINDRE À COURROIE - 3 ch / 200 L / 10 bar  
NL COMPRESSOR MET RIEMAANDRIJVING EN TWEECILINDER - 3 pk / 200 L / 10 bar  
DE RIEMENGETRIEBENER KOMPRESSOR MIT ZWEIZYLINDER - 3 PS / 200 L / 10 bar  
ES COMPRESOR DE DOS CILINDROS CON CORREA - 3 CV / 200 L / 10 bar

lubricated

rated power (W/Hp): 2200 / 3 ● max. pressure (bar / psi): 10 / 145 ● capacity (l/min): 390 ● reservoir capacity (l): 200 ● motor (rpm): 1100 ● operating voltage: 230VAC / 50Hz ● current consumption (A): - ● dimensions (mm): 1435 x 475 x 1125 ● weight (kg): 102

► May only be sold in Belgium



WB400/10/200



8 016738 702774



### INFLATING GUN KIT - 4 pcs

**STANLEY**

- FR JEU AVEC PISTOLET À AIR - 4 pcs
- NL SET MET LUCHTPISTOOL - 4 st.
- DE SATZ MIT REIFENFÜLLER - 4 St.
- ES JUEGO CON INFLADOR - 4 uds.

contents: ◦ tyre inflator with gauge ◦ 3 inflating adaptors  
 ▶ May only be sold in Belgium, The Netherlands



W150540XSTN



8 016738 714821



### PNEUMATIC ACCESSORY KIT - 8 pcs

**STANLEY**

- FR JEU D'ACCESSOIRES PNEUMATIQUES - 8 pcs
- NL KIT MET PNEUMATISCHE ACCESSOIRES - 8-delig
- DE Kfz-WERKZEUGSET - 8 uds.
- ES JUEGO DE HERRAMIENTAS PARA EL COCHE - 8 uds.

contents: ◦ air impact wrench 1/2" ◦ socket set ◦ 10 m hose ◦ blow gun ◦ tyre inflating gun

▶ May only be sold in Belgium



W9045769STN



8 016738 715576



### SPRAY GUN KIT

**STANLEY**

- FR KIT AEROGRAPHE
- NL SPUITPISTOOL KIT
- DE SET MIT SPRITZPISTOLE
- ES JUEGO DE PISTOLA PULVERIZADORA

contents: ◦ gravity spray gun 0.6 litre nylon cup quick coupling Ø 1.4 mm ◦ 1 small brush  
 ◦ 1 multipurpose key ◦ 1 quick coupling 1/4 M" (D)

▶ May only be sold in Belgium



W161132XSTN



8 016738 709377



### SPRAY GUN KIT

**STANLEY**

- FR KIT DE PISTOLET À PEINTURE
- NL KIT MET SPUITPISTOOL
- DE SET MIT SPRITZPISTOLE
- ES JUEGO DE PISTOLA PULVERIZADORA

contents: ◦ suction spray gun with 1 litre pot and quick coupling Ø 1.8 mm ◦ 1 small brush  
 ◦ 1 multipurpose key ◦ 1 quick coupling 1/4 M" (D)

▶ May only be sold in Belgium



W160123XSTN



8 016738 709360



### IMPACT WRENCH - 1/2"

**STANLEY**

- FR KIT CLE A CHOCS 1/2" AVEC 10 DOUILLES
- NL SLAGMOERSLEUTELKIT
- DE SATZ MIT SCHLAGSCHRAUBER - 1/2"
- ES JUEGO CON LLAVE DE IMPACTO - 1/2"

contents: ◦ 10 sockets: 9,10,11,13,14,17,19,22,24,27 ◦ 1 extension ◦ 1 oil bottle ◦ 2 quick coupling 1/4 M" (D & FR) ◦ 1 mini oiler ◦ 1 socket head key

▶ May only be sold in Belgium



W160157XSTN



8 016738 708691



### PNEUMATIC ACCESSORY KIT - 8 pcs

**STANLEY**

- FR KIT DE 8 ACCESSOIRES
- NL ACCESSOIREKIT - 8 STUKS
- DE SATZ MIT ZUBEHÖR - 8 St.
- ES JUEGO CON ACCESORIOS - 8 uds.

contents: ◦ gravity spray gun 1/2 L ◦ blowing gun ◦ inflating gun ◦ spray nozzle ◦ spiral tube (5 m) ◦ air dusting gun ◦ 3 inflating nozzles

▶ May only be sold in Belgium



W9045671STN



8 016738 709384





## DIE GRINDER KIT

**STANLEY**

FR KIT DE MEULAGE AVEC 10 MEULES  
 NL SLJPKIT MET 10 SLJPKOPPEN  
 DE SCHLEIFER-SET  
 ES JUEGO DE AMOLADORA

contents: ◦ 10 grinding stones Ø 6/3 mm ◦ 2 keys ◦ 1 chuck Ø 3 mm ◦ 1 chuck Ø 6 mm  
 ◦ 2 quick couplings 1/4 M" (D & FR)

► May only be sold in Belgium



W160153XSTN



8 016738 708684



## PNEUMATIC HAMMER + 4 HEX FITTINGS CHISELS

**STANLEY**

FR KIT MARTEAU PNEUMATIQUE AVEC 4 CISEAUX A RACCORD HEXAGONAL  
 NL PNEUMATISCHE HAMER KIT MET 4 BEITELS MET ZESKANT AANSLUITING  
 DE DRUCKLUFT-MEISSELHAMMER - 4 MEISSEL MIT SECHSKANTSCHAFT  
 ES MARTILLO NEUMÁTICO CON 4 FORMONES HEXAGONALES

contents: ◦ 1 pneumatic hammer retaining spring ◦ 4 chisels ◦ 2 quick couplings 1/4 M" (D & FR) ◦ 1 mini oiler

► May only be sold in Belgium, Germany



W160173XSTN



8 016738 708707



## PNEUMATIC DRILL KIT

**STANLEY**

FR KIT PERCEUSE  
 NL KIT MET PNEUMATISCHE BOORMACHINE  
 DE DRUCKLUFT-BOHRMASCHINE  
 ES TALADRO REVERSIBLE

contents: ◦ reversible drill with keyless chuck kit ◦ 10 HSS drill bits black coated: 1.5-2-2.5-3-3.5-4-4.5-5-5.5-6 ◦ 1 adaptor ◦ 6 screw bits: PH1,PH2,PZ1,PZ2,5,6 ◦ 1 oil bottle  
 ◦ 1 mini oiler ◦ 2 quick connector 1/4 M" (D & FR)

► May only be sold in Belgium



W160189XSTN



8 016738 709353



## AIR TOOL KIT - 34 pcs

**STANLEY**

FR KIT PNEUMATIQUE 34 PIECES  
 NL PNEUMATISCHE KIT - 34 STUKS  
 DE DRUCKLUFT-WERKZEUGSET - 34-tlg.  
 ES JUEGO DE HERRAMIENTAS NEUMÁTICAS - 34 uds.

contents: ◦ 1/2" impact wrench ◦ pneumatic hammer with 3 chisels ◦ ratchet wrench with socket set and extension ◦ die grinder with 3 grinding wheels

► May only be sold in Belgium



W8221074STN



8 016738 709391



## AIR HOSE REEL - WALL-MOUNTED 9 + 1 m

**STANLEY**

FR DÉVIDOIR AVEC TUYAU À AIR - MONTAGE MURAL 9 + 1 m  
 NL LUCHTSLANGHASPEL - MUURMONTAGE 9 + 1 m  
 DE LUFTSCHLAUCHTROMMEL - WANDMONTAGE 9 + 1 m  
 ES ENROLLACABLES CON TUBO DE AIRE - MONTAJE MURAL 9 + 1 m

length: 9 m • diameter: 6.5 x 10 mm • max. pressure: 1/12 bar • material: yellow PVC  
 • exits: quick couplings • packing: box

► May only be sold in Belgium



W9045698STN



8 016738 715651



## AIR HOSE REEL - 20 m

**STANLEY**

FR DÉVIDOIR AVEC TUYAU À AIR - 20 m  
 NL LUCHTSLANGHASPEL - 20 m  
 DE LUFTSCHLAUCHTROMMEL - 20 m  
 ES ENROLLACABLES CON TUBO DE AIRE - 20 m

length: 20 m • max. pressure: 18 bar • material: yellow PVC • exits: quick couplings

► May only be sold in Belgium



W166013XSTN



8 016738 715569



### PE SPIRAL HOSE - 5 m - Ø 6 x 8 mm

FR TUYAU SPIRALÉ EN POLYÉTHYLÈNE - 5 m - Ø 6 x 8 mm  
 NL PE SPIRAALSLANG - 5 m - Ø 6 x 8 mm  
 DE PE-SPIRALSCHLAUCH - 5 m - Ø 6 x 8 mm  
 ES MANGUERA DE POLIETILENO EN ESPIRAL - 5 m - Ø 6 x 8 mm

► May only be sold in Belgium



W166005XSTN



8 016738 714531

**STANLEY**



### PE SPIRAL HOSE - 10 m - Ø 6 x 8 mm

FR TUYAU SPIRALÉ EN POLYÉTHYLÈNE - 10 m - Ø 6 x 8 mm  
 NL PE SPIRAALSLANG - 10 m - Ø 6 x 8 mm  
 DE PE-SPIRALSCHLAUCH - 10 m - Ø 6 x 8 mm  
 ES MANGUERA DE POLIETILENO EN ESPIRAL - 10 m - Ø 6 x 8 mm

► May only be sold in Belgium



W8221577STN



8 016738 708714

**STANLEY**



### PE SPIRAL HOSE - 15 m - Ø 6 x 8 mm

FR TUYAU SPIRALÉ EN POLYÉTHYLÈNE - 15 m - Ø 6 x 8 mm  
 NL PE SPIRAALSLANG - 15 m - Ø 6 x 8 mm  
 DE PE-SPIRALSCHLAUCH - 15 m - Ø 6 x 8 mm  
 ES MANGUERA DE POLIETILENO EN ESPIRAL - 15 m - Ø 6 x 8 mm

► May only be sold in Belgium



W170020XSTN



8 016738 714524

**STANLEY**



### RUBBER AIR HOSE - 10 m - Ø 6 x 11 mm

FR TUYAU À AIR EN CAOUTCHOUC - 10 m - Ø 6 x 11 mm  
 NL RUBBEREN LUCHTSLANG - 10 m - Ø 6 x 11 mm  
 DE GUMMI-LUFTSCHLAUCH - 10 m - Ø 6 x 11 mm  
 ES MANGERA DE AIRE DE GOMA - 10 m - Ø 6 x 11 mm

► May only be sold in Belgium



W8221579STN



8 016738 714517

**STANLEY**



### RUBBER AIR HOSE - 20 m - Ø 6 x 11 mm

FR TUYAU À AIR EN CAOUTCHOUC - 20 m - Ø 6 x 11 mm  
 NL RUBBEREN LUCHTSLANG - 20 m - Ø 6 x 11 mm  
 DE GUMMI-LUFTSCHLAUCH - 20 m - Ø 6 x 11 mm  
 ES MANGERA DE AIRE DE GOMA - 20 m - Ø 6 x 11 mm

► May only be sold in Belgium




W8221580STN



8 016738 708721

**STANLEY**



## NUAIR • COMPRESSORS AND PNEUMATIC TOOLS

NUAIR • COMPRESSEURS ET OUTILLAGE PNEUMATIQUE  
 NUAIR • COMPRESSOREN EN PNEUMATISCH GEREEDSCHAP  
 NUAIR • KOMPRESSOREN UND PNEUMATISCHE WERKZEUGE  
 NUAIR • COMPRESORES Y HERRAMIENTAS NEUMÁTICAS



### TANKY - AIR RECEIVER WITH GAUGES - 14 L - 8 bar

FR TANKY - RÉSERVE D'AIR AVEC MANOMÈTRES - 14 L - 8 bar  
 NL TANKY - LUCHTRESERVOIR MET MANOMETERS - 14 L - 8 bar  
 DE TANKY - DRUCKLUFTBEHÄLTER MIT MANOMETERN - 14 L - 8 bar  
 ES TANKY - DEPÓSITO DE AIRE CON MANÓMETROS - 14 L - 8 bar

portable • ideal for inflating bicycle tyres, balls, etc.

max. pressure: 8 bar (116 psi) • reservoir capacity: 14l • dimensions: Ø 250 x 860mm  
 • weight: 9kg

► May only be sold in Belgium, Luxemburg, The Netherlands



W8215160



8 016738 702378

**NUAIR**



## NUAIR - COMPRESSOR MINY - 1.5 hp



FR NUAIR - COMPRESSEUR MINY - 1.5 ch  
NL NUAIR - COMPRESSOR MINY - 1.5 pk  
DE NUAIR - KOMPRESSOR MINY - 1.5 PS  
ES NUAIR - COMPRESSOR MINY - 1.5 CV

lightweight, compact and portable, easy to store • without air tank • aluminium air end unit  
• simple oil-free maintenance • double reel for the electric cable and for the 2.6m rubber hose  
• small built-in inflating needle box • comes with inflating gun

rated power: 1100W / 1.5Hp • max. pressure: 8 bar • capacity: 180 litre/min • motor: 3400rpm  
• power supply: 230VAC • current consumption: 5A • weight: 5.5kg  
• dimensions: 317 x 165 x 345mm

► May only be sold in Belgium, France, Luxemburg, The Netherlands



W8215170



3 283494 250053



## NUAIR - COMPRESSOR SUPER BOXY 2 L - 1.5 hp



FR NUAIR - COMPRESSEUR SUPER BOXY 2 L - 1.5 ch  
NL NUAIR - COMPRESSOR SUPER BOXY 2 L - 1.5 pk  
DE NUAIR - KOMPRESSOR 'SUPER BOXY' 2 L - 1.5 PS  
ES NUAIR - COMPRESSOR 'SUPER BOXY' 2 L - 1.5 CV

lightweight, compact and portable • remote pressure regulator • integrated compartments fit power cable, air hose and accessories • simple oil-free maintenance • comes with: ◦ air dusting gun ◦ inflating gun with pressure gauge ◦ 3 inflating adapters ◦ rubber air hose (5m)

rated power: 1100W / 1.5Hp • max. pressure: 8 bar • reservoir capacity: 2 l • capacity: 195 liter/min. • motor: 3400rpm • power supply: 230VAC • current consumption: 5A  
• weight: 8.75kg • dimensions: 550 x 340 x 150mm

► May only be sold in Belgium, France, Luxemburg, The Netherlands



W8215240



8 016738 702910



## NUAIR - COMPRESSOR JOLLY 5 L - 1.5 hp



FR NUAIR - COMPRESSEUR JOLLY 5 L - 1,5 cv  
NL NUAIR - COMPRESSOR JOLLY 5 L - 1.5 pk  
DE NUAIR - KOMPRESSOR JOLLY 5 L - 1,5 PS  
ES NUAIR - COMPRESSOR JOLLY 5 L - 1,5 CV

lightweight, compact and portable • with shoulder belt for easy transport • integrated storage box for small accessories • simple oil-free maintenance

rated power: 1100W / 1.5Hp • max. pressure: 10 bar • reservoir capacity: 5l • capacity: 180 liter/min. • motor: 3400rpm • power supply: 230VAC • current consumption: 5A  
• weight: - • dimensions: -

► May only be sold in Belgium, Luxemburg, The Netherlands



W8215250



8 016738 755060



## NUAIR - COMPRESSOR SUPER SQUIRREL 6 L - 2 hp



FR NUAIR - COMPRESSEUR SUPER SQUIRREL 6 L - 2.0 ch  
NL NUAIR - COMPRESSOR SUPER SQUIRREL 6 L - 2.0 pk  
DE NUAIR - KOMPRESSOR 'SUPER SQUIRREL' 6 L - 2.0 PS  
ES NUAIR - COMPRESSOR 'SUPER SQUIRREL' 6 L - 2.0 CV

easy to transport thanks to the trolley function • 2 Hp power • 2 regulated air outputs  
• transparent tool storage compartment • simple oil-free maintenance • small built-in inflating needle box • large, easy to read gauge • comes with: ◦ air gun ◦ tyre inflator with gauge ◦ 3 inflating adapters ◦ spiral hose

rated power: 1500W / 2.0Hp • max. pressure: 8 bar • capacity: 220 litre/min • reservoir capacity: 6l • motor: 3200rpm • power supply: 230VAC • current consumption: 5A  
• weight: 13kg • dimensions: 450 x 345 x 535mm

► May only be sold in Belgium, Luxemburg, The Netherlands



W8215210



8 016738 704075





### NUAIR - COMPRESSOR MOVY 5 L - 1.5 hp



FR NUAIR - COMPRESSEUR MOVY 5 L - 1.5 ch  
 NL NUAIR - COMPRESSOR MOVY 5 L - 1.5 pk  
 DE NUAIR - KOMPRESSOR 'MOVY' 5 L - 1.5 PS  
 ES NUAIR - COMPRESOR 'MOVY' 5 L - 1.5 CV

easy to transport • transparent tool storage compartment • simple oil-free maintenance  
 • comes with: ◦ air gun ◦ tyre inflator with gauge ◦ 3 inflating adapters ◦ spiral hose

rated power: 1100W / 1.5Hp • max. pressure: 9 bar • capacity: 200 litre/min • reservoir capacity: 5l • motor: 3400rpm • power supply: 230VAC • current consumption: 5A  
 • weight: 12kg • dimensions: 420 x 690 x 370mm

► May only be sold in Belgium, Luxemburg, The Netherlands



W8215130



8 016738 700022



### MECAFER - COMPRESSOR - 1.5 hp - 24 L - 8 bar



FR MECAFER - COMPRESSEUR - 1.5 ch - 24 L - 8 bar  
 NL MECAFER - COMPRESSOR - 1.5 pk - 24 L - 8 bar  
 DE MECAFER - KOMPRESSOR - 1.5 PS - 24 L - 8 bar  
 ES MECAFER - COMPRESOR - 1.5 CV - 24 L - 8 bar

oil-free

capacity: 180l/min (6.35 CFM) • pressure: 8 bar (116 psi) • motor: 1.5 hp • operating voltage: 230VAC / 50Hz • tank: 24l • dimensions: 570 x 255 x 445mm • weight: 20kg

► May only be sold in Belgium, Luxemburg, The Netherlands



W24158M



8 016738 701807



### MECAFER - COMPRESSOR - 1.5 hp - 24 L - 10 bar



FR MECAFER - COMPRESSEUR - 1.5 ch - 24 L - 10 bar  
 NL MECAFER - COMPRESSOR - 1.5 pk - 24 L - 10 bar  
 DE MECAFER - KOMPRESSOR - 1.5 PS - 24 L - 10 bar  
 ES MECAFER - COMPRESOR - 1.5 CV - 24 L - 10 bar

The only compressor in this range that can reach 10 bar. The big diameter wheels and prolonged handle make it stable and easy to carry.

oil-free

capacity: 180l/min (6.35 CFM) • pressure: 10 bar (145 psi) • motor: 1.5 hp, 1100W  
 • operating voltage: 230VAC / 50Hz • tank: 24l • dimensions: 570 x 255 x 445mm  
 • weight: 21kg

► May only be sold in Belgium, Luxemburg, The Netherlands



W241510M



8 016738 701050



### MECAFER - COMPRESSOR - 2 hp - 50 L - 8 bar



FR MECAFER - COMPRESSEUR - 2 ch - 50 L - 8 bar  
 NL MECAFER - COMPRESSOR - 2 pk - 50 L - 8 bar  
 DE MECAFER - KOMPRESSOR - 2 PS - 50 L - 8 bar  
 ES MECAFER - COMPRESOR - 2 CV - 50 L - 8 bar

capacity: 222l/min (7.8 CFM) • pressure: 8 bar (116 psi) • motor: 2 hp • operating voltage: 230VAC / 50Hz • tank: 50l • dimensions: 530 x 440 x 820mm • weight: 38kg

► May only be sold in Belgium, Luxemburg, The Netherlands



W50208M



8 016738 700329



### NUAIR - COMPRESSOR - 3 hp - 50 L



FR NUAIR - COMPRESSEUR - 3 ch - 50 L  
 NL NUAIR - COMPRESSOR - 3 pk - 50 L  
 DE NUAIR - KOMPRESSOR 50 L - 3 PS  
 ES NUAIR - COMPRESOR 50 L - 3 CV

capacity: 280l/min (9.9 CFM) • pressure: 10 bar (145 psi) • motor: 2.2kW (3 hp)  
 • operating voltage: 230VAC / 50Hz • tank: 50l • dimensions: 810 x 680 x 300mm  
 • weight: 39kg

► May only be sold in Belgium, Luxemburg, The Netherlands



W8119500



8 016738 701814



## MECAFER - COMPRESSOR - 2 hp - 100 L



- FR MECAFER - COMPRESSEUR - 2 ch - 100 L
- NL MECAFER - COMPRESSOR - 2 pk - 100 L
- DE MECAFER - KOMPRESSOR - 2 PS - 100 L
- ES MECAFER - COMPRESOR - 2 CV - 100 L

capacity: 254l/min (9 CFM) • pressure: 10 bar (145 psi) • motor: 1.5kW (2 hp) • operating voltage: 230VAC / 50Hz • tank: 100l • dimensions: 1070 x 820 x 370mm • weight: 62kg

► May only be sold in Belgium, Luxemburg, The Netherlands



W2RFV404AUO108



8 016738 521542



## MECAFER - COMPRESSOR - 3 hp - 200 L - 10 bar



- FR MECAFER - COMPRESSEUR - 3 ch - 200 L - 10 bar
- NL MECAFER - COMPRESSOR - 3 pk - 200 L - 10 bar
- DE MECAFER - KOMPRESSOR - 3 PS - 200 L
- ES MECAFER - COMPRESOR - 3 CV - 200 L

capacity: 320l/min (11.3 CFM) • pressure: 10 bar (145 psi) • motor: 2.2kW (3 hp) • operating voltage: 230VAC / 50Hz • tank: 200l • dimensions: 1500 x 450 x 1090mm • weight: 96kg

► May only be sold in Belgium, Luxemburg, The Netherlands



W2003010M



8 016738 700657



## 4 PUNCH CHISELS WITH HEX FITTING



- FR LOT DE 4 BURINS HEX
- NL 4 BEITELS MET HEX-KOPPELING
- DE 4 HEXAGONALE DRUCKLUFTMEIßEL
- ES 4 PUNZONES HEXAGONALES DE FORMÓN

► May only be sold in Belgium, Luxemburg, The Netherlands



W163092M



3 283491 630926



## SET OF 3 INFLATING NEEDLES



- FR LOT DE 3 AIGUILLES DE GONFLAGE DE PNEUS
- NL SET MET 3 BANDENSPANNERNAALDEN
- DE DRUCKLUFT-ADAPTERSET (3 St.)
- ES JUEGO DE 3 CONECTORES PARA INFLADORES

► May only be sold in Belgium, Luxemburg, The Netherlands



W150537M



3 283491 505378



## INFLATING NOZZLE



- FR EMBOUT POUR GONFLAGE DE PNEUS
- NL MONDSTUK VOOR BANDENSPANNER
- DE DRUCKLUFT VENTILSTECKER
- ES BOQUILLA PARA INFLAR NEUMÁTICOS

► May only be sold in Belgium, Luxemburg, The Netherlands, Portugal



W156026M



3 283491 560261



## HOSE CLAMPS - Ø 6 x 11 mm



- FR COLLIERS DE SERRAGE - Ø 6 x 11 mm
- NL BUISKLEMMEN - Ø 6 x 11 mm
- DE SCHLAUCHSCHELLEN - Ø 6 x 11 mm
- ES ABRAZADERA DE MANGUERA - Ø 6 x 11 mm

► May only be sold in Belgium, Luxemburg, The Netherlands, Portugal



W156034M



3 283491 560346



## HOSE CLAMPS - Ø 8 x 13 mm



- FR COLLIERS DE SERRAGE - Ø 8 x 13 mm
- NL BUISKLEMMEN - Ø 8 x 13 mm
- DE SCHLAUCHSCHELLEN - Ø 8 x 13 mm
- ES ABRAZADERAS DE MANGUERA - Ø 8 x 13 mm

► May only be sold in Belgium, Luxemburg, The Netherlands, Portugal



W156036M



3 283491 560360



## COUPLING - Ø 6 x 11 mm



- FR ACCOUPLEMENT - Ø 6 x 11 mm
- NL KOPPELING - Ø 6 x 11 mm
- DE DRUCKLUFT-VENTILSTECKER 6 x 11
- ES ACOPLADOR 6 x 11

► May only be sold in Belgium, Luxemburg, The Netherlands



W156426M



3 283491 564269



## COUPLING - Ø 8 x 13 mm



- FR ACCOUPLEMENT - Ø 8 x 13 mm
- NL KOPPELING - Ø 8 x 13 mm
- DE VERBINDUNGSSTÜCK 8 x 13
- ES ACOPLADOR 8 x 13

► May only be sold in Belgium, Luxemburg, The Netherlands



W156323M



3 283491 563231





### FITTING 1/4" M - 1/4" M

FR RACCORD 1/4" M - 1/4" M  
 NL KOPPELING 1/4" M - 1/4" M  
 DE ANSCHLÜSSSTÜCK 1/4"-1/4"  
 ES PIEZA DE CONEXIÓN 1/4"-1/4"

► May only be sold in Belgium, Luxemburg, The Netherlands



W156106M



### UNIVERSAL QUICK-RELEASE COUPLING - 1/4" M

FR ACCOUPLEMENT UNIVERSEL À RACCORD RAPIDE - 1/4" M  
 NL UNIVERSELE QUICK-RELEASEKOPPELING - 1/4" M  
 DE UNIVERSALSCHNELLKUPPLUNG 1/4"  
 ES ACOPLADOR UNIVERSAL RÁPIDO MACHO 1/4"

► May only be sold in Belgium, Luxemburg, The Netherlands



W156422M



### UNIVERSAL QUICK-RELEASE COUPLING - 1/4" F

FR ACCOUPLEMENT UNIVERSEL À RACCORD RAPIDE - 1/4" F  
 NL UNIVERSELE QUICK-RELEASEKOPPELING - 1/4" F  
 DE UNIVERSALSCHNELLKUPPLUNG 1/4"  
 ES ACOPLADOR UNIVERSAL RÁPIDO HEMBRA 1/4"

► May only be sold in Belgium, Luxemburg, The Netherlands



W156424M



### QUICK COUPLER - 3/8" M

FR ACCOUPLEMENT RAPIDE - 3/8" M  
 NL KOPPELING - 3/8" M  
 DE SCHNELLKUPPLUNG - 3/8"  
 ES ACOPLADOR RÁPIDO - 3/8"

► May only be sold in Belgium, Luxemburg, The Netherlands



W156501M



### QUICK COUPLER 1/4" - 9 mm

FR ACCOUPLEMENT 1/4" - 9 mm  
 NL KOPPELING 1/4" - 9 mm  
 DE SCHNELLKUPPLUNG 1/4 - 9 mm  
 ES ACOPLADOR RÁPIDO 1/4 - 9 mm

► May only be sold in Belgium, Luxemburg, The Netherlands



W156503M



### QUICK COUPLER - 1/4" M

FR ACCOUPLEMENT - 1/4" M  
 NL KOPPELING - 1/4" M  
 DE SCHNELLKUPPLUNG - 1/4  
 ES ACOPLADOR RÁPIDO - MACHO 1/4

► May only be sold in Belgium, Luxemburg, The Netherlands



W156510M



### QUICK COUPLER - 1/4" F

FR ACCOUPLEMENT - 1/4" F  
 NL KOPPELING - 1/4" F  
 DE SCHNELLKUPPLUNG-TÜLLE - 1/4  
 ES ACOPLADOR RÁPIDO - HEMBRA 1/4

► May only be sold in Belgium, Luxemburg, The Netherlands



W156520M



### QUICK COUPLER 1/4" - 7 mm

FR ACCOUPLEMENT 1/4" - 7 mm  
 NL KOPPELING 1/4" - 7 mm  
 DE SCHNELLKUPPLUNG - 1/4 - 7 mm  
 ES ACOPLADOR RÁPIDO - 1/4 - 7 mm

► May only be sold in Belgium, Luxemburg, The Netherlands



W156525M



### COMPLETE COUPLER SET - 1/4"

FR JEU D'ACCOUPLEMENTS COMPLET - 1/4"  
 NL VOLLEDIGE KOPPELINGSET - 1/4"  
 DE SET MIT SCHNELLKUPPLUNGEN - 1/4  
 ES JUEGO CON ACOPLADORES RÁPIDOS - 1/4

► May only be sold in Belgium, Luxemburg, The Netherlands



W156655M



### QUICK RELEASE COUPLING 1/2" M

FR ACCOUPLEMENT À RACCORD RAPIDE - 1/2" M  
 NL QUICK-RELEASEKOPPELING - 1/2" M  
 DE SCHNELLKUPPLUNG - 1/2" M  
 ES ACOPLADOR RÁPIDO - 1/2" M

► May only be sold in Belgium, Luxemburg, The Netherlands



W166710M





## MINI LUBRICATOR WITH BURETTE

- FR GRAISSEUR MINIATURE AVEC BURETTE
- NL MINI SMEEPOT MET BURET
- DE MINI-SCHMIERGERÄT MIT BÜRETTE
- ES MINIACEITERA CON BURETA



► May only be sold in Belgium, Luxemburg, The Netherlands



W153154M



3 283491 531544



## SPRING PARTS

- FR RESSORT
- NL SPRINGVEER
- DE FEDERTEILE
- ES PIEZAS DE MUELLE



► May only be sold in Belgium, Luxemburg, The Netherlands



W153173M



3 283491 531735



## IMPACT SOCKET SET 1/2" - 10 pcs

- FR LOT D'EMBOUTS 1/2" POUR CLEF À CHOCS - 10 pcs
- NL SET MET 1/2" SLAGMOERSLEUTELBITS - 12 st.
- DE SCHLAGSCHRAUBERNÜSSE 1/2" - 10 ST.
- ES JUEGO CON VASOS DE IMPACTO 1/2" - 10 uds.



► May only be sold in Belgium, Luxemburg, The Netherlands



W153188M



3 283491 531889



## STAPLES 10 mm - 2000 pcs

- FR AGRAFES 10 mm - 2000 pcs
- NL NIETJES 10 mm - 2000 st.
- DE HEFTKLAMMERN 10 mm - 2000 ST.
- ES GRAPAS 10 mm - 2000 uds.



► May only be sold in Belgium, Luxemburg, The Netherlands



W151208M



3 283491 512086

for use with: W8221594

dimensions: 5.7 x 10mm



## STAPLES 12.9 x 10 mm - 1000 pcs

- FR AGRAFES 12.9 x 10 mm - 1000 pcs
- NL NIETJES 12.9 x 10 mm - 1000 st.
- DE HEFTKLAMMERN 12.9 x 10 mm - 1000 St.
- ES GRAPAS 12.9 x 10 mm - 1000 uds.



► May only be sold in Belgium, Luxemburg, The Netherlands



W9045271



8 016738 005714

for use with: W161200M



## STAPLES 12.9 x 16 mm - 1000 pcs

- FR AGRAFES 12.9 x 16 mm - 1000 pcs
- NL NIETJES 12.9 x 16 mm - 1000 st.
- DE HEFTKLAMMERN 12.9 x 16 mm - 1000 St.
- ES GRAPAS 12.9 x 16 mm - 1000 uds.



► May only be sold in Belgium, Luxemburg, The Netherlands



W9045272



8 016738 005721

for use with: W161200M



## STAPLES 13 mm - 1600 pcs

- FR AGRAFES 13 mm - 1600 pcs
- NL NIETJES 13 mm - 1600 st.
- DE HEFTKLAMMERN 13 mm - 1600 ST.
- ES GRAPAS 13 mm - 1600 uds.



► May only be sold in Belgium, Luxemburg, The Netherlands, Spain



W151210M



3 283491 512109

for use with: W8221594

dimensions: 5.7 x 13mm



## STAPLES 22 mm - 800 pcs

- FR AGRAFES 22 mm - 800 pcs
- NL NIETJES 22 mm - 800 st.
- DE HEFTKLAMMERN 22 mm - 800 ST.
- ES GRAPAS 22 mm - 800 uds.



► May only be sold in Belgium, Luxemburg, The Netherlands



W151216M



3 283491 512161

for use with: W8221594

dimensions: 5.7 x 22mm



## STAPLES 40 mm - 1000 pcs

- FR AGRAFES 40 mm - 1000 pcs
- NL NIETJES 40 mm - 1000 st.
- DE HEFTKLAMMERN 40 mm - 1000 St.
- ES GRAPAS 40 mm - 1000 uds.



► May only be sold in Belgium, Luxemburg, The Netherlands



W9045260M



8 016738 003338

for use with: W8221594

dimensions: 5.5 x 40mm



## NAILS 15 mm - 800 pcs

- FR CLOUS 15 mm - 800 pcs
- NL SPIJKERS 15 mm - 800ST
- DE NÄGEL 15 mm - 800 St.
- ES CLAVOS 15 mm - 800 uds.



► May only be sold in Belgium, Luxemburg, The Netherlands



W151220M



3 283491 512208

for use with: W8221594



### NAILS 25 mm - 800 pcs

FR CLOUS 25 mm - 800 pcs  
 NL SPIJKERS 25 mm - 800 st.  
 DE NÄGEL 25 mm - 800 St.  
 ES CLAVOS 25 mm - 800 uds.

for use with: W8221594

► May only be sold in Belgium, Luxemburg, The Netherlands, Portugal



W151224M



3 283491 512246



### NAILS 50 mm - 1000 pcs

FR CLOUS 50 mm - 1000 pcs  
 NL SPIJKERS 50 mm - 1000 st.  
 DE NÄGEL 50 mm - 1000 St.  
 ES CLAVOS 50 mm - 1000 uds.

for use with: W8221594

dimensions: 1.2 x 50mm

► May only be sold in Belgium, Germany, Luxemburg, The Netherlands



W9045257M



8 016738 003307



### TUBE FOR COMPRESSOR - 25 m - Ø 6 x 11 mm

FR TUYAU POUR COMPRESSEUR - 25 m - Ø 6 x 11 mm  
 NL SLANG VOOR COMPRESSOR - 25 m - Ø 6 x 11 mm  
 DE SCHLAUCH FÜR KOMPRESSOR - 25 m - Ø 6 x 11 mm  
 ES TUBO PARA COMPRESOR - 25 m - Ø 6 x 11 mm

► May only be sold in Belgium, Luxemburg, The Netherlands



W176610M



3 283491 766106



### TUBE WITH COUPLING FOR COMPRESSOR - 7.5 m - Ø 6 x 11 mm

FR TUYAU AVEC ACCOUPLEMENT POUR  
 COMPRESSEUR - 7.5 m - Ø 6 x 11 mm  
 NL SLANG MET KOPPELING VOOR COMPRESSOR - 7.5 m - Ø 6 x 11 mm  
 DE SCHLAUCH FÜR KOMPRESSOR MIT  
 ANSCHLUSS - 7.5 m - Ø 6 x 11 mm  
 ES TUBO PARA COMPRESOR CON CONECTOR - 7.5 m - Ø 6 x 11 mm

maximum pressure: 20 bar

► May only be sold in Belgium, Luxemburg, The Netherlands, Rep. Dem. Congo



W176608M



3 283491 766083



### SPIRAL TUBE WITH UNIVERSAL QUICK-RELEASE COUPLING FOR COMPRESSOR - 5 m

FR TUYAU HÉLICOÏDAL AVEC ACCOUPLEMENT UNIVERSEL  
 À RACCORD RAPIDE POUR COMPRESSEUR - 5 m  
 NL SPIRAALSLANG MET UNIVERSELE QUICK-  
 RELEASEKOPPELING VOOR COMPRESSOR - 5 m  
 DE SPIRALSCHLAUCH FÜR KOMPRESSOR 5 m  
 MIT UNIVERSALER SCHNELLKUPPLUNG  
 ES TUBO ESPIRAL PARA COMPRESOR CON  
 ACOPLADOR UNIVERSAL RÁPIDO - 5 m

► May not be sold in Germany



W176605M



3 283491 766052



### PROFESSIONAL HOSE WITH UNIVERSAL QUICK-RELEASE COUPLING - 10 m - Ø 8 x 13 mm

FR TUYAU HAUTE QUALITÉ AVEC ACCOUPLEMENT  
 UNIVERSEL À RACCORD RAPIDE - 10 m - Ø 8 x 13 mm  
 NL HOOGWAARDIGE SLANG MET UNIVERSELE QUICK-  
 RELEASEKOPPELING - 10 m - Ø 8 x 13 mm  
 DE PROFESSIONELLER SCHLAUCH 8 x 10 MIT  
 UNIVERSALSCHNELLKUPPLUNG - 10 m - Ø 8 x 13 mm  
 ES MANGUERA PROFESIONAL 8 x 10 CON ACOPLADOR  
 UNIVERSAL RÁPIDO - 10 m - Ø 8 x 13 mm

► May only be sold in Belgium, Luxemburg, The Netherlands



W166018M



3 283491 660183



### TUBE FOR COMPRESSOR - 25 m - Ø 8 x 13 mm

FR TUYAU POUR COMPRESSEUR - 25 m - Ø 8 x 13 mm  
 NL SLANG VOOR COMPRESSOR - 25 m - Ø 8 x 13 mm  
 DE SCHLAUCH FÜR KOMPRESSOR - 25 m - Ø 8 x 13 mm  
 ES TUBO PARA COMPRESOR - 25 m - Ø 8 x 13 mm

► May only be sold in Belgium, Luxemburg, The Netherlands



W126012M



3 283491 260123



### HOSE REEL - 20 m - Ø 6 x 11 mm

FR DÉVIDOIR AVEC FLEXIBLE POUR  
 COMPRESSEUR - 20 m - Ø 6 x 11 mm  
 NL HASPEL MET LUCHTSLANG - 20 m - Ø 6 x 11 mm  
 DE SCHLAUCHTROMMEL - 20 m - Ø 6 x 11 mm  
 ES ENROLLACABLES - 20 m - Ø 6 x 11 mm

► May only be sold in Belgium, Luxemburg, The Netherlands, Rep. Dem. Congo



W166013M



3 283491 660138



### OIL FOR TOOLS AND COMPRESSORS - 1 L

FR HUILE POUR OUTILLAGE ET COMPRESSEURS - 1 L  
 NL OLIE VOOR GEREEDSCHAP EN COMPRESSOREN - 1 L  
 DE ÖL FÜR PNEUMATIKWERKZEUGE UND KOMPRESSOREN - 1 L  
 ES ACEITE PARA HERRAMIENTAS Y COMPRESORES - 1 L

► May only be sold in Belgium, Luxemburg, The Netherlands



W122014M



3 283491 220141



## LUBRICATOR - 1/4"

FR GRAISSEUR - 1/4"  
 NL SMEERPOT - 1/4"  
 DE ÖLER - 1/4"  
 ES ACEITERA - 1/4"



► May only be sold in Belgium, Luxembourg, The Netherlands



W152165M



3 283491 521651



## REGULATING FILTER

FR RÉDUCTEUR DE PRESSION AVEC FILTRE  
 NL DRUKREGELAAR MET FILTER  
 DE FILTERREGLER  
 ES FILTRO REGULADOR



► May only be sold in Belgium, Luxembourg, The Netherlands



W152164M



3 283491 521644

dimensions: 245 x 145 x 78 • weight: 240 g • materials: aluminium + plastic



## PRESSURE GAUGE - 50 mm

FR MANOMÈTRE - 50 mm  
 NL LUCHTDRIJKMETER - 50 mm  
 DE MANOMETER 50 mm  
 ES MANÓMETRO 50 mm




► May only be sold in Belgium, Luxembourg, The Netherlands



W152163M



3 283491 521637



## PRESSURE REDUCER WITH MANOMETER AND AIR TAP - 1/4" M

FR RÉDUCTEUR DE PRESSION AVEC MANOMÈTRE ET VANNE D'AIR - 1/4" M  
 NL DRUKREGELAAR MET LUCHTDRIJKMETER EN LUCHTKLEP - 1/4" M  
 DE DRUCKREGLER MIT MANOMETER UND LUFTKLAPPE - 1/4" M  
 ES REGULADOR DE PRESIÓN CON MANÓMETRO Y VÁLVULA DE AIRE - 1/4" M



► May only be sold in Belgium, Luxembourg, The Netherlands



W152166M



3 283491 521668

dimensions: 190 x 120 x 46 mm • weight: 300 gr • materials: aluminium + plastic



## INFLATING GUN WITH GAUGE

FR PISTOLET À AIR AVEC MANOMÈTRE  
 NL LUCHTPISTOOL MET LUCHTDRIJKMETER  
 DE LUFTPISTOLE MIT MANOMETER  
 ES INFLADOR CON MANÓMETRO



► May only be sold in Belgium, France, Luxembourg, The Netherlands



W150532M



3 283491 505323

fit for inflating air mattresses, inflatable pools, bicycle and moped tyres, etc.  
 • non-homologated model



## NUIR - COMPRESSOR ACCESSORY KIT - GONFLY

FR NUIR - ACCESSOIRES POUR COMPRESSEUR - GONFLY  
 NL NUIR - ACCESSOIREKIT VOOR COMPRESSOR - GONFLY  
 DE NUIR - ZUBEHÖRSET FÜR KOMPRESSOR - 'GONFLY'  
 ES NUIR - ACCESORIOS PARA COMPRESOR - GONFLY



► May only be sold in Belgium, France, Luxembourg, The Netherlands



W150539M



3 283491 505392

for compressor packs: Easy (W8215020) and Maxy (W8215050) • also compatible with compressors: W2RFV404AU0108, W3FDV504GDDE, W8213800KBA001 and W8213810KBA002 • contains: ◦ tyre inflator with gauge ◦ 3 inflating adaptors



## AIR DUSTING GUN

FR PISTOLET À AIR  
 NL LUCHTPISTOOL  
 DE AUSBLASPISTOLE  
 ES PISTOLA PARA SOPLAR EL POLVO



► May only be sold in Belgium, Luxembourg, The Netherlands



W150025M



3 283491 500250



## AIR DUSTING GUN - SHORT BEAK

FR PISTOLET À AIR - EMBOUT COURT  
 NL LUCHTPISTOOL - KORT MONDSTUK  
 DE AUSBLASPISTOLE - KURZE DÜSE  
 ES PISTOLA PARA SOPLAR EL POLVO - BOQUILLA CORTA



► May only be sold in Belgium, Luxembourg, The Netherlands



W150035M



3 283491 500359



## AIRBRUSH KIT

FR ENSEMBLE AÉROGRAPHE  
 NL VERFSPIJTKIT  
 DE SPRITZPISTOLENSET  
 ES JUEGO CON CEPILLO DE AIRE



► May only be sold in Belgium, Luxembourg, The Netherlands



W150119M



3 283491 501196



## PRECISION SPRAY GUN - GRAVITY TYPE

FR PISTOLET DE PRÉCISION - GODET À GRAVITÉ  
 NL PRECISIESPUIJPISTOOL - BEKER MET DRUPPELAAR  
 DE PRÄZISIONSSPRITZPISTOLE - GRAVITY TYP  
 ES PISTOLA PULVERIZADORA DE PRECISIÓN - TIPO GRAVEDAD



► May only be sold in Belgium, Luxembourg, The Netherlands



W150129M



3 283491 501295

capacity: 60l/min • working pressure: 3 bar (43.5 psi) • cup capacity: 0.25l  
 • nozzle: 0.5mm





### SUCTION SPRAY GUN - 1L CUP

FR AÉROGRAPHE PROFESSIONNEL - GODET DE 1 L  
 NL PROFESSIONELE VERFSPIJT - BEKER VAN 1 L  
 DE PROFESSIONELLE SPRITZPISTOLE - BECHER VON 1 L  
 ES AERÓGRAFO PROFESIONAL - DEPÓSITO DE 1 L

spray gun nozzle: ø 1.4mm

► May only be sold in Belgium, Luxemburg, The Netherlands



W150121M



3 283491 501219



### PROFESSIONAL SPRAY GUN - 1 L

FR PISTOLET PROFESSIONNEL - 1 L  
 NL PROFESSIONEEL SPIJTPISTOOL - 1 L  
 DE PROFESSIONELLE SPRITZPISTOLE 1 L  
 ES PISTOLA PULVERIZADORA PROFESIONAL 1 L

spray gun nozzle: ø 1.8mm

► May only be sold in Belgium, Luxemburg, The Netherlands, Rep. Dem. Congo



W150123M



3 283491 501233



### SANDBLASTING GUN WITH QUICK-RELEASE COUPLING FOR COMPRESSOR

FR SABLEUSE AVEC ACCOUPLEMENT À RACCORD RAPIDE POUR COMPRESSEUR  
 NL ZANDSTRAAL MET QUICK-RELEASEKOPPELING VOOR COMPRESSOR  
 DE SANDSTRAHLPISTOLE MIT SCHNELLVERBINDUNG FÜR KOMPRESSOR  
 ES PISTOLA CHORRO DE ARENA CON ACOPLADOR RÁPIDO PARA COMPRESOR

► May only be sold in Belgium, Luxemburg, The Netherlands



W156062M



3 283491 560629



### SPRAY GUN KIT

FR ENSEMBLE PISTOLET  
 NL SPIJTPISTOOL MET TOEBEHOREN  
 DE VIELSEITIGE SPRITZPISTOLE - BECHER 1 L  
 ES PISTOLA PULVERIZADORA MULTIUSO - DEPÓSITO 1 L

kit contains: ◦ multipurpose spray gun ◦ small brush ◦ key ◦ quick coupling (1/4")

air displacement: 180l/min (6.3 CFM) • max. operating pressure: 4 bar (58 psi) • feeding system: suction • tank: 1l • nozzle: 1.8mm

► May only be sold in Belgium, Luxemburg, The Netherlands



W160123M



3 283491 601230



### STAPLER GUN KIT

FR ENSEMBLE AGRAFEUSE À AIR  
 NL NIETPISTOOL MET TOEBEHOREN  
 DE TACKER  
 ES GRAPADORA DE AIRE

kit contains: ◦ stapler gun ◦ safety goggles ◦ oil ◦ keys (2 pcs) ◦ quick coupling (1/4")  
 ◦ staples 12 x 10mm (W x H): 100 pcs ◦ staples 12 x 16mm (W x H): 100 pcs

air displacement: 80l/min (2.8 CFM) • max. operating pressure: 7 bar (102 psi) • staples:  
 ◦ 12.9 x 10mm - 1000 pcs: W9045271 ◦ 12.9 x 16mm - 1000 pcs: W9045272

► May only be sold in Belgium, Luxemburg, The Netherlands



W161200M



3 283491 612007



### NUIR - COMPRESSOR ACCESSORY KIT - COMBY

FR NUIR - ACCESSOIRES POUR COMPRESSEUR - COMBY  
 NL NUIR - ACCESSOIREKIT VOOR COMPRESSOR - COMBY  
 DE NUIR - ZUBEHÖRSET FÜR KOMPRESSOR - COMBY  
 ES NUIR - ACCESORIOS PARA COMPRESOR - COMBY

contains: ◦ combined nailer / stapler ◦ nails: ◦ 20mm: 200pcs ◦ 32mm: 200pcs ◦ 50mm: 200pcs  
 ◦ staples: ◦ 5.7 x 15mm: 200pcs ◦ 5.7 x 24mm: 200pcs ◦ 5.7 x 40mm: 200pcs

available spare nails: ◦ 15mm - 800pcs: W151220M ◦ 25mm - 800pcs: W151224M  
 ◦ 50mm - 1000pcs: W9045257M • available spare staples: ◦ 5.7 x 10mm - 2400pcs:  
 W151208M ◦ 5.7 x 13mm - 1600pcs: W151210M ◦ 5.7 x 22mm - 800pcs: W151216M  
 ◦ 5.7 x 40mm - 1000pcs: W9045260M

► May only be sold in Belgium, Luxemburg, The Netherlands



W8221594



8 016738 531435





## NUAIR - COMPRESSOR ACCESSORY KIT - MULTY



FR NUAIR - ACCESSOIRES POUR COMPRESSEUR - MULTY  
 NL NUAIR - ACCESSOIREKIT VOOR COMPRESSOR - MULTY  
 DE NUAIR - ZUBEHÖRSET FÜR KOMPRESSOR - MULTY  
 ES NUAIR - ACCESORIOS PARA COMPRESOR - MULTY

for compressors: Easy (W8215020), Squirrel (W8215010) and Maxy (W8215050)

● contains: ○ air/water washing gun ○ extended air dusting gun ○ long nozzle spray gun - 1l reservoir ○ inflating gun with gauge ○ gravity spray gun 0.5l ○ 3 inflating adapters ○ 5m rubber hose

► May only be sold in Belgium, Germany, Luxemburg, The Netherlands



W8221595



8 016738 531442

## NUAIR - COMPRESSOR ACCESSORY KIT - MAXY



FR NUAIR - ACCESSOIRES POUR COMPRESSEUR - MAXY  
 NL NUAIR - ACCESSOIREKIT VOOR COMPRESSOR - MAXY  
 DE NUAIR - ZUBEHÖRSET FÜR KOMPRESSOREN - MAXY  
 ES NUAIR - ACCESORIOS PARA COMPRESOR - MAXY

contains: ○ chipping hammer ○ ratchet wrench 1/2" ○ air impact wrench 1/2" ○ grinder ○ 3 hex chisels ○ pneumatic hammer retaining spring ○ 3 grinding wheels ○ 10 pcs 12mm sockets (10, 11, 13, 14, 15, 17, 19, 22, 24, 27mm) ○ socket extension ○ universal quick coupler female 3/8" ○ universal quick coupler male 3/8" - 5 pcs ○ hex key 4mm ○ 2cl oil

► May only be sold in Belgium, Luxemburg, The Netherlands



W8221596



8 016738 531459



## OTHER

AUTRES  
 ANDERE  
 ANDERE  
 OTROS



## RETRACTABLE AIR HOSE REEL - 15 m



FR DÉVIDOIR RÉTRACTABLE AVEC TUYAU À AIR - 15 m  
 NL ZELFOPROLLENDE LUCHTSLANGHASPEL - 15 m  
 DE LUFTSCHLAUCHTROMMEL MIT SELBSTEINZUG - 15 m  
 ES ENROLLACABLES CON TUBO DE AIRE Y SISTEMA DE ENROLLADO AUTOMÁTICO - 15 m

auto-rewind, spring-driven ● sturdy mounting base ● for wall, floor and ceiling mounting  
 ● quick universal couplings

hose inside diameter: 9.5mm (3/8") ● hose length: 15m ● max. pressure: 20 bar/300 psi  
 ● dimensions: Ø33 x 12.5cm ● weight: 7350g



WAHR15



5 410329 432164



## STAPLER / NAILER



FR AGRAFEUSE / CLOUEUSE  
 NL NIET- / SPIJKERPISTOOL  
 DE TACKER / NAGLER  
 ES GRAPADORA / CLAVADORA

100 pcs 18GA brad nails included ● 100 pcs 18GA staples included

max. operating pressure: 7 bar ● nail size: 10-32 mm ● staple size: 6-32 mm ● capacity: 100 pcs ● weight: 1.25 kg ● pressure: 4-7 bar ● max. pressure: 8.3 bar ● loading capacity: 100 staples



TM91001



5 411244 911017