

SOCKET OUTLETS

PRISES DE COURANT
STEKKERBLOKKEN
STECKDOSENVERTEILER
BASES MÚLTIPLES



MOUNTABLE HOLDER FOR 5 NET BLOCKS

FR SUPPORT POUR 5 BLOCS MULTIPRISES
NL MONTEERBARE HOUDER VOOR 5 VERDEELSTEKKERS
DE MONTIERBARER HALTER FÜR
5 STECKDOSENLEISTEN - MONTIERBAR
ES SOPORTE PARA BASE MÚLTIPLE, 5 TOMAS

for: 5 units



EBHM5



5 410329 436308

PEREL®



FEMALE PLUG

FR PRISE FEMELLE
NL GRIJZE KOPPELSTEKKER
DE STECKDOSE
ES ENCHUFE HEMBRA

in grey plastic • IP20



390-FG



5 411257 001354

PEREL®



FEMALE PLUG

FR PRISE FEMELLE
NL ZWARTE KOPPELSTEKKER
DE STECKDOSE
ES ENCHUFE HEMBRA

in black plastic • IP20



390-FN



5 411257 001361

PEREL®



MALE PLUG

FR FICHE MALE
NL MANNELIJKE STEKKER
DE STECKER AUS
ES ENCHUFE MACHO

in grey plastic



390-MG



5 410329 340759

PEREL®



MALE PLUG

FR PRISE MALE
NL ZWARTE STEKKER
DE STECKER
ES ENCHUFE MACHO

in black plastic



390-MN



5 411257 001392

PEREL®



SOCKET - IP44

FR PRISE FEMELLE - IP44
NL CONTRASTEKKER - IP44
DE STECKDOSE - IP44
ES ENCHUFE HEMBRA - IP44

material: rubber • weatherproof • with child protection and closing lid



► May only be sold in Belgium, Czech Republic, France, Poland, Slovakia



E390F2



5 410329 587932

PEREL®



SOCKET - IP44

FR PRISE FEMELLE - IP44
NL CONTRASTEKKER - IP44
DE STECKDOSE - IP44
ES ENCHUFE HEMBRA - IP44

material: rubber • weatherproof • with child protection and closing lid



► May not be sold in Belgium, Czech Republic, France, Poland, Slovakia



E390F2-G



5 410329 589097

PEREL®



PLUG - IP44

FR FICHE MÂLE - IP44
NL STEKKER - IP44
DE STECKER - IP44
ES ENCHUFE MACHO - IP44

material: rubber • weatherproof



E390M2



5 410329 589103

PEREL®

**3-WAY SOCKET WITH HINGED LIDS**

FR BLOC MULTIPRISES 3 PLOTS AVEC COUVERCLES À CHARNIÈRES
 NL 3-VOUDIGE KOPPELSTEKKER MET KlapDEKSELS
 DE 3-FACH-STECKDOSENVERTEILER MIT KlapPDECKELN
 ES BASE MÚLTIPLE, 3 TOMAS CON TAPAS ABATIBLES

with child protection • weatherproof • socket type: French (type E)

number of sockets: 3 • switch: no • cable length: - • max. power: 3600W



► May only be sold in Belgium, Czech Republic, France, Poland, Slovakia

**PEREL®****WEATHERPROOF 3-WAY SOCKET**

FR BLOC MULTIPRISES, 3 PRISES
 NL 3-VOUDIGE KOPPELSTEKKER MET KlapDEKSELS
 DE 3-FACH-STECKDOSENLEISTE
 ES BASE MÚLTIPLE, 3 TOMAS

weatherproof • socket type: German (type F)

number of sockets: 3 x schuko • switch: no • cable length: -



► May not be sold in Belgium, Czech Republic, France, Poland, Slovakia

**PEREL®****ADAPTER WITH ON/OFF SWITCH - 1 SOCKET**

FR ADAPTATEUR DE PRISE AVEC INTERRUPTEUR - 1 PRISE
 NL STEKKERADAPTER MET SCHAKELAAR - 1 STOPCONTACT
 DE STECKDOSE MIT SCHALTER
 ES ENCHUFE CON INTERRUPTOR - 1 TOMA

pin earth • socket type: French (type E)

number of sockets: 1 • switch: yes • cable length: - • max. voltage: 250V



► May only be sold in Belgium, Czech Republic, France, Poland, Slovakia

**PEREL®****ADAPTER WITH ON/OFF SWITCH - 1 SOCKET**

FR ADAPTATEUR DE PRISE AVEC INTERRUPTEUR - 1 PRISE
 NL STEKKERADAPTER MET SCHAKELAAR - 1 STOPCONTACT
 DE 1-FACH-STECKDOSE MIT SCHALTER
 ES ENCHUFE CON INTERRUPTOR - 1 TOMA

german type plug • socket type: German (type F)

number of sockets: 1 x Schuko • switch: yes • cable length: - • max. voltage: 250V



► May not be sold in Belgium, Czech Republic, France, Poland, Slovakia

**PEREL®****2-WAY SOCKET SPLITTER**

FR BLOC MULTIPRISES 2 PRISES SCHUKO
 NL 2-WEG VERDEELSTEKKER
 DE 2-FACH-STECKDOSENVERTEILER - SCHUTZKONTAKT
 ES BASE MÚLTIPLE, 2 TOMAS SCHUKO

socket type: French (type E)

number of sockets: 2 • switch: no



► May only be sold in Belgium, Czech Republic, France, Poland, Slovakia

**PEREL®****2-WAY SOCKET SPLITTER - GERMAN SOCKETS**

FR BLOC MULTIPRISES 2 PRISES SCHUKO
 NL 2-WEG VERDEELSTEKKER - RANDAARDE
 DE 2-FACH-STECKDOSENLEISTE - SCHUTZKONTAKT
 ES BASE MÚLTIPLE, 2 TOMAS SCHUKO

socket type: German (type F)

number of sockets: 2 x schuko • switch: no



► May not be sold in Belgium, Czech Republic, France, Poland, Slovakia

**PEREL®****ADAPTER WITH ON/OFF SWITCH - 2 SOCKETS**

FR ADAPTATEUR DE PRISE AVEC INTERRUPTEUR - 2 PRISES
 NL STEKKERADAPTER MET SCHAKELAAR - 2 STOPCONTACTEN
 DE 2-FACH-STECKDOSENADAPTER MIT SCHALTER
 ES ENCHUFE CON INTERRUPTOR - 2 TOMAS

pin earth • socket type: French (type E)

number of sockets: 2 • switch: yes • cable length: - • max. voltage: 250V



► May only be sold in Belgium, Czech Republic, France, Poland, Slovakia

**PEREL®****ADAPTER WITH ON/OFF SWITCH - 2 SOCKETS**

FR ADAPTATEUR DE PRISE AVEC INTERRUPTEUR - 2 PRISES
 NL STEKKERADAPTER MET SCHAKELAAR - 2 STOPCONTACTEN
 DE 2-FACH-STECKDOSENADAPTER MIT SCHALTER
 ES ENCHUFE CON INTERRUPTOR - 2 TOMAS

german type plug • socket type: German (type F)

number of sockets: 2 x Schuko • switch: yes • cable length: - • max. voltage: 250V



► May not be sold in Belgium, Czech Republic, France, Poland, Slovakia

**PEREL®**



3-WAY EURO SOCKET SPLITTER

FR BLOC MULTIPRISES 3 PRISES EURO
NL 3-WEG VERDEELSTEKKER MET EURO STOPCONTACTEN
DE 4-FACH-STECKDOSENVERTEILER - QUADRATISCH
ES BASE MÚLTIPLE, 3 TOMAS EURO - TOMA DE TIERRA DE ESPIGA

with child protection • socket type: French (type E)

number of sockets: 3 x euro • switch: no

PEREL®

► May only be sold in Belgium, Czech Republic, Denmark, France, Ile de la Réunion, Poland, Rep. Dem. Congo, Slovakia

EB13

5 410329 343569



4-WAY EURO SOCKET SPLITTER

FR BLOC MULTIPRISES 4 PRISES EURO - TERRE FRANCAISE
NL 3-WEG VERDEELSTEKKER MET EURO STOPCONTACTEN
DE 4-FACH-STECKDOSENVERTEILER - 4 x EURO - QUADRATISCH
ES BASE MÚLTIPLE, 4 TOMAS EURO - TOMA DE TIERRA DE ESPIGA

with child protection • socket type: French (type E)

number of sockets: 4 x euro • switch: no

PEREL®

► May only be sold in Belgium, Czech Republic, Denmark, France, Ile de la Réunion, Poland, Rep. Dem. Congo, Slovakia

EB14

5 410329 343576



3-WAY SOCKET-OUTLET

FR BLOC MULTIPRISES 3 PRISES
NL CONTACTDOOS MET 3 STOPCONTACTEN
DE 3-FACH-STECKDOSENLEISTE
ES BASE MÚLTIPLE, 3 TOMAS

with child protection • socket type: French (type E)

number of sockets: 3 • switch: no • cable length: 1.5m • 3G1.5 • max. power: 3500W

PEREL®

► May only be sold in Belgium, Czech Republic, France, Poland, Slovakia

EB3

5 410329 345273



3-WAY SOCKET-OUTLET

FR BLOC MULTIPRISES, 3 PRISES
NL CONTACTDOOS MET 3 STOPCONTACTEN
DE 3-FACH-STECKDOSENLEISTE
ES BASE MÚLTIPLE, 3 TOMAS

socket type: German (type F)

number of sockets: 3 x schuko • switch: no • cable length: 1.5m

PEREL®

► May not be sold in Belgium, Czech Republic, France, Poland, Slovakia

EB3-G

5 410329 404628



3-WAY SOCKET-OUTLET WITH SWITCH

FR BLOC MULTIPRISES 3 PRISES AVEC INTERRUPTEUR
NL CONTACTDOOS MET 3 STOPCONTACTEN EN SCHAKELAAR
DE 3-FACH-STECKDOSENLEISTE, MIT SCHALTER
ES BASE MÚLTIPLE, 3 TOMAS, CON INTERRUPTOR

with child protection • socket type: French (type E)

number of sockets: 3 • switch: yes • cable length: 1.5m • 3G1.5 • max. power: 3500W

PEREL®

► May only be sold in Belgium, Czech Republic, France, Poland, Slovakia

EB3S

5 410329 345310



3-WAY SOCKET-OUTLET WITH SWITCH

FR BLOC MULTIPRISES, 3 PRISES + INTERRUPTEUR, 3 x 1.5 mm²
NL CONTACTDOOS MET 3 STOPCONTACTEN EN SCHAKELAAR
DE 3-FACH-STECKDOSENLEISTE, MIT SCHALTER
ES BASE MÚLTIPLE, 3 TOMAS, CON INTERRUPTOR

socket type: German (type F)

number of sockets: 3 x schuko • switch: yes • cable length: 1.5m

PEREL®

► May not be sold in Czech Republic, Denmark, France, Poland, Rep. Dem. Congo, Slovakia

EB3S-G

5 410329 441821



3-WAY SOCKET-OUTLET WITH SWITCH - 3 m CABLE

FR BLOC MULTIPRISES 3 PRISES AVEC INTERRUPTEUR
NL CONTACTDOOS MET 3 STOPCONTACTEN EN SCHAKELAAR - 3 m SNOER
DE 3-FACH-STECKDOSENLEISTE, MIT SCHALTER UND 3 m-KABEL
ES BASE MÚLTIPLE, 3 TOMAS, CON INTERRUPTOR Y CABLE DE 3 m

with child protection • extra long power cable: 3m • socket type: French (type E)

number of sockets: 3 • switch: yes • cable length: 3m • 3G1.5 • max. power: 3500W

PEREL®

► May only be sold in Belgium, Czech Republic, France, Poland, Slovakia

EB3S-3

5 410329 346775



3-WAY SOCKET-OUTLET WITH SWITCH - 3 m CABLE

FR BLOC MULTIPRISES, 3 PRISES + INTERRUPTEUR, 3 x 1.5 mm²
NL CONTACTDOOS 3 STOPCONTACTEN, MET SCHAKELAAR - 3 m SNOER
DE 3-FACH-STECKDOSENLEISTE, MIT SCHALTER
ES BASE MÚLTIPLE, 3 TOMAS, CON INTERRUPTOR

socket type: German (type F)

number of sockets: 3 x schuko • switch: yes • cable length: 3m

PEREL®

► May not be sold in Belgium, Czech Republic, France, Poland, Slovakia

EB3S-3-G

5 410329 405236

**4-WAY SOCKET-OUTLET - SQUARE**

FR BLOC MULTIPRISES CARRÉ 4 PRISES
 NL VIERKANTE CONTACTDOOS MET 4 STOPCONTACTEN
 DE 4-FACH-STECKDOSENVERTEILER - QUADRATISCH
 ES BASE MÚLTIPLE, 4 TOMAS - CUADRADA

with child protection • socket type: French (type E)

number of sockets: 4 • switch: no • cable length: 1.5m • remark: square model • 3G1.5 • max. power: 3500W



► May only be sold in Belgium, Czech Republic, France, Poland, Slovakia

**PEREL®****4-WAY SOCKET-OUTLET**

FR BLOC MULTIPRISES 4 PRISES
 NL CONTACTDOOS MET 4 STOPCONTACTEN
 DE 4-FACH-STECKDOSENLEISTE
 ES BASE MÚLTIPLE, 4 TOMAS

with child protection • socket type: French (type E)

number of sockets: 4 • cable: H05VV-F 3G1.5 • cable length: 1,5m • max. power: 3500W



► May only be sold in Belgium, Czech Republic, France, Poland, Slovakia

**PEREL®****4-WAY SOCKET-OUTLET**

FR BLOC MULTIPRISES, 4 PRISES, 3 x 1.5 mm²
 NL CONTACTDOOS MET 4 STOPCONTACTEN
 DE 4-FACH-STECKDOSENLEISTE
 ES BASE MÚLTIPLE, 4 TOMAS

socket type: German (type F)

number of sockets: 4 x schuko • switch: no • cable length: 1.5m



► May not be sold in Belgium, Czech Republic, France, Poland, Slovakia

**PEREL®****4-WAY SOCKET-OUTLET WITH SWITCH**


FR BLOC MULTIPRISES 4 PRISES AVEC INTERRUPTEUR
 NL CONTACTDOOS MET 4 STOPCONTACTEN EN SCHAKELAAR
 DE 4-FACH-STECKDOSENLEISTE MIT SCHALTER
 ES BASE MÚLTIPLE, 4 TOMAS, CON INTERRUPTOR

with child protection • socket type: French (type E)

number of sockets: 4 • switch: yes • cable length: 1.5m • 3G1.5 • max. power: 3500W



► May only be sold in Belgium, Czech Republic, France, Poland, Slovakia

**PEREL®****4-WAY SOCKET-OUTLET WITH SWITCH**

FR BLOC MULTIPRISES, 4 PRISES + INTERRUPTEUR
 NL CONTACTDOOS MET 4 STOPCONTACTEN EN SCHAKELAAR
 DE 4-FACH-STECKDOSENLEISTE, MIT SCHALTER
 ES BASE MÚLTIPLE, 4 TOMAS, CON INTERRUPTOR

socket type: German (type F)

number of sockets: 4 x schuko • switch: yes • cable length: 1.5m



► May not be sold in Belgium, Czech Republic, France, Poland, Slovakia

**PEREL®****4-WAY SOCKET-OUTLET WITH SWITCH - 3 m CABLE**

FR BLOC MULTIPRISES 4 PRISES AVEC INTERRUPTEUR
 NL CONTACTDOOS MET 4 STOPCONTACTEN
 EN SCHAKELAAR - 3 m SNOER
 DE 4-FACH-STECKDOSENLEISTE MIT SCHALTER
 ES BASE MÚLTIPLE, 4 TOMAS, CON INTERRUPTOR Y CABLE DE 3 m

with child protection • extra long power cable: 3m • socket type: French (type E)

number of sockets: 4 • switch: yes • cable length: 3m • 3G1.5 • max. power: 3500W



► May only be sold in Belgium, Czech Republic, France, Poland, Slovakia

**PEREL®****4-WAY SOCKET-OUTLET WITH SWITCH - 3 m CABLE**


FR BLOC MULTIPRISES, 4 PRISES + INTERRUPTEUR
 NL CONTACTDOOS MET 4 STOPCONTACTEN
 EN SCHAKELAAR - 3 m SNOER
 DE 4-FACH-STECKDOSENLEISTE, MIT SCHALTER
 ES BASE MÚLTIPLE, 4 TOMAS, CON INTERRUPTOR

socket type: German (type F)

number of sockets: 4 x schuko • switch: yes • cable length: 3m



► May not be sold in Belgium, Czech Republic, France, Poland, Slovakia

**PEREL®****5-WAY SOCKET-OUTLET**

FR BLOC MULTIPRISES 5 PRISES
 NL CONTACTDOOS MET 5 STOPCONTACTEN
 DE 5-FACH-STECKDOSENLEISTE
 ES BASE MÚLTIPLE, 5 TOMAS

with child protection • socket type: French (type E)

number of sockets: 5 • switch: no • cable length: 1.5m • remark: - • 3G1.5 • max. power: 3500W



► May only be sold in Czech Republic, Denmark, France, Ile de la Réunion, Poland, Rep. Dem. Congo, Slovakia

**PEREL®**



5-WAY SOCKET-OUTLET

FR BLOC MULTIPRISES 5 PRISES
NL CONTACTDOOS MET 5 STOPCONTACTEN
DE 5-FACH-STECKDOSENLEISTE
ES BASE MÚLTIPLE, 5 TOMAS

with child protection • socket type: German (type F)


number of sockets: 5 x schuko • switch: no • cable length: 1.5m • remark: -
• 3G1.5 • max. power: 3500W



► May not be sold in Belgium, Czech Republic, France, Poland, Slovakia



PEREL®



5-WAY SOCKET-OUTLET WITH SWITCH

FR BLOC MULTIPRISES 5 PRISES AVEC INTERRUPTEUR
NL CONTACTDOOS MET 5 STOPCONTACTEN EN SCHAKELAAR
DE 5-FACH-STECKDOSENLEISTE MIT SCHALTER
ES BASE MÚLTIPLE, 5 TOMAS, CON INTERRUPTOR

with child protection • socket type: French (type E)

number of sockets: 5 • switch: yes • cable length: 1.5m • remark: -
• 3G1.5 • max. power: 3500W



► May only be sold in Belgium, Czech Republic, France, Poland, Slovakia



PEREL®



5-WAY SOCKET-OUTLET WITH SWITCH

FR BLOC MULTIPRISES 5 PRISES AVEC INTERRUPTEUR
NL CONTACTDOOS MET 5 STOPCONTACTEN EN SCHAKELAAR
DE 5-FACH-STECKDOSENLEISTE MIT SCHALTER
ES BASE MÚLTIPLE, 5 TOMAS, CON INTERRUPTOR

with child protection • socket type: German (type F)

number of sockets: 5 x schuko • switch: yes • cable length: 1.5m • remark: -
• 3G1.5 • max. power: 3500W



► May not be sold in Belgium, Czech Republic, France, Poland, Slovakia



PEREL®



SOCKET OUTLET WITH 3 x SOCKET + 4 x EURO SOCKET AND SWITCH

FR BLOC MULTIPRISES 3 PRISES RONDES ET 4 PRISES PLATES - AVEC INTERRUPTEUR
NL CONTACTDOOS MET 3 STOPCONTACTEN + 4 EURO STOPCONTACTEN EN SCHAKELAAR
DE STECKDOSENVERTEILER - 3 x SCHUKO + 4 x EURO - MIT SCHALTER
ES BASE MÚLTIPLE, 3 TOMAS REDONDAS Y 4 BASES PLANAS, CON INTERRUPTOR

with child protection • socket type: French (type E)

number of sockets: 3 + 4 x euro • switch: yes • cable length: 1.5m
• 3G1.5 • max. power: 3500W



► May only be sold in Belgium, Czech Republic, France, Poland, Slovakia



PEREL®



SOCKET OUTLET WITH 3 x SOCKET + 4 x EURO SOCKET AND SWITCH

FR BLOC MULTIPRISES AVEC 3 PRISES RONDES ET 4 PRISES PLATES + INTERRUPTEUR
NL CONTACTDOOS MET 3 STOPCONTACTEN + 4 EURO STOPCONTACTEN EN SCHAKELAAR
DE STECKDOSENVERTEILER - 3 x SCHUKO + 4 x EURO - MIT SCHALTER
ES BASE MÚLTIPLE 3 TOMAS REDONDAS Y 4 TOMAS PLANAS, CON INTERRUPTOR

socket type: German (type F)

number of sockets: 3 x schuko + 4 x euro • switch: yes • cable length: 1.5m



► May not be sold in Belgium, Czech Republic, France, Poland, Slovakia



PEREL®



6-WAY SOCKET-OUTLET WITH FOOTSWITCH

FR BLOC MULTIPRISES 6 PRISES À PÉDALIER
NL CONTACTDOOS MET 6 STOPCONTACTEN EN VOETSCHAKELAAR
DE 6-FACH-STECKDOSENLEISTE MIT FUßSCHALTER
ES BASE MÚLTIPLE, 6 TOMAS CON INTERRUPTOR DE PIE

with child protection • footswitch with power indicator light • socket type: German (type F)

colour: white • number of sockets: 6 x schuko • length of cable between socket-outlet and footswitch: 2m • power cord: 2m H05VV-F 3G1.5 • max. power: 3500W



► May not be sold in Belgium, Czech Republic, France, Poland, Slovakia



PEREL®



4-WAY SOCKET-OUTLET

FR BLOC MULTIPRISES 4 PRISES - NOIR
NL CONTACTDOOS MET 4 STOPCONTACTEN
DE 4-FACH-STECKDOSENLEISTE, SCHWARZ
ES BASE MÚLTIPLE, 4 TOMAS, COLOR NEGRO

with child protection • socket type: French (type E)

number of sockets: 4 • cable: H05VV-F 3G1.5 • cable length: 1.5m • colour: black • max. power: 3500W



► May only be sold in Belgium, Czech Republic, France, Poland, Slovakia



PEREL®

**4-WAY SOCKET-OUTLET**


FR BLOC MULTIPRISES, 4 PRISES, 3 x 1.5 mm²
 NL CONTACTDOOS MET 4 STOPCONTACTEN
 DE 4-FACH-STECKDOSENLEISTE
 ES BASE MÚLTIPLE, 4 TOMAS

socket type: German (type F)

number of sockets: 4 x schuko • switch: no • cable length: 1.5m • colour: black



► May not be sold in Belgium, Czech Republic, France, Poland, Slovakia

**PEREL®****4-WAY SOCKET-OUTLET - 5 m CABLE**


FR BLOC MULTIPRISES 4 PRISES - CÂBLE 5 m
 NL CONTACTDOOS MET 4 STOPCONTACTEN - 5 m SNOER
 DE 4-FACH-STECKDOSENLEISTE - 5 m KABEL
 ES BASE MÚLTIPLE, 4 TOMAS - CABLE 5 m

with child protection • socket type: French (type E)

number of sockets: 4 • cable: H05VV-F 3G1.5 • cable length: 5m • max. power: 3500W



► May only be sold in Belgium, Czech Republic, France, Poland, Slovakia

**PEREL®****4-WAY SOCKET-OUTLET WITH SWITCH**

FR BLOC MULTIPRISES 4 PRISES AVEC INTERRUPTEUR
 NL CONTACTDOOS MET 4 STOPCONTACTEN EN SCHAKELAAR
 DE 4-FACH-STECKDOSENLEISTE MIT SCHALTER
 ES BASE MÚLTIPLE, 4 TOMAS, CON INTERRUPTOR

with child protection • socket type: French (type E)

number of sockets: 4 • switch: yes • cable length: 1.5 m • cable: H05VV-F 3G1.5 • colour: black • max. power: 3500 W



► May only be sold in Belgium, Czech Republic, France, Poland, Slovakia

**PEREL®****4-WAY SOCKET-OUTLET WITH SHRINK TUBE FOR CUSTOM LABELLING**

FR BLOC MULTIPRISES 4 PRISES AVEC GAINÉ
 RÉTRACTILE POUR ÉTIQUETAGE PERSONNALISÉ
 NL CONTACTDOOS MET 4 STOPCONTACTEN EN MET
 KRIMPKOUS VOOR MARKEREN VAN EIGEN LABEL
 DE 4-FACH-STECKDOSENLEISTE MIT SCHRUMPFSCHLAUCH
 FÜR PERSONALISIERTE ETIKETTIERUNG
 ES BASE MÚLTIPLE CON 4 TOMAS Y TUBO TERMORRETRACTIL
 PARA ETIQUETADO PERSONALIZADO

comes with 8cm transparent shrink sleeve (not shrunk) for custom labelling
 • with child protection • socket type: French (type E)

number of sockets: 4 • cable: H05VV-F 3G1.5 • cable length: 1,5m • colour: black • max. power: 3500W



► May only be sold in Belgium, Czech Republic, France, Poland, Slovakia

**PEREL®****4-WAY SOCKET-OUTLET WITH SHRINK TUBE FOR CUSTOM LABELLING**

FR BLOC MULTIPRISES 4 PRISES AVEC GAINÉ
 RÉTRACTILE POUR ÉTIQUETAGE PERSONNALISÉ
 NL CONTACTDOOS MET 4 STOPCONTACTEN EN MET
 KRIMPKOUS VOOR MARKEREN VAN EIGEN LABEL
 DE 4-FACH-STECKDOSENLEISTE MIT SCHRUMPFSCHLAUCH
 FÜR PERSONALISIERTE ETIKETTIERUNG
 ES BASE MÚLTIPLE CON 4 TOMAS Y TUBO TERMORRETRACTIL
 PARA ETIQUETADO PERSONALIZADO

comes with 8 cm transparent shrink sleeve (not shrunk) for custom labelling
 • with child protection • socket type: German (type F)

number of sockets: 4 x Schuko • cable: H05VV-F 3G1.5 • cable length: 1.5 m • colour: black • max. power: 3500 W



► May not be sold in Belgium, Czech Republic, France, Poland, Slovakia

**PEREL®****4-WAY SOCKET-OUTLET WITH SHRINK TUBE FOR CUSTOM LABELLING - 5 m cable**

FR BLOC MULTIPRISES 4 PRISES AVEC GAINÉ
 RÉTRACTILE POUR ÉTIQUETAGE PERSONNALISÉ
 NL CONTACTDOOS MET 4 STOPCONTACTEN EN MET
 KRIMPKOUS VOOR MARKEREN VAN EIGEN LABEL
 DE 4-FACH-STECKDOSENLEISTE MIT SCHRUMPFSCHLAUCH
 FÜR PERSONALISIERTE ETIKETTIERUNG - KABEL: 5 m
 ES BASE MÚLTIPLE CON 4 TOMAS Y TUBO TERMORRETRACTIL
 PARA ETIQUETADO PERSONALIZADO - CABLE: 5 m

comes with 8 cm transparent shrink sleeve (not shrunk) for custom labelling
 • with child protection • socket type: French (type E)

number of sockets: 4 • cable: H05VV-F 3G1.5 • cable length: 5 m • colour: black • max. power: 3500 W



► May only be sold in Belgium, Czech Republic, France, Poland, Slovakia

**PEREL®**



4-WAY SOCKET-OUTLET WITH SHRINK TUBE FOR CUSTOM LABELLING - 5 m cable

FR BLOC MULTIPRISES 4 PRISES AVEC GAINÉ RÉTRACTILE POUR ÉTIQUETAGE PERSONNALISÉ
NL CONTACTDOOS MET 4 STOPCONTACTEN EN MET KRIMPKOUS VOOR MARKEREN VAN EIGEN LABEL
DE 4-FACH-STECKDOSENLEISTE MIT SCHRUMPFSCHLAUCH FÜR PERSONALISIERTE ETIKETTIERUNG - KABEL: 5 m
ES BASE MÚLTIPLE CON 4 TOMAS Y TUBO TERMORRETRACTIL PARA ETIQUETADO PERSONALIZADO - CABLE: 5 m

comes with 8 cm transparent shrink sleeve (not shrunk) for custom labelling
• with child protection • socket type: German (type F)

number of sockets: 4 x Schuko • cable: H05VV-F 3G1.5 • cable length: 5 m
• colour: black • max. power: 3500 W



► May not be sold in Belgium, Czech Republic, France, Poland, Slovakia



EB4STB-5-G



5 410329 566951

PEREL®



4-WAY SOCKET-OUTLET WITH SHRINK TUBE FOR CUSTOM LABELLING

FR BLOC MULTIPRISES 4 PRISES AVEC GAINÉ RÉTRACTILE POUR ÉTIQUETAGE PERSONNALISÉ
NL CONTACTDOOS MET 4 STOPCONTACTEN EN MET KRIMPKOUS VOOR MARKEREN VAN EIGEN LABEL
DE 4-FACH-STECKDOSENLEISTE MIT SCHRUMPFSCHLAUCH FÜR PERSONALISIERTE ETIKETTIERUNG
ES BASE MÚLTIPLE CON 4 TOMAS Y TUBO TERMORRETRACTIL PARA ETIQUETADO PERSONALIZADO

comes with 8cm transparent shrink sleeve (not shrunk) for custom labelling
• with child protection • socket type: French (type E)

number of sockets: 4 • cable: H05VV-F 3G2.5 • cable length: 1.5m • colour: black • max. power: 3500W



► May only be sold in Belgium, Czech Republic, France, Poland, Slovakia



EB4STB25



5 410329 464899

PEREL®



4-WAY SOCKET-OUTLET WITH SHRINK TUBE FOR CUSTOM LABELLING - 3G2.5 cable

FR BLOC MULTIPRISES 4 PRISES AVEC GAINÉ RÉTRACTILE POUR ÉTIQUETAGE PERSONNALISÉ
NL CONTACTDOOS MET 4 STOPCONTACTEN EN MET KRIMPKOUS VOOR MARKEREN VAN EIGEN LABEL
DE 4-FACH-STECKDOSENLEISTE MIT SCHRUMPFSCHLAUCH FÜR PERSONALISIERTE ETIKETTIERUNG
ES BASE MÚLTIPLE CON 4 TOMAS Y TUBO TERMORRETRACTIL PARA ETIQUETADO PERSONALIZADO

comes with 8 cm transparent shrink sleeve (not shrunk) for custom labelling
• with child protection • socket type: German (type F)

number of sockets: 4 x Schuko • cable: H05VV-F 3G2.5 • cable length: 1.5 m • colour: black • max. power: 3500 W



► May not be sold in Belgium, Czech Republic, France, Poland, Slovakia



EB4STB25-G



5 410329 571580

PEREL®



4-WAY SOCKET-OUTLET - IP44

FR BLOC MULTIPRISES 4 PRISES - IP44
NL CONTACTDOOS MET 4 STOPCONTACTEN - IP44
DE 4-FACH-STECKDOSENLEISTE, IP44
ES BASE MÚLTIPLE, 4 TOMAS, IP44

weatherproof: IP44 • socket type: French (type E)

number of sockets: 4 • cable length: 1.5m • 3G1.5 • max. power: 3500W
• weight: 615g



► May only be sold in Belgium, Czech Republic, France, Poland, Slovakia



EBP04WP



5 410329 427917

PEREL®



4-WAY SOCKET-OUTLET - IP44

FR BLOC MULTIPRISES 4 PRISES - IP44
NL CONTACTDOOS MET 4 STOPCONTACTEN - IP44
DE 4-FACH-STECKDOSENLEISTE, IP44
ES BASE MÚLTIPLE, 4 TOMAS, IP44

weatherproof: IP44 • socket type: German (type F)

number of sockets: 4 • cable length: 1.5m • 3G1.5 • max. power: 3500W
• weight: 615g



► May not be sold in Belgium, Czech Republic, France, Poland, Slovakia



EBP04WP-G



5 410329 447557

PEREL®



NET POWER BLOCK 4 PLUGS - SQUARE - BLACK

FR BLOC MULTIPRISES CARRÉ AVEC 4 PRISES - NOIR
NL VIERKANTE CONTACTDOOS MET 4 STOPCONTACTEN - ZWART
DE 4-FACH-STECKDOSENLEISTE - QUADRATISCH, SCHWARZ
ES BASE MÚLTIPLE, 4 TOMAS - CUADRADA - COLOR NEGRO

socket type: German (type F)

number of sockets: 4 x schuko • switch: no • cable length: 1.5m • remark: square model, black colour



► May not be sold in Belgium, Czech Republic, France, Poland, Slovakia



EB22BL-G



5 410329 404680

PEREL®

**4-WAY SOCKET-OUTLET WITH OVERLOAD PROTECTION**

FR BLOC MULTIPRISES 4 PRISES AVEC PROTECTION CONTRE LES SURCHARGES
 NL CONTACTDOOS MET 4 STOPCONTACTEN MET OVERSPANNINGSBEVEILIGING
 DE 4-FACH-STECKDOSENLEISTE, MIT SCHALTER
 ES BASE MÚLTIPLE, 4 TOMAS, CON INTERRUPTOR

child protection • thermal fuse • overload indicator & protection • illuminated DP power switch • socket type: French (type E)

number of sockets: 4 • power cord: 1.5 m H05VV-F 3G1.5 • max. power: 3680W



► May only be sold in Belgium, Czech Republic, Denmark, France, Ile de la Réunion, Poland, Rep. Dem. Congo, Slovakia



EBP04N

**4-WAY SOCKET-OUTLET WITH OVERLOAD PROTECTION**

FR BLOC MULTIPRISES 4 PRISES AVEC PROTECTION CONTRE LES SURCHARGES
 NL CONTACTDOOS MET 4 STOPCONTACTEN MET OVERSPANNINGSBEVEILIGING
 DE 4-FACH-STECKDOSENLEISTE, MIT SCHALTER
 ES BASE MÚLTIPLE, 4 TOMAS, CON INTERRUPTOR

child protection • thermal fuse • overload indicator & protection • illuminated DP power switch • socket type: German (type F)

number of sockets: 4 • power cord: 1.5 m H05VV-F 3G1.5 • max. power: 3500W



► May not be sold in Belgium, Czech Republic, France, Poland, Slovakia



EBP04N-G

**6-WAY SOCKET-OUTLET WITH OVERLOAD PROTECTION**

FR BLOC MULTIPRISES 6 PRISES AVEC PROTECTION CONTRE LES SURCHARGES
 NL CONTACTDOOS MET 6 STOPCONTACTEN MET OVERSPANNINGSBEVEILIGING
 DE 6-FACH-STECKDOSENLEISTE MIT ÜBERLASTSCHUTZ
 ES BASE MÚLTIPLE, 6 TOMAS, CON PROTECCIÓN DE SOBRECARGA

with child protection • with power switch • socket type: French (type E)

number of sockets: 6 • cable length: 1.5m • 3G1.5 • max. power: 3680W • weight: 780g



► May only be sold in Belgium, Czech Republic, France, Poland, Slovakia



EBP06N

**6-WAY SOCKET-OUTLET WITH OVERLOAD PROTECTION**

FR BLOC MULTIPRISES 6 PRISES AVEC PROTECTION CONTRE LES SURCHARGES
 NL CONTACTDOOS MET 6 STOPCONTACTEN MET OVERSPANNINGSBEVEILIGING
 DE 6-FACH-STECKDOSENLEISTE MIT ÜBERLASTSCHUTZ
 ES BASE MÚLTIPLE, 6 TOMAS, CON PROTECCIÓN DE SOBRECARGA

with child protection • with power switch • socket type: German (type F)


number of sockets: 6 • cable length: 1.5m • 3G1.5 • max. power: 3500W



► May not be sold in Belgium, Czech Republic, France, Poland, Slovakia



EBP06N-G

**8-WAY SOCKET-OUTLET WITH OVERLOAD PROTECTION**

FR BLOC MULTIPRISES 8 PRISES AVEC PROTECTION CONTRE LES SURCHARGES
 NL CONTACTDOOS MET 8 STOPCONTACTEN MET OVERSPANNINGSBEVEILIGING
 DE 8-FACH-STECKDOSENLEISTE MIT ÜBERLASTSCHUTZ
 ES BASE MÚLTIPLE, 8 TOMAS, CON PROTECCIÓN DE SOBRECARGA

child protection • thermal fuse • overload indicator & protection • illuminated DP power switch • socket type: French (type E)

number of sockets: 8 • power cord: 1.5 m H05VV-F 3G1.5 • max. power: 3680W • weight: 890g



► May only be sold in Belgium, Czech Republic, France, Poland, Slovakia



EBP08N

**8-WAY SOCKET-OUTLET WITH OVERLOAD PROTECTION**

FR BLOC MULTIPRISES 8 PRISES AVEC PROTECTION CONTRE LES SURCHARGES
 NL CONTACTDOOS MET 8 STOPCONTACTEN MET OVERSPANNINGSBEVEILIGING
 DE 8-FACH-STECKDOSENLEISTE MIT ÜBERLASTSCHUTZ
 ES BASE MÚLTIPLE, 8 TOMAS, CON PROTECCIÓN DE SOBRECARGA

child protection • thermal fuse • overload indicator & protection • illuminated DP power switch • socket type: German (type F)

number of sockets: 8 • power cord: 1.5 m H05VV-F 3G1.5 • max. power: 3500W • weight: 875g



► May not be sold in Belgium, Czech Republic, France, Poland, Slovakia



EBP08N-G



PEREL®

PEREL®

PEREL®

PEREL®

PEREL®

PEREL®



10-WAY SOCKET-OUTLET WITH OVERLOAD PROTECTION

FR BLOC MULTIPRISES 10 PRISES AVEC PROTECTION CONTRE LES SURCHARGES
NL CONTACTDOOS MET 10 STOPCONTACTEN MET OVERSPANNINGSBEVEILIGING
DE 10-FACH-STECKDOSENLEISTE MIT ÜBERLASTSCHUTZ
ES BASE MÚLTIPLE, 10 TOMAS, CON PROTECCIÓN DE SOBRECARGA

child protection • thermal fuse • overload indicator & protection • illuminated DP power switch • socket type: French (type E)

number of sockets: 10 • power cord: 1.5 m H05VV-F 3G1.5 • max. power: 3680W • weight: 980g



► May only be sold in Belgium, Czech Republic, France, Poland, Slovakia



EBP10N



5 410329 416324

PEREL®



4-WAY SOCKET-OUTLET WITH OVERLOAD & SURGE PROTECTION

FR BLOC MULTIPRISES 4 PRISES AVEC PROTECTION CONTRE LES SURCHARGES ET LA Foudre
NL CONTACTDOOS MET 4 STOPCONTACTEN MET OVERSPANNINGS- EN BLIKSEMINSLAGBEVEILIGING
DE 4-FACH-STECKDOSENLEISTE MIT ÜBERLAST- UND ÜBERSpannungSSCHUTZ
ES BASE MÚLTIPLE, 4 TOMAS, CON PROTECCIÓN DE SOBRECARGA Y SOBRETENSIÓN

child protection • thermal fuse • overload indicator & protection • surge protection and safe operation indicator light • illuminated DP power switch • socket type: French (type E)

number of sockets: 4 • power cord: 1.5 m • max. power: 3680W



► May only be sold in Belgium, Czech Republic, France, Poland, Slovakia



EBP04S



5 410329 435288

PEREL®



4-WAY SOCKET-OUTLET WITH OVERLOAD & SURGE PROTECTION

FR BLOC MULTIPRISES 4 PRISES AVEC PROTECTIONS CONTRE LES SURCHARGES ET LA Foudre - TERRE ALLEMANDE
NL CONTACTDOOS MET 4 STOPCONTACTEN MET OVERSPANNINGS- EN BLIKSEMINSLAGBEVEILIGING
DE 4-FACH-STECKDOSENLEISTE MIT ÜBERLAST- UND ÜBERSpannungSSCHUTZ
ES BASE MÚLTIPLE, 4 TOMAS, CON PROTECCIÓN DE SOBRECARGA Y SOBRETENSIÓN

child protection • thermal fuse • overload indicator & protection • surge protection and safe operation indicator light • illuminated DP power switch • socket type: German (type F)

number of sockets: 4 • power cord: 1.5 m • max. power: 3500W



► May not be sold in Belgium, Czech Republic, France, Poland, Slovakia



EBP04S-G



5 410329 435295

PEREL®



6-WAY SOCKET-OUTLET WITH OVERLOAD & SURGE PROTECTION

FR BLOC MULTIPRISES 6 PRISES AVEC PROTECTION CONTRE LES SURCHARGES ET LA Foudre
NL CONTACTDOOS MET 6 STOPCONTACTEN MET OVERSPANNINGS- EN BLIKSEMINSLAGBEVEILIGING
DE 6-FACH-STECKDOSENLEISTE MIT ÜBERLAST- UND ÜBERSpannungSSCHUTZ
ES BASE MÚLTIPLE, 6 TOMAS, CON PROTECCIÓN DE SOBRECARGA Y SOBRETENSIÓN

child protection • thermal fuse • overload indicator & protection • surge protection and safe operation indicator light • illuminated DP power switch • socket type: French (type E)

number of sockets: 6 • power cord: 1.5 m • max. power: 3680W • weight: 825g • H05VV-F 3G1.5



► May only be sold in Belgium, Czech Republic, France, Poland, Slovakia



EBP06S



5 410329 435264

PEREL®



6-WAY SOCKET-OUTLET WITH OVERLOAD & SURGE PROTECTION

FR BLOC MULTIPRISES 6 PRISES AVEC PROTECTIONS CONTRE LES SURCHARGES ET LA Foudre - TERRE ALLEMANDE
NL CONTACTDOOS MET 6 STOPCONTACTEN MET OVERSPANNINGS- EN BLIKSEMINSLAGBEVEILIGING
DE 6-FACH-STECKDOSENLEISTE MIT ÜBERLAST- UND ÜBERSpannungSSCHUTZ
ES BASE MÚLTIPLE, 6 TOMAS, CON PROTECCIÓN DE SOBRECARGA Y SOBRETENSIÓN

child protection • thermal fuse • overload indicator & protection • surge protection and safe operation indicator light • illuminated DP power switch • socket type: German (type F)

number of sockets: 6 • power cord: 1.5 m • max. power: 3500W • H05VV-F 3G1.5



► May not be sold in Belgium, Czech Republic, France, Poland, Slovakia



EBP06S-G



5 410329 435301

**8-WAY SOCKET-OUTLET WITH OVERLOAD & SURGE PROTECTION**

FR BLOC MULTIPRISES 8 PRISES AVEC PROTECTION CONTRE LES SURCHARGES ET LA FOUDRE
 NL CONTACTDOOS MET 8 STOPCONTACTEN MET OVERSPANNINGS- EN BLIKSEMINSLAGBEVEILIGING
 DE 8-FACH-STECKDOSENLEISTE MIT ÜBERLAST- UND ÜBERSpannungSSCHUTZ
 ES BASE MÚLTIPLE, 8 TOMAS, CON PROTECCIÓN DE SOBRECARGA Y SOBRETENSIÓN

child protection • thermal fuse • overload indicator & protection • surge protection and safe operation indicator light • illuminated DP power switch
 • socket type: French (type E)

number of sockets: 8 • power cord: 1.5 m • max. power: 3680W • H05VV-F 3G1.5



► May only be sold in Belgium, Czech Republic, France, Poland, Slovakia



EBP08S



5 410329 435271

PEREL®**8-WAY SOCKET-OUTLET WITH OVERLOAD PROTECTION**

FR BLOC MULTIPRISES 8 PRISES AVEC PROTECTIONS CONTRE LES SURCHARGES ET LA FOUDRE - TERRE ALLEMANDE
 NL CONTACTDOOS MET 8 STOPCONTACTEN MET OVERSPANNINGS- EN BLIKSEMINSLAGBEVEILIGING
 DE 8-FACH-STECKDOSENLEISTE MIT ÜBERLAST- UND ÜBERSpannungSSCHUTZ
 ES BASE MÚLTIPLE, 8 TOMAS, CON PROTECCIÓN DE SOBRECARGA Y SOBRETENSIÓN

child protection • thermal fuse • overload indicator & protection • surge protection and safe operation indicator light • illuminated DP power switch
 • socket type: German (type F)

number of sockets: 8 • power cord: 1.5 m • max. power: 3500W • weight: 925g • H05VV-F 3G1.5



► May not be sold in Belgium, Czech Republic, France, Poland, Slovakia



EBP08S-G



5 410329 435318

PEREL®**4-WAY POP-UP DESKTOP SOCKET**

FR BLOC 4 PRISES ESCAMOTABLE
 NL POP-UP STEKKERBLOK MET 4 STOPCONTACTEN
 DE VERSENKBARE 4-FACH STECKDOSENLEISTE
 ES REGLETA OCULTA DE 4 TOMAS

child protection • with indicator • French plug type sockets • socket type: French (type E)

pre-drill diameter: 80mm • number of sockets: 4 • power cord: H05VV-F 3G1.5 • cable length: 2m • max. power: 3500W



► May only be sold in Belgium, Czech Republic, France, Poland, Slovakia



EBP04L



5 410329 459925

PEREL®**4-WAY POP-UP DESKTOP SOCKET**

FR BLOC 4 PRISES ESCAMOTABLE
 NL POP-UP STEKKERBLOK MET 4 STOPCONTACTEN
 DE VERSENKBARE 4-FACH STECKDOSENLEISTE
 ES REGLETA OCULTA DE 4 TOMAS

child protection • with indicator • German plug type sockets • socket type: German (type F)

pre-drill diameter: 80mm • number of sockets: 4 • power cord: H05VV-F 3G1.5 • cable length: 2m • max. power: 3500W



► May not be sold in Belgium, Czech Republic, France, Poland, Slovakia



EBP04L-G



5 410329 459932

PEREL®**8-WAY PDU SOCKET**

FR BLOC MULTIPRISE, 8 PRISES
 NL 8-VOUDIGE VERDEELSTEKKER
 DE 8-FACH-STECKDOSENLEISTE (PDU)
 ES BASE MÚLTIPLE, PDU, 8 TOMAS, CON INTERRUPTOR

for 19" rack • child protection • thermal fuse • overload protection
 • illuminated DP power switch • socket type: French (type E)

number of sockets: 8 • power cord: 2.15m • max. power: 3680W • H05VV-F 3G1.5



EBP08PDU



5 410329 466060

PEREL®

► May only be sold in Belgium, Czech Republic, France, Poland, Slovakia

**8-WAY PDU SOCKET**

FR BLOC MULTIPRISE, 8 PRISES
 NL 8-VOUDIGE VERDEELSTEKKER
 DE 8-FACH-STECKDOSENLEISTE (PDU)
 ES BASE MÚLTIPLE, 8 TOMAS (PDU)

for 19" rack • child protection • thermal fuse • overload protection
 • illuminated DP power switch • socket type: German (type F)

number of sockets: 8 • power cord: 2.15m • max. power: 3680W • H05VV-F 3G1.5



EBP08PDU-G



5 410329 469344

PEREL®

► May not be sold in Belgium, Czech Republic, France, Poland, Slovakia

**REMOTE CONTROL SOCKET SET**

FR JEU DE 3 PRISES TÉLÉCOMMANDÉES
 NL SET VAN 3 STOPCONTACTEN MET AFSTANDSBEDIENING
 DE SATZ MIT 3 STECKDOSEN UND FERNBEDIENUNG
 ES JUEGO DE 3 CLAVIJAS CON MANDO A DISTANCIA

a comfortable way for switching electrical equipment on/off by means of a remote control • eliminate wasting energy and save money • convenient to operate appliances that are plugged in hard to reach mains sockets • works up to a distance of 25 meters • works through walls and ceilings • childproof socket

power: max. 2300 W / unit • frequency: 433.92 MHz • battery for transmitter: 12 V type A23 (incl.)



7500-3N2



5 410329 476014

PEREL®

► May not be sold in Germany, The Netherlands, Spain, Switzerland



REMOTE CONTROL SOCKET SET

FR JEU DE 3 PRISES TÉLÉCOMMANDÉES
NL SET VAN 3 STOPCONTACTEN MET AFSTANDSBEDIENING
DE SATZ MIT 3 STECKDOSEN UND FERNBEDIENUNG
ES JUEGO DE 3 CLAVIJAS CON MANDO A DISTANCIA

a comfortable way for switching electrical equipment on/off by means of a remote control • eliminate wasting energy and save money • convenient to operate appliances that are plugged in hard to reach mains sockets • works up to a distance of 25 meters • works through walls and ceilings • childproof socket

power: max. 2300 W / unit • frequency: 433.92 MHz • battery for transmitter: 12 V type A23 (incl.)

PEREL®

► May not be sold in Belgium, France



7500-3N2-G



5 410329 476298



CONNECTORS

CONNECTEURS
CONNECTORS
ANSCHLÜSSE
CONECTORES



SINGLE POWER SOCKET WITH 2 USB PORTS - 3.15 A - GREY

FR SIMPLE PRISE ÉLECTRIQUE AVEC 2 PORTS USB - 3.15 A - GRIS
NL ENKELVOUDIGE CONTACTDOOS MET 2 USB-POORTEN - 3.15 A - GRIJS
DE STECKDOSE MIT 2 USB-PORTS - 3.15 A - GRAU
ES TOMA CON DOS PUERTOS USB - 3.15 A - GRIS

colour: grey • 2 USB outlets for charging and powering USB devices
• socket: ◯ socket type: French (type E) ◯ child protection ◯ overload protection • socket type: French (type E)

number of USB ports: 2 (left : 2A, right : 1A) ◯ total power output: 3.15 A
• number of sockets: 1 ◯ 16 A / 230 V ◯ max. power: 3680 W • dimensions: 52 x 83 x 76 mm • weight: 96 g



► May only be sold in Belgium, Czech Republic, Denmark, France, Ile de la Réunion, Poland, Rep. Dem. Congo, Slovakia



EB1U3G



5 410329 583965



SINGLE POWER SOCKET WITH 2 USB PORTS - 3.15 A - GREY

FR SIMPLE PRISE ÉLECTRIQUE AVEC 2 PORTS USB - 3.15 A - GRIS
NL ENKELVOUDIGE CONTACTDOOS MET 2 USB-POORTEN - 3.15 A - GRIJS
DE STECKDOSE MIT 2 USB-PORTS - 3.15 A - GRAU
ES TOMA CON DOS PUERTOS USB - 3.15 A - GRIS

colour: grey • 2 USB outlets for charging and powering USB devices
• socket: ◯ socket type: German (type F) ◯ child protection ◯ overload protection • socket type: German (type F)

number of USB ports: 2 (left : 2A, right : 1A) ◯ total power output: 3.15 A
• number of sockets: 1 ◯ 16 A / 230 V ◯ max. power: 3680 W • dimensions: 52 x 83 x 76 mm • weight: 96 g



► May not be sold in Belgium, Czech Republic, Denmark, France, Ile de la Réunion, Poland, Rep. Dem. Congo, Slovakia



EB1U3G-G



5 410329 583989



SINGLE POWER SOCKET WITH 2 USB PORTS - 3.15 A - WHITE

FR SIMPLE PRISE ÉLECTRIQUE AVEC 2 PORTS USB - 3.15 A - BLANC
NL ENKELVOUDIGE CONTACTDOOS MET 2 USB-POORTEN - 3.15 A - WIT
DE STECKDOSE MIT 2 USB-PORTS - 3.15 A - WEIß
ES TOMA CON DOS PUERTOS USB - 3.15 A - BLANCO

colour: white • 2 USB outlets for charging and powering USB devices
• socket: ◯ socket type: French (type E) ◯ child protection ◯ overload protection • socket type: French (type E)

number of USB ports: 2 (left : 2A, right : 1A) ◯ total power output: 3.15 A
• number of sockets: 1 ◯ 16 A / 230 V ◯ max. power: 3680 W • dimensions: 52 x 83 x 76 mm • weight: 96 g



► May not be sold in Belgium, Czech Republic, Denmark, France, Ile de la Réunion, Poland, Rep. Dem. Congo, Slovakia



EB1U3W



5 410329 583897



SINGLE POWER SOCKET WITH 2 USB PORTS - 3.15 A - WHITE

FR SIMPLE PRISE ÉLECTRIQUE AVEC 2 PORTS USB - 3.15 A - BLANC
NL ENKELVOUDIGE CONTACTDOOS MET 2 USB-POORTEN - 3.15 A - WIT
DE STECKDOSE MIT 2 USB-PORTS - 3.15 A - WEIß
ES TOMA CON DOS PUERTOS USB - 3.15 A - BLANCO

colour: white • 2 USB outlets for charging and powering USB devices
• socket: ◯ socket type: German (type F) ◯ child protection ◯ overload protection • socket type: German (type F)

number of USB ports: 2 (left : 2A, right : 1A) ◯ total power output: 3.15 A
• number of sockets: 1 ◯ 16 A / 230 V ◯ max. power: 3680 W • dimensions: 52 x 83 x 76 mm • weight: 96 g



► May not be sold in Belgium, Czech Republic, Denmark, France, Ile de la Réunion, Poland, Rep. Dem. Congo, Slovakia



EB1U3W-G



5 410329 584078

PEREL®

PEREL®

**3-WAY DESKTOP SOCKET-OUTLET WITH 2 USB PORTS**

FR BLOC MULTIPRISES DE BUREAUX AVEC 3 PRISES ET 2 PORTS USB
 NL DESKTOP CONTACTDOOS MET 3 STOPCONTACTEN EN 2 USB-POORTEN
 DE 3-FACH TISCH-STECKDOSENLEISTE MIT 2 USB-PORTS
 ES BASE MÚLTIPLE DE SOBREMESA, 3 TOMAS, CON 2 PUERTOS USB

2 USB charging units (5V/2100mA) • child protection • illuminated DP power switch • sturdy aluminium housing • socket type: French (type E)

number of sockets: 3 • USB output voltage/current: DC 5V / 2100mA • power cord: H05VV-F 3G1.5, 1,5m • max. power: 3680W



► May only be sold in Belgium, Czech Republic, Denmark, France, Ile de la Réunion, Poland, Rep. Dem. Congo, Slovakia, Tunisia



EBP03DSU



5 410329 467449

**5-WAY SOCKET-OUTLET WITH 2 USB PORTS**

FR BLOC MULTIPRISES 5 PRISES AVEC 2 PORTS USB
 NL CONTACTDOOS MET 5 STOPCONTACTEN EN 2 USB-POORTEN
 DE 5-FACH-STECKDOSENLEISTE MIT 2 USB-PORTS
 ES BASE MÚLTIPLE, 5 TOMAS, CON 2 PUERTOS USB

2 USB charging units (5V/2100mA) • child protection • thermal fuse • overload indicator & protection • surge protection and safe operation indicator light • illuminated DP power switch • sturdy aluminium housing • socket type: French (type E)

number of sockets: 5 • USB output voltage/current: DC 5V / 2100mA • power cord: H05VV-F 3G1.5, 1,5m • max. power: 3680W



► May only be sold in Belgium, Czech Republic, Denmark, France, Ile de la Réunion, Poland, Rep. Dem. Congo, Slovakia



EBP05SU



5 410329 465728

**8-WAY SOCKET-OUTLET WITH 2 USB PORTS**

FR BLOC MULTIPRISES 8 PRISES AVEC 2 PORTS USB
 NL CONTACTDOOS MET 8 STOPCONTACTEN EN 2 USB-POORTEN
 DE 8-FACH-STECKDOSENLEISTE MIT 2 USB-PORTS
 ES BASE MÚLTIPLE, 8 TOMAS, CON 2 PUERTOS USB

2 USB charging units (5V/2100mA) • child protection • thermal fuse • overload indicator & protection • surge protection and safe operation indicator light • illuminated DP power switch • sturdy aluminium housing • socket type: French (type E)

number of sockets: 8 • USB output voltage/current: DC 5V / 2100mA • power cord: 1.5 m H05VV-F 3G1.5 • max. power: 3680W



► May only be sold in Belgium, Czech Republic, Denmark, France, Ile de la Réunion, Poland, Rep. Dem. Congo, Slovakia



EBP08SU



5 410329 465711

**COMPACT SWITCHING POWER SUPPLY WITH 7 SELECTABLE OUTPUTS: 3 TO 12 VDC - 600 mA - 7.2 W**

FR ALIMENTATION COMPACTE À DÉCOUPAGE AVEC 7 SORTIES SÉLECTIONNABLES : 3 À 12 VCC - 600 mA - 7.2 W
 NL COMPACTE SCHAKELENDE VOEDING MET 7 SELECTEERBARE UITGANGEN: 3 TOT 12 VDC - 600 mA - 7.2 W
 DE SCHALTNETZTEIL MIT 7 EINSTELLBAREN AUSGÄNGEN: 3 BIS 12 VDC - 600 mA - 7.2 W
 ES ALIMENTACIÓN COMPACTA CONMUTADA CON 7 SALIDAS SELECCIONABLES: DE 3 A 12 VCC - 600 mA - 7.2 W

with 7 detachable DC plugs • stabilised output, low ripple & noise • short-circuit & overload protection • very high efficiency & low energy consumption • compact dimensions • modified sine wave • output is short-circuit protected • battery-low alarm • battery-low shutdown • thermal + overload protection • child-safe

input: 100-240 Vac 50/60 Hz 0.16 A • 7 selectable output voltages: 3 to 12 VDC • output (max.): ∅ 3/4.5/5/6/7/9/12 Vdc: 600 mA • plugs: 2.5 mm, 3.5 mm, 2.1 x 5.0 mm, 2.5 x 5.5 mm, 1.35 x 3.5 mm, 1.7 x 4.0 mm, 0.75 x 2.35 mm • dimensions: 35 x 65 x 65 mm • cable length: 1.7 m • weight: 110 g



EPSSE5



5 410329 475598

**COMPACT SWITCHING POWER SUPPLY WITH 7 SELECTABLE OUTPUTS: 3 TO 12 VDC - 1000 mA - 12 W**

FR ALIMENTATION COMPACTE À DÉCOUPAGE AVEC 7 SORTIES SÉLECTIONNABLES: 3 À 12 VCC 1000 mA - 12 W
 NL COMPACTE SCHAKELENDE VOEDING MET 7 SELECTEERBARE UITGANGEN: 3 TOT 12 VDC 1000 mA - 12 W
 DE SCHALTNETZTEIL MIT 7 EINSTELLBAREN AUSGÄNGEN: 3 BIS 12 VDC 1000 mA - 12 W
 ES ALIMENTACIÓN COMPACTA CONMUTADA CON 7 SALIDA SELECCIONABLES: DE 3 A 12 VCC 1000 mA - 12 W

with 7 detachable DC plugs • stabilised output, low ripple & noise • short-circuit & overload protection • very high efficiency & low energy consumption • compact dimensions • modified sine wave • output is short-circuit protected • battery-low alarm • battery-low shutdown • thermal + overload protection • child-safe

supply voltage: 100-240 VAC / 50-60 Hz • power: 12 W max. • 7 selectable output voltages: 3 to 12 VDC • max. output current: 1000 mA • plugs: 2.5 mm, 3.5 mm, 2.1 x 5.0 mm, 2.5 x 5.5 mm, 1.35 x 3.5 mm, 1.7 x 4.0 mm, 0.75 x 2.35 mm • cable length: 1.7 m • dimensions: • weight: 160g




EPSSE10



5 410329 475604





ADAPTER CEE PLUG TO 3-WAY SCHUKO SOCKET-OUTLET

FR ADAPTATEUR PRISE CEE VERS BLOC
MULTIPRISES 3 PRISES SCHUKO
NL CEE-STEKKERADAPTER NAAR 3-VOUDIGE
SCHUKO CONTACTDOOS
DE CEE-STECKER AUF SCHUKO 3-FACH-STECKDOSENLEISTE
ES CLAVIJA CEE A BASE MÚLTIPLE, 3 TOMAS, SCHUKO

for hard outdoor use, trade, industry and on sites • heavy-duty, flexible rubber (neoprene) cable • CEE plug 230V/16A • 3 water-jet protected sockets 230 V (IP54) • with child protection • socket type: French (type E) • mountable

cable: H07RN-F 3G2.5 • length: 3m



► May only be sold in Belgium, Czech Republic, Denmark, France, Ile de la Réunion, Poland, Rep. Dem. Congo, Slovakia, Switzerland



EB3CEEA2

5 410329 466398



ADAPTER CABLE SCHUKO PLUG TO CEE SOCKET

FR RACCORD FICHE SCHUKO VERS PRISE CEE
NL VERLOOPKABEL SCHUKO STEKKER NAAR CEE CONTRASTEKKER
DE ADAPTER-KABEL MIT SCHUKO-STECKER AUF CEE-KUPPLUNG
ES RACOR CONECTOR SCHUKO A CLAVIJA HEMBRA CEE

cable: H07RN-F 3G2.5 • length: 40cm



ECEEA1

5 410329 448868



ADAPTER CABLE SOCKET TO CEE PLUG

FR RACCORD FICHE VERS PRISE CEE
NL VERLOOPKABEL CONTRASTEKKER NAAR CEE STEKKER
DE ADAPTER-KABEL MIT KUPPLUNG AUF CEE-STECKER
ES RACOR CLAVIJA HEMBRA A CONECTOR CEE

cable: H07RN-F 3G2.5 • length: 40cm



► May only be sold in Belgium, Czech Republic, Denmark, France, Ile de la Réunion, Poland, Rep. Dem. Congo, Slovakia



ECEEA2


5 410329 448882



ADAPTER CABLE SCHUKO PLUG TO CEE SOCKET - 3 m

FR RACCORD FICHE SCHUKO VERS PRISE CEE - 3 m
NL VERLOOPKABEL SCHUKO STEKKER
NAAR CEE CONTRASTEKKER - 3 m
DE ADAPTER-KABEL MIT SCHUKO-STECKER AUF CEE-KUPPLUNG - 3 m
ES RACOR CONECTOR SCHUKO A CLAVIJA HEMBRA CEE - 3 m

cable: H07RN-F 3G2.5 • length: 3m



ECEEA3


5 410329 448899



ADAPTER CABLE SOCKET TO CEE PLUG - 3 m

FR RACCORD FICHE VERS PRISE CEE - 3 m
NL VERLOOPKABEL CONTRASTEKKER NAAR CEE STEKKER - 3 m
DE ADAPTER-KABEL MIT KUPPLUNG AUF CEE-STECKER - 3 m
ES RACOR CLAVIJA HEMBRA A CONECTOR CEE - 3 m

cable: H07RN-F 3G2.5 • length: 3m



► May only be sold in Belgium, Czech Republic, Denmark, France, Ile de la Réunion, Poland, Rep. Dem. Congo, Slovakia



ECEEA4

5 410329 448905



ADAPTER CABLE SCHUKO PLUG TO CEE SOCKET

FR RACCORD FICHE SCHUKO VERS PRISE CEE
NL VERLOOPKABEL SCHUKO STEKKER NAAR CEE CONTRASTEKKER
DE ADAPTER-KABEL MIT SCHUKO-STECKER AUF CEE-KUPPLUNG
ES RACOR CONECTOR SCHUKO A CLAVIJA HEMBRA CEE

cable: H07RN-F 3G1.5 • length: 40cm



ECEEC

5 410329 421137



ADAPTOR CABLE SCHUKO PLUG TO CEE SOCKET - 3 m

FR RACCORD FICHE SCHUKO VERS PRISE CEE - 3 m
NL VERLOOPKABEL SCHUKO STEKKER
NAAR CEE CONTRASTEKKER - 3 m
DE ADAPTER-KABEL MIT SCHUKO-STECKER AUF CEE-KUPPLUNG - 3 m
ES RACOR CONECTOR SCHUKO A CLAVIJA HEMBRA CEE - 3 m

cable: H07RN-F 3G1.5 • length: 3m



ECEEC-3

5 410329 441869




POWER CORD -RUBBER - 1.5 m - 3G2.5 - CEE 7/7 PLUG TO OPEN END

FR CORDON D'ALIMENTATION 1,5 m - 3G2,5 - PRISE
CEE 7/7 ET EXTRÉMITÉ SANS PRISE
NL RUBBER NETSNOER 1,5 m - 3G2,5 - CEE
7/7 STEKKER NAAR STEKKERLOOS
DE NETZKABEL 1,5 m - 3G2,5 - CEE 7/7 STECKER AUF OFFENES ENDE
ES CABLE DE ALIMENTACIÓN 1,5 m - 3G2,5 -
CLAVIJA CEE 7/7 A EXTREMO SIN CLAVIJA

with child protection

cable: H05RR-F 3G2.5 • length: 1.5m • colour: black



NEW

EPC015R25

5 410329 586096

► May not be sold in Germany, The Netherlands

**ADAPTER CABLE SOCKET TO CEE PLUG**

FR RACCORD FICHE VERS PRISE CEE
 NL VERLOOPKABEL CONTRASTEKKER NAAR CEE STEKKER
 DE ADAPTER-KABEL MIT KUPPLUNG AUF CEE-STECKER
 ES RACOR CLAVIJA HEMBRA A CONECTOR CEE

cable: H07RN-F 3G1.5 • length: 40cm



► May only be sold in Belgium, Czech Republic, Denmark, France, Ile de la Réunion, Poland, Rep. Dem. Congo, Slovakia



ECEEC3M

**PEREL®****ADAPTER CABLE SOCKET TO CEE PLUG - 3 m**

FR RACCORD FICHE VERS PRISE CEE - 3 m
 NL VERLOOPKABEL CONTRASTEKKER NAAR CEE STEKKER - 3 m
 DE ADAPTER-KABEL MIT KUPPLUNG AUF CEE-STECKER - 3 m
 ES RACOR CLAVIJA HEMBRA A CONECTOR CEE - 3 m

cable: H07RN-F 3G1.5 • length: 3m



► May only be sold in Belgium, Czech Republic, Denmark, France, Ile de la Réunion, Poland, Rep. Dem. Congo, Slovakia



ECEEC3M-3

**PEREL®****ADAPTER CABLE SCHUKO SOCKET TO CEE PLUG**

FR RACCORD PRISE SCHUKO VERS FICHE CEE
 NL VERLOOPKABEL SCHUKO CONTRASTEKKER NAAR CEE STEKKER
 DE ADAPTER-KABEL MIT SCHUKO-KUPPLUNG AUF CEE-STECKER
 ES RACOR CLAVIJA HEMBRA SCHUKO A CONECTOR CEE

cable: H07RN-F 3G2.5 • length: 40cm



► May not be sold in Belgium, Czech Republic, Denmark, France, Poland, Rep. Dem. Congo, Slovakia




ECEEA2-G

**PEREL®****ADAPTER CABLE SCHUKO SOCKET TO CEE PLUG - 3 m**

FR RACCORD PRISE SCHUKO VERS FICHE CEE - 3 m
 NL VERLOOPKABEL SCHUKO CONTRASTEKKER NAAR CEE STEKKER - 3 m
 DE ADAPTER-KABEL MIT SCHUKO-KUPPLUNG AUF CEE-STECKER - 3 m
 ES RACOR CLAVIJA HEMBRA SCHUKO A CONECTOR CEE - 3 m

cable: H07RN-F 3G2.5 • length: 3m



► May not be sold in Belgium, Czech Republic, Denmark, France, Poland, Rep. Dem. Congo, Slovakia



ECEEA4-G

**PEREL®****ADAPTER CABLE SCHUKO SOCKET TO CEE PLUG - 3 m**

FR RACCORD PRISE SCHUKO VERS FICHE CEE - 3 m
 NL VERLOOPKABEL SCHUKO CONTRASTEKKER NAAR CEE STEKKER - 3 m
 DE ADAPTER-KABEL MIT SCHUKO-KUPPLUNG AUF CEE-STECKER - 3 m
 ES RACOR CLAVIJA HEMBRA SCHUKO A CONECTOR CEE - 3 m

cable: H07RN-F 3G1.5 • length: 3m



► May not be sold in Belgium, Czech Republic, Denmark, France, Poland, Rep. Dem. Congo, Slovakia



3-G



ECEEC3M-

PEREL®**ADAPTER CABLE SCHUKO SOCKET TO CEE PLUG**

FR RACCORD PRISE SCHUKO VERS FICHE CEE
 NL VERLOOPKABEL SCHUKO CONTRASTEKKER NAAR CEE STEKKER
 DE ADAPTER-KABEL MIT SCHUKO-KUPPLUNG AUF CEE-STECKER
 ES RACOR CLAVIJA HEMBRA SCHUKO A CONECTOR CEE

cable: H07RN-F 3G1.5 • length: 40 cm



► May not be sold in Belgium, Czech Republic, Denmark, France, Poland, Rep. Dem. Congo, Slovakia



ECEEC3M-G

**PEREL®****CEE 3-WAY SPLITTER**

FR RÉPARTITEUR 3 VOIES CEE
 NL CEE DRIEWEG SPLITTER
 DE 3-WEGE CEE-SPLITTER
 ES SEPARADOR CEE DE 3 VÍAS

3-pin (2P+E) CEE plug • 3 x CEE socket with auto closing flip top safety caps • IP44

current: 16A • voltage: 230VAC



ECEES1

**PEREL®**



CABLES

CÂBLES
KABELS
KABEL
CABLES



POWER CORD - RUBBER - 1.5 m - 3G1.5 - CEE 7/7 PLUG TO OPEN END

FR CORDON D'ALIMENTATION 1,5 m - 3G1,5 - PRISE CEE 7/7 ET EXTRÉMITÉ SANS PRISE
NL RUBBER NETSNOER 1,5 m - 3G1,5 - CEE 7/7 STEKKER NAAR STEKKERLOOS
DE NETZKABEL 1,5 m - 3G1,5 - CEE 7/7 STECKER AUF OFFENES ENDE
ES CABLE DE ALIMENTACIÓN 1,5 m - 3G1,5 - CLAVIJA CEE 7/7 A EXTREMO SIN CLAVIJA

with child protection

cable: H05RR-F 3G1.5 • length: 1.5m • colour: black

PEREL®

► May not be sold in Germany, The Netherlands



EPC015R15



5 410329 445577



2 m POWER EXTENSION CABLE WITH MALE-FEMALE DC PLUG

FR RALLONGE AVEC CONNECTEUR D'ALIMENTATION CC (MÂLE-FEMELLE) - 2 m
NL VERLENGSNOER MET DC-VOEDINGSCONNECTOR (MANNELIJK-VROUWELIJK) - 2 m
DE VERLÄNGERUNGSKABEL MIT DC-STECKER-/BUCHSE - 2 m
ES PROLONGADOR CON CONECTOR DC MACHO/HEMBRA - 2 m

for: LED strips

voltage rating (max.): 24 VDC • current rating (max.): 3 A • DC plug: 2.1 x 5.5 mm • wire length: 2 m • inner conductor: 2 x 21 x 0.19 mm



LC0N14



5 410329 478582



EXTENSION CABLE 1.5 m WITH 90° PLUG - BLACK

FR RALLONGE 1,5 m, NOIR
NL VERLENGKABEL 1,5 m MET 90° STEKKER - ZWART
DE VERLÄNGERUNGSKABEL 1,5 m - 90° STECKER - SCHWARZ
ES CABLE PROLONGADOR 1,5 m - CLAVIJA 90° - NEGRO

with 90° CEE 7/7 plug • with child protection

length: 1.5 m • colour: black • 3G1.5

PEREL®



► May only be sold in Belgium, Czech Republic, Denmark, France, Ile de la Réunion, Poland, Rep. Dem. Congo, Slovakia



EC01.5B-90



5 410329 570484



EXTENSION CABLE - 3 m - WHITE - 3G1.5

FR RALLONGE - 3 m - BLANC - 3G1.5
NL VERLENGKABEL - 3 m - WIT - 3G1.5
DE VERLÄNGERUNGSKABEL - 3 m - WEIß - 3G1.5
ES CABLE PROLONGADOR - 3 m - BLANCO - 3G1.5

with child protection

length: 3 m • colour: white • 3G1.5

PEREL®



► May only be sold in Belgium, Czech Republic, Denmark, France, Germany, Ile de la Réunion, Poland, Rep. Dem. Congo, Slovakia



EC03



5 410329 343514



EXTENSION CABLE 3 m - WHITE

FR RALLONGE 3 m - BLANC
NL VERLENGKABEL 3 m - WIT
DE VERLÄNGERUNGSKABEL 3 m, WEIß, SCHUTZKONTAKT (DEUTSCHES SYSTEM)
ES CABLE PROLONGADOR 3 m, BLANCO, TOMA DE TIERRA LATERAL

german type • with child protection

length: 3m • colour: white • 3G1.5

PEREL®



► May not be sold in Belgium, Czech Republic, Denmark, France, Poland, Rep. Dem. Congo, Slovakia



EC03-G



5 410329 430344



EXTENSION CABLE - 3 m - BLACK - 3G1.5

FR RALLONGE - 3 m - NOIR - 3G1.5
NL VERLENGKABEL - 3 m - ZWART - 3G1.5
DE VERLÄNGERUNGSKABEL - 3 m - SCHWARZ - 3G1.5
ES CABLE PROLONGADOR - 3 m - NEGRO - 3G1.5

with child protection

length: 3 m • colour: black • 3G1.5

PEREL®



► May only be sold in Belgium, Czech Republic, Denmark, France, Ile de la Réunion, Luxemburg, Poland, Rep. Dem. Congo, Slovakia



EC03B



5 410329 453046

**EXTENSION CABLE 3 m - BLACK**

FR RALLONGE 3 m - NOIR
 NL VERLENGKABEL 3 m - ZWART
 DE VERLÄNGERUNGSKABEL - 3 m - SCHWARZ
 ES CABLE PROLONGADOR - 3 m - COLOR NEGRO

german type • with child protection



► May not be sold in Belgium, Czech Republic, Denmark, France, Poland, Rep. Dem. Congo, Slovakia



EC03B-G

**PEREL®****EXTENSION CABLE - 5 m - WHITE - 3G1.5**

FR RALLONGE - 5 m - BLANC - 3G1.5
 NL VERLENGKABEL - 5 m - WIT - 3G1.5
 DE VERLÄNGERUNGSKABEL - 5 m - WEIß - 3G1.5
 ES CABLE PROLONGADOR - 5 m - NEGRO - 3G1.5

with child protection

length: 5 m • colour: white • 3G1.5



► May only be sold in Belgium, Czech Republic, Denmark, France, Ile de la Réunion, The Netherlands, Poland, Rep. Dem. Congo, Slovakia



EC05

**PEREL®****EXTENSION CABLE - 5 m - WHITE**

FR RALLONGE 5 m - BLANC
 NL VERLENGKABEL 5 m - WIT
 DE VERLÄNGERUNGSKABEL 5 m - WEIß
 ES CABLE PROLONGADOR 5 m - BLANCO

german type • with child protection

length: 5m • colour: white • 3G1.5



► May not be sold in Belgium, Czech Republic, Denmark, France, Rep. Dem. Congo, Slovakia



EC05-G

**PEREL®****EXTENSION CABLE - 5 m - BLACK - 3G1.5**

FR RALLONGE - 5 m - NOIR - 3G1.5
 NL VERLENGKABEL - 5 m - ZWART - 3G1.5
 DE VERLÄNGERUNGSKABEL - 5 m - SCHWARZ - 3G1.5
 ES CABLE PROLONGADOR - 5 m - NEGRO - 3G1.5

with child protection

length: 5m • colour: black • 3G1.5



► May only be sold in Belgium, Czech Republic, Denmark, France, Ile de la Réunion, Poland, Rep. Dem. Congo, Slovakia



EC05B

**PEREL®****EXTENSION CABLE - 5 m - BLACK**

FR RALLONGE 5 m - NOIR
 NL VERLENGKABEL 5 m - ZWART
 DE VERLÄNGERUNGSKABEL - 5 m - SCHWARZ
 ES CABLE PROLONGADOR - 5 m - COLOR NEGRO

german type • with child protection



► May not be sold in Belgium, Czech Republic, Denmark, France, Rep. Dem. Congo, Slovakia



EC05B-G

**PEREL®****EXTENSION CABLE - 10 m - WHITE - 3G1.5**

FR RALLONGE - 10 m - BLANC - 3G1.5
 NL VERLENGKABEL - 10 m - WIT - 3G1.5
 DE VERLÄNGERUNGSKABEL - 10 m - WEIß - 3G1.5
 ES CABLE PROLONGADOR - 10 m - BLANCO - 3G1.5

with child protection

length: 10m • colour: white • 3G1.5



► May only be sold in Belgium, Czech Republic, Denmark, France, Ile de la Réunion, Poland, Rep. Dem. Congo, Slovakia



EC10

**PEREL®****EXTENSION CABLE - 10 m - WHITE**

FR RALLONGE 10 m - BLANC
 NL VERLENGKABEL 10 m - WIT
 DE NETZKABEL 10 m WEIß, DEUTSCHES SYSTEM
 ES CABLE DE ALIMENTACIÓN 10 m BLANCO - TOMA DE TIERRA LATERAL

german type • with child protection

length: 10m • colour: white • 3G1.5



► May not be sold in Belgium, Czech Republic, Denmark, France, Poland, Rep. Dem. Congo, Slovakia



EC10-G

**PEREL®****EXTENSION CABLE - 10 m - BLACK - 3G1.5**

FR RALLONGE - 10 m - NOIR - 3G1.5
 NL VERLENGKABEL - 10 m - ZWART - 3G1.5
 DE VERLÄNGERUNGSKABEL - 10 m - SCHWARZ - 3G1.5
 ES CABLE PROLONGADOR - 10 m - NEGRO - 3G1.5

with child protection • with child protection

length: 10 m • colour: black • 3G1.5



► May only be sold in Belgium, Czech Republic, Denmark, France, Ile de la Réunion, Poland, Rep. Dem. Congo, Slovakia



EC10B

**PEREL®**



EXTENSION CABLE - 20 m - ORANGE

FR RALLONGE 20 m - ORANGE
NL VERLENGKABEL 20 m - ORANJE
DE VERLÄNGERUNGSKABEL 20 m - ORANGE
ES CABLE PROLONGADOR 20 m - NARANJA

with child protection

length: 20m • colour: orange • 3G1.5



► May only be sold in Belgium, Czech Republic, Denmark, France, Ile de la Réunion, Poland, Rep. Dem. Congo, Slovakia



EC20



5 410329 423025

PEREL®



EXTENSION CABLE - 20 m - ORANGE

FR RALLONGE 20 m - ORANGE
NL VERLENGKABEL 20 m - ORANJE
DE VERLÄNGERUNGSKABEL 20 m ORANGE
ES CABLE PROLONGADOR 20 m NARANJA

german type • with child protection

length: 20m • colour: orange • 3G1.5



► May only be sold in Belgium, Czech Republic, Denmark, France, Ile de la Réunion, The Netherlands, Poland, Rep. Dem. Congo, Slovakia



EC20-G



5 410329 583330

PEREL®



EXTENSION CABLE - 25 m - ORANGE

FR RALLONGE 25 m - ORANGE
NL VERLENGKABEL 25 m - ORANJE
DE VERLÄNGERUNGSKABEL 25 m ORANGE
ES CABLE PROLONGADOR 25 m NARANJA

german type • with child protection

length: 25m • colour: orange • 3G1.5



► May not be sold in France



EC25-G



5 410329 404864

PEREL®



EXTENSION CABLE - 40 m - ORANGE

FR RALLONGE 40 m - ORANGE
NL VERLENGKABEL 40 m - ORANJE
DE VERLÄNGERUNGSKABEL 40 m - ORANGE
ES CABLE PROLONGADOR 40 m - NARANJA

with child protection • with child protection

length: 40m • colour: orange • 3G1.5



► May only be sold in Belgium, Czech Republic, Denmark, France, Ile de la Réunion, Poland, Rep. Dem. Congo, Slovakia



EC40



5 410329 343552

PEREL®



EXTENSION CABLE - 40 m - ORANGE

FR RALLONGE 40 m - ORANGE
NL VERLENGKABEL 40 m - ORANJE
DE VERLÄNGERUNGSKABEL 40 m ORANGE
ES CABLE PROLONGADOR 40 m NARANJA

german type • with child protection

length: 40m • colour: orange • 3G1.5



► May not be sold in Czech Republic, Denmark, France, Poland, Rep. Dem. Congo, Slovakia



EC40-G



5 410329 405229

PEREL®



RUBBER EXTENSION CABLE - 5 m - 3G1.5

FR RALLONGE EN CAOUTCHOUC 5 m - 3G1.5
NL RUBBER VERLENGKABEL 5 m - 3G1.5
DE GUMMI-VERLÄNGERUNGSKABEL 5 m - 3G1.5 - SCHUTZKONTAKT (FRANZÖSISCHES SYSTEM)
ES CABLE PROLONGADOR DE GOMA 5 m - 3G1.5 - TOMA DE TIERRA DE ESPIGA

with child protection

length: 5m • material: rubber (H05RRR-F) • colour: black • 3G1.5 • max. current: 16A • IP44



► May not be sold in Germany, The Netherlands



EC05R15



5 410329 407643

PEREL®



RUBBER EXTENSION CABLE - 5 m - 3G1.5

FR RALLONGE EN CAOUTCHOUC 5 m - 3G1.5
NL RUBBER VERLENGKABEL 5 m - 3G1.5
DE GUMMI-VERLÄNGERUNGSKABEL 5 m - 3G1.5 - DEUTSCHES SYSTEM
ES CABLE PROLONGADOR DE GOMA 5 m - 3G1.5 - TOMA DE TIERRA LATERAL

german type • with child protection

length: 5m • material: rubber (H05RRR-F) • colour: black • 3G1.5 • IP44



► May not be sold in France



EC05R15-G



5 410329 407650

PEREL®



RUBBER EXTENSION CABLE - 1.5 m - 3G1.5 - WITH SHRINK TUBE FOR CUSTOM LABELLING

FR RALLONGE EN CAOUTCHOUC 1.5 m - 3G1.5, AVEC GAINÉ RÉTRACTILE POUR ÉTIQUETAGE PERSONNALISÉ
 NL RUBBER VERLENGKABEL 1.5 m - 3G1.5, MET KRIMPKOUS VOOR MARKEREN VAN EIGEN LABEL
 DE GUMMI-VERLÄNGERUNGSKABEL 1.5 m - 3G1.5 - SCHUTZKONTAKT (FRANZÖSISCHES SYSTEM), MIT SCHRUMPFSCHLAUCH ZUM SCHUTZ VON KENNZEICHNUNGEN AUF DEM KABEL
 ES CABLE PROLONGADOR DE GOMA 1.5 m - 3G1.5 - TOMA DE TIERRA DE ESPIGA, Y TUBO TERMORRETRACTIL PARA ETIQUETADO PERSONALIZADO

comes with 8 cm transparent shrink sleeve (not shrunk) for custom labelling
 • with child protection

length: 1.5 m • material: rubber (H05RR-F) • colour: black • 3G1.5 • max. current: 20 A • IP44



► May not be sold in Germany, The Netherlands



PEREL®



RUBBER EXTENSION CABLE - 1.5 m - 3G2.5 - WITH SHRINK TUBE FOR CUSTOM LABELLING

FR RALLONGE EN CAOUTCHOUC 1.5 m - 3G2.5, AVEC GAINÉ RÉTRACTILE POUR ÉTIQUETAGE PERSONNALISÉ
 NL RUBBER VERLENGKABEL 1.5 m - 3G2.5, MET KRIMPKOUS VOOR MARKEREN VAN EIGEN LABEL
 DE GUMMI-VERLÄNGERUNGSKABEL 1.5 m - 3G2.5 - MIT SCHRUMPFSCHLAUCH ZUM SCHUTZ VON KENNZEICHNUNGEN AUF DEM KABEL
 ES CABLE PROLONGADOR DE GOMA 1.5 m - 3G2.5 - CON TUBO RETRÁCTIL PARA UN ETIQUETADO A MEDIDA

comes with 8 cm transparent shrink sleeve (not shrunk) for custom labelling
 • with child protection

length: 1.5 m • material: rubber (H05RR-F) • colour: black • 3G2.5 • max. current: 20 A • IP44



► May not be sold in Germany, The Netherlands



PEREL®



RUBBER EXTENSION CABLE - 3 m - 3G1.5 - WITH SHRINK TUBE FOR CUSTOM LABELLING

FR RALLONGE EN CAOUTCHOUC 3 m - 3G1.5, AVEC GAINÉ RÉTRACTILE POUR ÉTIQUETAGE PERSONNALISÉ
 NL RUBBER VERLENGKABEL 3 m - 3G1.5, MET KRIMPKOUS VOOR MARKEREN VAN EIGEN LABEL
 DE GUMMI-VERLÄNGERUNGSKABEL 3 m - 3G1.5 - SCHUTZKONTAKT (FRANZÖSISCHES SYSTEM), MIT SCHRUMPFSCHLAUCH ZUM SCHUTZ VON KENNZEICHNUNGEN AUF DEM KABEL
 ES CABLE PROLONGADOR DE GOMA 3 m - 3G1.5 - TOMA DE TIERRA DE ESPIGA, Y TUBO TERMORRETRACTIL PARA ETIQUETADO PERSONALIZADO

comes with 8 cm transparent shrink sleeve (not shrunk) for custom labelling
 • with child protection

length: 3 m • material: rubber (H05RR-F) • colour: black • 3G1.5 • max. current: 20 A • IP44



► May not be sold in Germany, The Netherlands



PEREL®



RUBBER EXTENSION CABLE - 3 m - 3G2.5 - WITH SHRINK TUBE FOR CUSTOM LABELLING

FR RALLONGE EN CAOUTCHOUC 3 m - 3G2.5, AVEC GAINÉ RÉTRACTILE POUR ÉTIQUETAGE PERSONNALISÉ
 NL RUBBER VERLENGKABEL 3 m - 3G2.5, MET KRIMPKOUS VOOR MARKEREN VAN EIGEN LABEL
 DE GUMMI-VERLÄNGERUNGSKABEL 3 m - 3G2.5 - MIT SCHRUMPFSCHLAUCH ZUM SCHUTZ VON KENNZEICHNUNGEN AUF DEM KABEL
 ES CABLE PROLONGADOR DE GOMA 3 m - 3G2.5 - CON TUBO RETRÁCTIL PARA UN ETIQUETADO A MEDIDA

comes with 8 cm transparent shrink sleeve (not shrunk) for custom labelling
 • with child protection

length: 3 m • material: rubber (H05RR-F) • colour: black • 3G2.5 • max. current: 20 A • IP44



► May not be sold in Germany, The Netherlands



PEREL®



RUBBER EXTENSION CABLE - 5 m - 3G1.5 - WITH SHRINK TUBE FOR CUSTOM LABELLING


FR RALLONGE EN CAOUTCHOUC 5 m - 3G1.5, AVEC GAINÉ RÉTRACTILE POUR ÉTIQUETAGE PERSONNALISÉ
 NL RUBBER VERLENGKABEL 5 m - 3G1.5, MET KRIMPKOUS VOOR MARKEREN VAN EIGEN LABEL
 DE GUMMI-VERLÄNGERUNGSKABEL 5 m - 3G1.5 - SCHUTZKONTAKT (FRANZÖSISCHES SYSTEM), MIT SCHRUMPFSCHLAUCH ZUM SCHUTZ VON KENNZEICHNUNGEN AUF DEM KABEL
 ES CABLE PROLONGADOR DE GOMA 5 m - 3G1.5 - TOMA DE TIERRA DE ESPIGA, Y TUBO TERMORRETRACTIL PARA ETIQUETADO PERSONALIZADO

comes with 8cm transparent shrink sleeve (not shrunk) for custom labelling
 • with child protection

length: 5m • material: rubber (H05RR-F) • colour: black • 3G1.5 • max. current: 20A • IP44



► May not be sold in Germany, The Netherlands



PEREL®



**RUBBER EXTENSION
CABLE - 5 m - 3G2.5**

FR RALLONGE EN CAOUTCHOUC 5 m - 3G2.5
NL RUBBER VERLENGKABEL 5 m - 3G2.5
DE GUMMI-VERLÄNGERUNGSKABEL 5 m - 3G2.5 -
SCHUTZKONTAKT (FRANZÖSISCHES SYSTEM)
ES CABLE PROLONGADOR DE GOMA 5 m -
3G2.5 - TOMA DE TIERRA DE ESPIGA

with child protection

length: 5m • material: rubber (H05RR-F) • colour: black • 3G2.5 • max.
current: 20A • IP44



► May not be sold in Germany, The Netherlands



EC05R25



5 410329 407667

PEREL®



**RUBBER EXTENSION
CABLE - 5 m - 3G2.5**

FR RALLONGE EN CAOUTCHOUC 5 m - 3G2.5
NL RUBBER VERLENGKABEL 5 m - 3G2.5
DE GUMMI-VERLÄNGERUNGSKABEL 5 m
- 3G2.5 - DEUTSCHES SYSTEM
ES CABLE PROLONGADOR DE GOMA 5 m -
3G2.5 - TOMA DE TIERRA LATERAL

german type • with child protection

length: 5m • material: rubber (H05RR-F) • colour: black • 3G2.5



► May not be sold in France



EC05R25-G



5 410329 407674

PEREL®



**RUBBER EXTENSION CABLE -
5 m - 3G2.5 - WITH SHRINK TUBE
FOR CUSTOM LABELLING**

FR RALLONGE EN CAOUTCHOUC 5 m - 3G2.5, AVEC GAINÉ
RÉTRACTILE POUR ÉTIQUETAGE PERSONNALISÉ
NL RUBBER VERLENGKABEL 5 m - 3G2.5, MET
KRIMPKOUS VOOR MARKEREN VAN EIGEN LABEL
DE GUMMI-VERLÄNGERUNGSKABEL
5 m - 3G2.5 - MIT SCHRUMPFSCHLAUCH ZUM SCHUTZ
VON KENNZEICHNUNGEN AUF DEM KABEL
ES CABLE PROLONGADOR DE GOMA 5 m - 3G2.5 - CON
TUBO RETRACTIL PARA UN ETIQUETADO A MEDIDA

comes with 8cm transparent shrink sleeve (not shrunk) for custom labelling
• with child protection

length: 5m • material: rubber (H05RR-F) • colour: black • 3G2.5 • max.
current: 20A • IP44



► May not be sold in Germany, The Netherlands



EC05R25STB



5 410329 464905

PEREL®



**RUBBER EXTENSION
CABLE - 10 m - 3G1.5**

FR RALLONGE EN CAOUTCHOUC 10 m - 3G1.5
NL RUBBER VERLENGKABEL 10 m - 3G1.5
DE GUMMI-VERLÄNGERUNGSKABEL 10 m - 3G1.5 -
SCHUTZKONTAKT (FRANZÖSISCHES SYSTEM)
ES CABLE PROLONGADOR DE GOMA 10 m -
3G1.5 - TOMA DE TIERRA DE ESPIGA

with child protection

length: 10m • material: rubber (H05RR-F) • colour: black • 3G1.5 • max.
current: 16A • IP44



► May not be sold in Germany, The Netherlands



EC10R15



5 410329 407254

PEREL®



**RUBBER EXTENSION
CABLE - 10 m - 3G1.5**

FR RALLONGE EN CAOUTCHOUC 10 m - 3G1.5
NL RUBBER VERLENGKABEL 10 m - 3G1.5
DE GUMMI-VERLÄNGERUNGSKABEL 10 m
- 3G1.5 - DEUTSCHES SYSTEM
ES CABLE PROLONGADOR DE GOMA 10 m -
3G1.5 - TOMA DE TIERRA LATERAL

german type • with child protection

length: 10m • material: rubber (H05RR-F) • colour: black • 3G1.5



► May not be sold in Belgium, France



EC10R15-G



5 410329 407698

PEREL®



**RUBBER EXTENSION CABLE -
10 m - 3G1.5 - WITH SHRINK TUBE
FOR CUSTOM LABELLING**

FR RALLONGE EN CAOUTCHOUC 10 m - 3G1.5, AVEC GAINÉ
RÉTRACTILE POUR ÉTIQUETAGE PERSONNALISÉ
NL RUBBER VERLENGKABEL 10 m - 3G1.5, MET
KRIMPKOUS VOOR MARKEREN VAN EIGEN LABEL
DE GUMMI-VERLÄNGERUNGSKABEL
10 m - 3G1.5 - MIT SCHRUMPFSCHLAUCH ZUM SCHUTZ
VON KENNZEICHNUNGEN AUF DEM KABEL
ES CABLE PROLONGADOR DE GOMA 10 m - 3G1.5 - CON
TUBO RETRACTIL PARA UN ETIQUETADO A MEDIDA

comes with 8cm transparent shrink sleeve (not shrunk) for custom labelling
• with child protection

length: 10m • material: rubber (H05RR-F) • colour: black • 3G1.5 • max.
current: 20A • IP44



► May not be sold in Germany, The Netherlands



EC10R15STB



5 410329 467562

PEREL®



RUBBER EXTENSION CABLE - 20 m - 3G1.5 - WITH SHRINK TUBE FOR CUSTOM LABELLING

FR RALLONGE EN CAOUTCHOUC 20 m - 3G1.5, AVEC GAINÉ RÉTRACTILE POUR ÉTIQUETAGE PERSONNALISÉ
NL RUBBER VERLENGKABEL 20 m - 3G1.5, MET KRIMPKOUS VOOR MARKEREN VAN EIGEN LABEL
DE GUMMI-VERLÄNGERUNGSKABEL 20 m - 3G1.5 - SCHUTZKONTAKT (FRANZÖSISCHES SYSTEM), MIT SCHRUMPFSCHLAUCH FÜR PERSONALISIERTE ETIKETTIERUNG
ES CABLE PROLONGADOR DE GOMA 20 m - 3G1.5 - TOMA DE TIERRA DE ESPIGA, Y TUBO TERMORRETRACTIL PARA ETIQUETADO PERSONALIZADO

comes with 8 cm transparent shrink sleeve (not shrunk) for custom labelling
• with child protection

length: 20 m • material: rubber (H05RR-F) • colour: black • 3G1.5 • max. current: 20 A • IP44



► May not be sold in Germany, The Netherlands



EC20R15STB



5 410329 568870

PEREL®



RUBBER EXTENSION CABLE - 20 m - 3G2.5 - WITH SHRINK TUBE FOR CUSTOM LABELLING

FR RALLONGE EN CAOUTCHOUC 20 m - 3G2.5, AVEC GAINÉ RÉTRACTILE POUR ÉTIQUETAGE PERSONNALISÉ
NL RUBBER VERLENGKABEL 20 m - 3G2.5, MET KRIMPKOUS VOOR MARKEREN VAN EIGEN LABEL
DE GUMMI-VERLÄNGERUNGSKABEL 20 m - 3G2.5 - MIT SCHRUMPFSCHLAUCH FÜR MAßGESCHNEIDERTE ETIKETTIERUNG
ES CABLE PROLONGADOR DE GOMA 20 m - 3G2.5 - CON TUBO RETRACTIL PARA UN ETIQUETADO A MEDIDA

comes with 8 cm transparent shrink sleeve (not shrunk) for custom labelling
• with child protection

length: 20 m • material: rubber (H05RR-F) • colour: black • 3G2.5 • max. current: 20 A • IP44



► May not be sold in Germany, The Netherlands



EC20R25STB



5 410329 568900

PEREL®



RUBBER EXTENSION CABLE - 10 m - 3G2.5

FR RALLONGE EN CAOUTCHOUC 10 m - 3G2.5
NL RUBBER VERLENGKABEL 10 m - 3G2.5
DE GUMMI-VERLÄNGERUNGSKABEL 10 m - 3G2.5 - SCHUTZKONTAKT (FRANZÖSISCHES SYSTEM)
ES CABLE PROLONGADOR DE GOMA 10 m - 3G2.5 - TOMA DE TIERRA DE ESPIGA

with child protection

length: 10m • material: rubber (H05RR-F) • colour: black • 3G2.5 • max. current: 20A • IP44



► May not be sold in The Netherlands



EC10R25



5 410329 407704

PEREL®



RUBBER EXTENSION CABLE - 10 m - 3G2.5

FR RALLONGE EN CAOUTCHOUC 10 m - 3G2.5
NL RUBBER VERLENGKABEL 10 m - 3G2.5
DE GUMMI-VERLÄNGERUNGSKABEL 10 m - 3G2.5 - DEUTSCHES SYSTEM
ES CABLE PROLONGADOR DE GOMA 10 m - 3G2.5 - TOMA DE TIERRA LATERAL

german type • with child protection

length: 10m • material: rubber (H05RR-F) • colour: black • 3G2.5



► May not be sold in Belgium, France



EC10R25-G



5 410329 407711

PEREL®



RUBBER EXTENSION CABLE - 10 m - 3G2.5 - WITH SHRINK TUBE FOR CUSTOM LABELLING

FR RALLONGE EN CAOUTCHOUC 10 m - 3G2.5, AVEC GAINÉ RÉTRACTILE POUR ÉTIQUETAGE PERSONNALISÉ
NL RUBBER VERLENGKABEL 10 m - 3G2.5, MET KRIMPKOUS VOOR MARKEREN VAN EIGEN LABEL
DE GUMMI-VERLÄNGERUNGSKABEL 10 m - 3G2.5 - MIT SCHRUMPFSCHLAUCH ZUM SCHUTZ VON KENNZEICHNUNGEN AUF DEM KABEL
ES CABLE PROLONGADOR DE GOMA 10 m - 3G2.5 - CON TUBO RETRACTIL PARA UN ETIQUETADO A MEDIDA

comes with 8cm transparent shrink sleeve (not shrunk) for custom labelling
• with child protection

length: 10m • material: rubber (H05RR-F) • colour: black • 3G2.5 • max. current: 20A • IP44



► May not be sold in Germany, The Netherlands



EC10R25STB



5 410329 464912

PEREL®



RUBBER EXTENSION CABLE - 15 m - 3G2.5 - WITH SHRINK TUBE FOR CUSTOM LABELLING

FR RALLONGE EN CAOUTCHOUC - 15 m - 3G2.5 - AVEC TUBE
RÉTRACTILE POUR UN MARQUAGE PERSONNALISÉ
NL RUBBER VERLENGKABEL - 15 m - 3G2.5 - MET
KRIMPKOUS VOOR AANMAAK VAN EIGEN LABEL
DE GUMMI-VERLÄNGERUNGSKABEL -
15 m - 3G2.5 - MIT SCHRUMPFSCHLAUCH ZUM SCHUTZ
VON KENNZEICHNUNGEN AUF DEM KABEL
ES CABLE PROLONGADOR DE GOMA - 15 m - 3G2.5 - CON
TUBO RETRACTIL PARA UN ETIQUETADO A MEDIDA

comes with 8 cm transparent shrink sleeve (not shrunk) for custom labelling
• with child protection

length: 15 m • material: rubber (H05RR-F) • colour: black • 3G2.5 • max.
current: 20 A • IP44



► May not be sold in Germany, The Netherlands



EC15R25STB



5 410329 581008

PEREL®



RUBBER EXTENSION CABLE - 25 m - 3G1.5

FR RALLONGE EN CAOUTCHOUC 25 m - 3G1.5
NL RUBBER VERLENGKABEL 25 m - 3G1.5
DE GUMMI-VERLÄNGERUNGSKABEL 25 m - 3G1.5 -
SCHUTZKONTAKT (FRANZÖSISCHES SYSTEM)
ES CABLE PROLONGADOR DE GOMA 25 m -
3G1.5 - TOMA DE TIERRA DE ESPIGA

with child protection

length: 25m • material: rubber (H05RR-F) • colour: black • 3G1.5 • max.
current: 16A • IP44



► May not be sold in Germany, The Netherlands



EC25R15



5 410329 407728

PEREL®



RUBBER EXTENSION CABLE - 25 m - 3G1.5 - WITH SHRINK TUBE FOR CUSTOM LABELLING

FR RALLONGE EN CAOUTCHOUC 25 m - 3G1.5, AVEC GAINÉ
RÉTRACTILE POUR ÉTIQUETAGE PERSONNALISÉ
NL RUBBER VERLENGKABEL 25 m - 3G1.5, MET
KRIMPKOUS VOOR MARKEREN VAN EIGEN LABEL
DE GUMMI-VERLÄNGERUNGSKABEL
25 m - 3G1.5 - MIT SCHRUMPFSCHLAUCH ZUM SCHUTZ
VON KENNZEICHNUNGEN AUF DEM KABEL
ES CABLE PROLONGADOR DE GOMA 25 m - 3G1.5 - CON
TUBO RETRACTIL PARA UN ETIQUETADO A MEDIDA

comes with 8cm transparent shrink sleeve (not shrunk) for custom labelling
• with child protection

length: 25m • material: rubber (H05RR-F) • colour: black • 3G1.5 • max.
current: 20A • IP44



► May not be sold in Germany, The Netherlands



EC25R15STB



5 410329 467579

PEREL®



RUBBER EXTENSION CABLE - 25 m - 3G2.5

FR RALLONGE EN CAOUTCHOUC 25 m - 3G2.5
NL RUBBER VERLENGKABEL 25 m - 3G2.5
DE GUMMI-VERLÄNGERUNGSKABEL 25 m - 3G2.5 -
SCHUTZKONTAKT (FRANZÖSISCHES SYSTEM)
ES CABLE PROLONGADOR DE GOMA 25 m -
3G2.5 - TOMA DE TIERRA DE ESPIGA

with child protection

length: 25m • material: rubber (H05RR-F) • colour: black • 3G2.5 • max.
current: 20A • IP44



► May not be sold in The Netherlands




EC25R25



5 410329 407742

PEREL®



RUBBER EXTENSION CABLE - 25 m - 3G2.5 - WITH SHRINK TUBE FOR CUSTOM LABELLING

FR RALLONGE EN CAOUTCHOUC 25 m - 3G2.5, AVEC GAINÉ
RÉTRACTILE POUR ÉTIQUETAGE PERSONNALISÉ
NL RUBBER VERLENGKABEL 25 m - 3G2.5, MET
KRIMPKOUS VOOR MARKEREN VAN EIGEN LABEL
DE GUMMI-VERLÄNGERUNGSKABEL 25 m - 3G2.5 - MIT
SCHRUMPFSCHLAUCH FÜR MASGESCHNEIDERTE ETIKETTIERUNG
ES CABLE PROLONGADOR DE GOMA 25 m - 3G2.5 - CON
TUBO RETRACTIL PARA UN ETIQUETADO A MEDIDA

comes with 8cm transparent shrink sleeve (not shrunk) for custom labelling
• with child protection

length: 25m • material: rubber (H05RR-F) • colour: black • 3G2.5 • max.
current: 20A • IP44



► May not be sold in Germany, The Netherlands



EC25R25STB



5 410329 464929

PEREL®



RUBBER EXTENSION CABLE - 40 m - 3G2.5

FR RALLONGE EN CAOUTCHOUC 40 m - 3G2.5
NL RUBBER VERLENGKABEL 40 m - 3G2.5
DE GUMMI-VERLÄNGERUNGSKABEL 40 m - 3G2.5 -
SCHUTZKONTAKT (FRANZÖSISCHES SYSTEM)
ES CABLE PROLONGADOR DE GOMA 40 m -
3G2.5 - TOMA DE TIERRA DE ESPIGA

length: 40m • material: rubber (H05RR-F) • colour: black • 3G2.5 • IP44



► May not be sold in Germany, The Netherlands



EC40R25



5 410329 419899

PEREL®

**HEAVY-DUTY NEOPRENE CABLE
IP44 WITH 4-WAY POWERBLOCK**

FR CÂBLE EN NÉOPRÈNE ROBUSTE - IP44 -
AVEC BLOC MULTIPRISES 4 PRISES
NL ROBUUSTE NEOPREENKABEL - IP44 -
MET 4-VOUDIGE CONTACTDOOS
DE ROBUSTES NEOPREN-KABEL MIT 4-FACH-
STECKDOSENLEISTE, IP44
ES ROBUSTO CABLE DE NEOPRENO CON
BASE MÚLTIPLE, 4 TOMAS, IP44

for hard outdoor use, trade, industry and on sites • 4 sockets, with self-closing protective caps (IP44 - splash-water protected) • heavy-duty, flexible rubber (neoprene) cable • with metal hanging hook • socket type: French (type E)

number of sockets: 4 • cable: H07RN-F 3G1.5 • cable length: 5m • max. power: 3500W



► May only be sold in Belgium, Czech Republic, Denmark, France, Germany, Ile de la Réunion, Poland, Rep. Dem. Congo, Slovakia



EBP04WP2



5 410329 466381

**CABLE REELS**

ENROULEURS DE CÂBLE
HASPELS
KABELTROMMELN
ENROLLACABLES

**CABLE REEL - 50 m - 3G1.5****PEREL®**

FR ENROULEUR DE CÂBLE 50 m - 3G1.5
NL KABELHASPEL 50 m - 3G1.5
DE KABELTROMMEL 50 m - 3G1.5
ES ENROLLACABLES 50 m - 3G1.5

plastic drum • male plug • 4 female sockets with child protection • thermal circuit breaker • socket type: French (type E)

cable: 50m H05VV-F 3G1.5 • max. charge: ◊ 250VAC ◊ wound: 1200W - 4.8A ◊ unwound: 3500W - 16A



► May only be sold in Belgium, Czech Republic, Denmark, France, Ile de la Réunion, Poland, Rep. Dem. Congo, Slovakia



ECR50N



5 410329 554040

**CABLE REEL - 10 m -
3G1.5 - 4 SOCKETS****PEREL®**

FR ENROULEUR DE CÂBLE 10 m - 3G1.5 - 4 PRISES
NL KABELHASPEL 10 m - 3G1.5 - 4 STOPCONTACTEN
DE KABELTROMMEL 10 m - 3G1.5 - 4 STECKDOSEN
ES ENROLLACABLES - 10 m - 3G1.5 - 4 CLAVIJAS

with child protection • with thermal fuse • socket type: German (type F)

number of sockets: 4 x schuko • cable length: 10m • remark: with fuse • power: ◊ 100% extraction: 3500W max. ◊ 0% extraction: 1200W max.



► May not be sold in Belgium, Czech Republic, Denmark, France, Poland, Rep. Dem. Congo, Slovakia



ECR10-G



5 410329 430481

**CABLE REEL - 10 m****PEREL®**

FR ENROULEUR 10 m
NL KABELHASPEL 10 m
DE KABELTROMMEL 10 m
ES ENROLLACABLES 10 m

with child protection • with thermal fuse • socket type: French (type E)

number of sockets: 4 • cable length: 10m • remark: with fuse • power: ◊ 100% extraction: 3500W max. ◊ 0% extraction: 1200W max.



► May only be sold in Belgium, Czech Republic, Denmark, France, Ile de la Réunion, Poland, Rep. Dem. Congo, Slovakia



ECR10



5 410329 430467



CABLE REEL - 25 m - 3G1.5

PEREL®

FR ENROULEUR DE CABLE 25 m - 3G1.5
NL KABELHASPEL 25 m - 3G1.5
DE KABELTROMMEL 25 m - 3G1.5
ES ENROLLACABLES 25 m - 3G1.5

plastic drum • PVC cable • male plug • 4 female sockets with child protection • thermal circuit breaker • socket type: French (type E)

cable: 25m H05VV-F 3G1.5 • max. charge: ◦ wound: 1000W - 4.8A ◦ unwound: 3500W - 16A



► May only be sold in Belgium, Czech Republic, Denmark, France, Ile de la Réunion, The Netherlands, Poland, Rep. Dem. Congo, Slovakia



ECR25N2



5 410329 556235



CABLE REEL - 25 m - 3G1.5

PEREL®

FR ENROULEUR DE CABLE 25 m - 3G1.5
NL KABELHASPEL 25 m - 3G1.5
DE KABELTROMMEL 25 m - 3G1.5
ES ENROLLACABLES 25 m - 3G1.5

plastic drum • PVC cable • male plug • 4 female sockets with child protection • thermal circuit breaker • socket type: German (type F)

cable: 25m H05VV-F 3G1.5 • max. charge: ◦ wound: 1200W - 4.8A ◦ unwound: 3500W - 16A



► May not be sold in Czech Republic, Denmark, France, Poland, Rep. Dem. Congo, Slovakia



ECR25N2-G



5 410329 557065



CABLE REEL - 50 m - 3G1.5

PEREL®

FR ENROULEUR DE CABLE 50 m - 3G1.5
NL KABELHASPEL 50 m - 3G1.5
DE KABELTROMMEL 50 m - 3G1.5
ES ENROLLACABLES 50 m - 3G1.5

plastic drum • male plug • 4 female sockets with child protection • thermal circuit breaker • socket type: German (type F)

cable: 50m H05VV-F 3G1.5 • max. charge: ◦ 250VAC ◦ wound: 1200W - 4.8A ◦ unwound: 3500W - 16A



► May not be sold in Belgium, Czech Republic, Denmark, France, Poland, Rep. Dem. Congo, Slovakia



ECR50N-G



5 410329 558291



CABLE REEL - 50 m - 3G1.5

PEREL®

FR ENROULEUR DE CABLE 50 m - 3G1.5
NL KABELHASPEL 50 m - 3G1.5
DE KABELTROMMEL 50 m - 3G1.5
ES ENROLLACABLES 50 m - 3G1.5

plastic drum • male plug • 4 female sockets with child protection • thermal circuit breaker • socket type: French (type E)

cable: 50 m H05VV-F 3G1.5 • max. charge: ◦ 250 VAC ◦ wound: 1200 W - 4.8 A
◦ unwound: 3680 W - 16 A



► May only be sold in Belgium, Czech Republic, Denmark, France, Ile de la Réunion, Poland, Rep. Dem. Congo, Slovakia



ECR50N2



5 410329 570514

**AUTO-REWIND CABLE REEL - 13+2 m****PEREL®**

FR ENROULEUR RETRACTABLE - 13+2 m
 NL HALFAUTOMATISCHE HASPEL - 13+2 m
 DE AUTOMATIK-KABELTROMMEL - 13+2 m
 ES ENROLLACABLES RETRÁCTIL - 13+2 m

wall mounted with included bracket • auto rewind function and internal locking mechanism
 • ideal for use in workshops, garage.... • can turn over 180° angle • thermally fused
 • socket type: French (type E)

230VAC / 50Hz - 10A • cable: H05VV 3G1.5mm² - 13m • input cable: H05VV 3G1.5mm² - 2m • dimensions: 320 x 130 x 280mm • weight: 3.7kg



► May only be sold in Belgium, Czech Republic, Denmark, France, Germany, Ile de la Réunion, Lithuania, Poland, Rep. Dem. Congo, Slovakia



EARC15

**AUTO-REWIND CABLE REEL - 13+2 m****PEREL®**

FR ENROULEUR RETRACTABLE - 13+2 m
 NL HALFAUTOMATISCHE HASPEL - 13+2 m
 DE AUTOMATIK-KABELTROMMEL - 13+2 m
 ES ENROLLACABLES RETRÁCTIL - 13+2 m

wall mounted with included bracket • auto rewind function and internal locking mechanism
 • ideal for use in workshops, garage.... • can turn over 180° angle • thermally fused
 • socket type: German (type F)

230VAC / 50Hz - 10A • cable: H05VV 3G1.5mm² - 13m • input cable: H05VV 3G1.5mm² - 2m • dimensions: 320 x 130 x 280mm • weight: 3.7kg



► May not be sold in Belgium, Czech Republic, Denmark, France, Poland, Rep. Dem. Congo, Slovakia



EARC15-G

**GARDEN CABLE REEL 25 m - 3G1.5 PEREL®**

FR ENROULEUR JARDIN 25 m - 3G1.5
 NL TUINHASPEL 25 m - 3G1.5
 DE SCHLAUCHTROMMEL 25 m - 3G1.5
 ES ENROLLACABLES PARA EL JARDÍN 25 m - 3G1.5

plastic drum • PVC cable • male plug • 1 female socket with child protection - max 3680W unrolled • thermal circuit breaker • IP20 • socket type: French (type E)

cable: H05VV-F 3G1.5 - 25m • max charge: ◦ wound: 1000W / 4.8A ◦ unrolled: 3500W / 16A



► May only be sold in Belgium, Czech Republic, Denmark, France, Ile de la Réunion, Poland, Rep. Dem. Congo, Slovakia



EGCR25N

**GARDEN CABLE REEL 50 m - 3G1.5 PEREL®**

FR ENROULEUR JARDIN 50 m - 3G1.5
 NL TUINHASPEL 50 m - 3G1.5
 DE SCHLAUCHTROMMEL 50 m - 3G1.5
 ES ENROLLACABLES PARA EL JARDÍN 50 m - 3G1.5

plastic drum • PVC cable • male plug • 1 female socket with child protection - max 3680W unrolled • thermal circuit breaker • IP20 • socket type: French (type E)

cable: H05VV-F 3G1.5 - 50m • max charge: ◦ wound: 1000W / 4.8A ◦ unrolled: 3500W / 16A



► May only be sold in Belgium, Czech Republic, Denmark, France, Ile de la Réunion, Poland, Rep. Dem. Congo, Slovakia



EGCR50N





**PROFESSIONAL
NEOPRENE CABLE
REEL - 25 m - 3G2.5 - 4 SOCKETS**

PEREL®

FR ENROULEUR NEOPRENE - 25 m - 3G2.5 - 4 PRISES
NL PROFESSIONELE NEOPREEN KABELHASPEL - 25 m - 3G2.5 - 4 STOPCONTACTEN
DE PROFESSIONELLE NEOPREN-KABELTROMMEL - 25 m - 3G2.5 - 4 STECKDOSEN
ES ENROLLACABLES PROFESIONAL DE NEOPRENO - 25 m - 3G2.5 - 4 TOMAS

neoprene cable • thermal surge protection switch with double protection • 4 sockets, each with a spring-operated lid (IP44) • ergonomic handle • socket type: French (type E)

cable: 25m H07RN-F 3G2.5 • sockets: 230V / 16A - 4p • max. power: ◦ wound: 1500W
◦ unwound: 3500W



► May not be sold in The Netherlands, Spain



ECR25NP25



5 410329 414474



**PROFESSIONAL
NEOPRENE CABLE
REEL - 25 m - 3G2.5 - 4 SOCKETS**

PEREL®

FR ENROULEUR NEOPRENE - 25 m - 3G2.5 - 4 PRISES
NL PROFESSIONELE NEOPREEN KABELHASPEL - 25 m - 3G2.5 - 4 STOPCONTACTEN
DE PROFESSIONELLE NEOPREN-KABELTROMMEL - 25 m - 3G2.5 - 4 STECKDOSEN
ES ENROLLACABLES PROFESIONAL DE NEOPRENO - 25 m - 3G2.5 - 4 CLAVIJAS

neoprene cable • thermal surge protection switch with double protection • 4 sockets, each with a spring-operated lid (IP44) • ergonomic handle • socket type: German (type F)

cable: 25m H07RN-F 3G2.5 • sockets: 230V / 16A - 4p • max. power: ◦ wound: 1500W
◦ unwound: 3500W



► May not be sold in Belgium, France



ECR25NP25-G



5 410329 415853



**PROFESSIONAL
NEOPRENE CABLE
REEL - 40 m - 3G2.5 - 4 SOCKETS**

PEREL®

FR ENROULEUR NEOPRENE - 40 m - 3G2.5 - 4 PRISES
NL PROFESSIONELE NEOPREEN KABELHASPEL - 40 m - 3G2.5 - 4 STOPCONTACTEN
DE PROFESSIONELLE NEOPREN-KABELTROMMEL - 40 m - 3G2.5 - 4 STECKDOSEN
ES ENROLLACABLES PROFESIONAL DE NEOPRENO - 40 m - 3G2.5 - 4 TOMAS

neoprene cable • thermal surge protection switch with double protection • 4 sockets, each with a spring-operated lid (IP44) • ergonomic handle • socket type: French (type E)

cable: 40m H07RN-F 3G2.5 • sockets: 230V / 16A - 4p • max. power: ◦ wound: 1500W
◦ unwound: 3500W



► May only be sold in Belgium, Czech Republic, Denmark, France, Germany, Ile de la Réunion, Poland, Rep. Dem. Congo, Slovakia



ECR40NP25



5 410329 414481



**PROFESSIONAL
NEOPRENE CABLE
REEL - 40 m - 3G2.5 - 4 SOCKETS**

PEREL®

FR ENROULEUR NEOPRENE - 40 m - 3G2.5 - 4 PRISES
 NL PROFESSIONELE NEOPREEN KABELHASPEL - 40 m - 3G2.5 - 4 STOPCONTACTEN
 DE PROFESSIONELLE NEOPREN-KABELTROMMEL - 40 m - 3G2.5 - 4 STECKDOSEN
 ES ENROLLACABLES PROFESIONAL - NEOPRENO - 40 m - 3G2.5 - 4 CLAVIJAS

neoprene cable • thermal surge protection switch with double protection • 4 sockets, each with a spring-operated lid (IP44) • ergonomic handle • socket type: German (type F)

cabl e: 40m H07RN-F 3G2.5 • sockets: 230V / 16A - 4p • max. power: ◦ wound: 1500W
 ◦ unwound: 3500W



► May not be sold in Belgium, France



ECR40NP25-G



5 410329 415860




**PROFESSIONAL NEOPRENE
CABLE REEL WITH ANTI-TWIST
SYSTEM - 25 m - 3G2.5 - 4 SOCKETS**

PEREL®

FR ENROULEUR NEOPRENE AVEC SYSTEME "ANTI-TWIST" - 25 m - 3G2.5 - 4 PRISES
 NL PROFESSIONELE NEOPREEN KABELHASPEL MET ANTI TWIST - 25 m - 3G2.5 - 4 STOPCONTACTEN
 DE PROFESSIONELLE NEOPREN-KABELTROMMEL MIT 'ANTI-TWIST'-SYSTEM - 25 m - 3G2.5 - 4 STECKDOSEN
 ES ENROLLACABLES PROFESIONAL DE NEOPRENO CON SISTEMA 'ANTI-TWIST' - 25 m - 3G2.5 - 4 TOMAS

anti-twist system: the sockets do not turn with the cable drum when winding and unwinding
 • neoprene cable • thermal surge protection switch with double protection • 4 sockets, each with a spring-operated lid (IP44) • ergonomic handle • socket type: French (type E)

cabl e: 25m H07RN-F 3G2.5 • sockets: 230V / 16A - 4p • max. power: ◦ wound: 1500W
 ◦ unwound: 3500W



► May only be sold in Belgium, Czech Republic, Denmark, France, Germany, Ile de la Réunion, Poland, Rep. Dem. Congo, Slovakia



ECR25NP25A



5 410329 604745



**PROFESSIONAL NEOPRENE
CABLE REEL WITH ANTI-TWIST
SYSTEM - 40 m - 3G2.5 - 4 SOCKETS**

PEREL®

FR ENROULEUR NEOPRENE AVEC SYSTEME "ANTI-TWIST" - 40 m - 3G2.5 - 4 PRISES
 NL PROFESSIONELE NEOPREEN KABELHASPEL MET ANTI TWIST - 40 m - 3G2.5 - 4 STOPCONTACTEN
 DE PROFESSIONELLE NEOPREN-KABELTROMMEL MIT 'ANTI-TWIST'-SYSTEM - 40 m - 3G2.5 - 4 STECKDOSEN
 ES ENROLLACABLES PROFESIONAL DE NEOPRENO CON SISTEMA 'ANTI-TWIST' - 40 m - 3G2.5 - 4 TOMAS

anti-twist system: the sockets do not turn with the cable drum when winding and unwinding
 • neoprene cable • thermal surge protection switch with double protection • 4 sockets, each with a spring-operated lid (IP44) • ergonomic handle • socket type: French (type E)

cabl e: 40m H07RN-F 3G2.5 • sockets: 230V / 16A - 4p • max. power: ◦ wound: 1500W
 ◦ unwound: 3500W



► May only be sold in Belgium, Czech Republic, Denmark, France, Germany, Ile de la Réunion, Poland, Rep. Dem. Congo, Slovakia



ECR40NP25A



5 410329 604691



ELECTRONIC METERS

COMPTEURS ÉLECTRONIQUES
ELEKTRONISCHE METERS
ELEKTROMESSER
MEDIDORES ELECTRÓNICOS



ULTRASONIC DISTANCE METER + LASER

PEREL®

FR TÉLÉMÈTRE À ULTRASONS + POINTEUR LASER
NL ULTRASONIC AFSTANDSMETER + LASERPOINTER
DE ULTRASCHALL-ENTFERNUNGSMESSER MIT LASER
ES MEDIDOR DE DISTANCIA POR ULTRASONIDOS CON LÁSER

large multifunctional LCD display with white backlight • measures in Imperial / metric
• calculates the area and volume • 5 memory groups for storing measurements • laser pointer for increased accuracy • auto / manual shutdown • alarm function for wrong readings • with carrying pouch

range: 50cm (1.64') to 16m (52.48') • accuracy: $\pm 1\%$ + 1 digit • laser: ≤ 1 mW class 2
• range: 40m • wavelength: 670nm • response time: 2 sec • operating current: <60 mA
• operating temperature: 0°C-40°C • power supply: 1 x 9V E-block (incl.) • dimensions:
45 x 62 x 170mm • weight: 192g



HMUSD2



5 410329 388133



NON-CONTACT INFRARED THERMOMETER WITH LASER (-32 °C TO +350 °C)

PEREL®

FR THERMOMÈTRE IR SANS CONTACT AVEC POINTEUR LASER (DE -32 °C À +350 °C)
NL CONTACTVRIJE IR-THERMOMETER MET LASERPOINTER (-32 °C TOT +350 °C)
DE INFRAROT-THERMOMETER MIT LASERPOINTER (-32 °C BIS +350 °C)
ES TERMÓMETRO IR DE BOLSILLO CON PUNTERO LÁSER (DE -32°C A +350°C)

laser sight technology • temperature readout in °C or °F • large LCD display with blue backlight • real-time maximum temperature reading • auto power-off function • caution: this device contains a class 2 laser (output power < 1 mW, wavelength 650 nm). DO NOT STARE INTO BEAM, EYE DAMAGE may result.

measurement range: -32 °C to 350 °C (-26 °F to 662 °F) • operating temperature: 0-50 °C (32-122 °F) • storage temperature: -20 °C to 65 °C (-4 °F to 149 °F) • accuracy: $\pm 1.5\%$ or 1.5 °C (2.7 °F) • resolution: 0.1 °C / 0.2 °F • response time (90 %): 0.5 second • emissivity range: 0.95 fixed • auto switching-off and data hold: 7 seconds • distance-to-spot ratio D:S: 12:1 • power supply: 1 x 9 V (not incl.) • dimensions: 48.8 x 133 x 146 mm • weight: 130 g without battery



EVM440



5 410329 585693



NON-CONTACT INFRARED THERMOMETER (-35°C TO +365°C)

PEREL®

FR THERMOMÈTRE INFRAROUGE - SANS CONTACT (-35°C ~ +365°C)
NL INFRAROOD THERMOMETER - ZONDER CONTACT (-35°C ~ +365°C)
DE BERÜHRUNGSLOSES INFRAROT-THERMOMETER (-35°C BIS +365°C)
ES TERMÓMETRO IR DE BOLSILLO (DE -35°C A +365°C) - SIN CONTACTO

laser sight technology • temperature readout in °C or °F • large LCD display with amber backlight • real-time maximum temperature reading • last measurement memory recall by pressing °C/°F key while powered off • auto power-off function

measurement range: -35°C ~ 365°C (-31°F ~ 689°F) • operating temperature: -10°C ~ 50°C (32°F ~ 122°F) • storage temperature: -20°C ~ 65°C (-4°F ~ 149°F) • accuracy (Tobj = 15°C ~ 35°C, Tamb = 25°C): $\pm 1.5\%$ (2.7°F) • accuracy (Tamb = 23°C ~ 25°C):
• Tobj = 0°C ~ 365°C: $\pm 2.5\%$ of rdg + 2 digits • Tobj = -35°C ~ 0°C: $\pm (2.5\% + 0.05/$ degree) • resolution (-9.9°C ~ 199.9°C): 0.2°C/0.5°F • response time (90%): 1 sec
• emissivity range: 0.95 fixed • wavelength: 5µm - 14µm • auto switching-off: 15 sec
• distance-to-spot ratio: D/S = 8:1 • power supply: 2 X 1.5V AAA batteries (incl.)
• dimensions: 172.9 x 36.0 x 71.5mm • weight: 152g



EVM439



5 410329 405984





MOISTURE METER FOR WOOD AND BUILDING MATERIAL **PEREL®**

FR HUMIDIMÈTRE POUR BOIS ET MATÉRIAUX DE CONSTRUCTION
 NL VOCHTMETER VOOR HOUT EN BOUWMATERIALEN
 DE FEUCHTIGKEITSMESSGERÄT FÜR HOLZ UND BAUMATERIALIEN
 ES MEDIDOR DE HUMEDAD PARA MADERA Y MATERIALES DE CONSTRUCCIÓN

for use in: ◦ sawn timber ◦ cardboard, paper ◦ plaster, concrete and mortar ● average humidity value of European woods based on a temperature of 20°C ● measurement selection switch ● bargraph and numeric display

measuring principle: electrical resistance ● electrode: 8mm ● measuring range: ◦ wood: 1% ~ 45% ◦ other materials: 0.1% ~ 2.4% ● resolution: ◦ wood: ±1% ◦ other materials: ±0.1% ● accuracy: ± 3.0% RH ● power supply: 3 x CR2032 (incl.) ● working temperature: 0°C ~ 40°C ● relative ambient humidity: 0% ~ 85% ● dimensions: 139 x 47 x 25mm ● weight: 100g



EVM125



5 410329 405953

NEW



MINI INFRARED THERMOMETER WITH LASER (-50 °C to +330 °C) **PEREL®**

FR MINI THERMOMÈTRE IR SANS CONTACT AVEC POINTEUR LASER (de -50° C à +330° C)
 NL CONTACTVRIJE MINI IR-THERMOMETER MET LASERPOINTER (-50° C tot +330° C)
 DE MINI IR-THERMOMETER MIT LASERPOINTER (-50 °C bis +330 °C)
 ES MINI TERMÓMETRO IR CON PUNTERO LÁSER (DE -50 °C A +330 °C)

laser sight technology ● temperature readout in °C or °F ● large LCD display with white backlight ● display hold ● auto power-off function (20 seconds) ● caution: this device contains a class 2 laser (output power < 1 mW, wavelength 650 nm). do not stare into beam, eye damage may result.

measurement range: -50 °C to 330°C (-58 °F to 626 °F) ● target ratio: 12:1 ● emissivity: 0.95 fixed ● operating temperature: 0-50 °C (32-122 °F) ● storage temperature: -20 °C to 60 °C (-4 °F to 140 °F) ● accuracy: ◦ -50°C-0°C / -58°F-32°F: ± 4°C / 7°F ◦ 0°C-330°C / 32°F-626°F: ± 2% ± 2 °C / 4 °F ● resolution: 0.1 °C / 0.1 °F ● response time: < 500 ms ● power supply: 1 x 9 V 6F22 (included) ● dimensions: 134 x 88.5 x 36 mm ● weight (with battery): ± 130 g



EEM100



5 410329 612979

NEW



MINI DIGITAL SOUND LEVEL METER **PEREL®**

FR MINI SONOMÈTRE NUMÉRIQUE
 NL MINI DIGITALE GELUIDSNIVEAUMETER
 DE DIGITALES MINI-SCHALLPEGELMESSGERÄT
 ES MINI SONÓMETRO DIGITAL

max / min function ● auto backlight on/off ● resolution: 0.1 dB ● auto power off ● windscreen, battery, user manual

resolution: 0.1 dB ● level range: 30-130 dB ● accuracy: ± 1.4 dB (ref 94dB @ 1kHz) ● frequency weighting: A ● time weighting: fast (125 ms) ● frequency range: 31.5 Hz to 8 kHz ● microphone: 1/2" electret condenser microphone ● LCD display: 3 1/2 digits ● operating temperature: -20 °C ~ 60 °C ● humidity: 10 ~ 90% RH ● power supply: 1 x 9 V 6F22 (included) ● auto power-off: 15 min. ● dimensions: 144 x 55 x 38 mm ● weight (with battery): ± 149 g



EEM200



5 410329 613006

NEW



DIGITAL LASER DISTANCE METER - 60 m **PEREL®**

FR TÉLÉMÈTRE LASER NUMÉRIQUE
 NL AFSTANDSMETER MET LASER - 60 m
 DE LASER-ENTFERNUNGSMESSER - 60 m
 ES MEDIDOR DE DISTANCIA LASER - 60 m

large LCD with backlight ● choose between metric and imperial units ● calculate surface and volume ● indirect measurements using 2 or 3 measuring points ● add up and subtract functions ● last 10 measurements are retained in memory ● very large measuring range (60 m) and very high precision (±1.5 mm) ● automatic / manual switch-off

range: 0.05 - 60 m (0.16 ft - 196.8 ft) ● accuracy: ± 1.5 mm (± 0.05") ● laser: < 1 mW class 2 ● wavelength: 635 nm ● operating temperature: 0°C - 40°C (32°F - 104°F) ● IP rating: 54 ● power supply: 2 x 1.5V AA batteries LR06C (incl.) ● dimensions: 119 x 53 x 26 mm ● weight with battery: 140 g



EEM700



5 410329 612986



NEW

DIGITAL MOISTURE TESTER

PEREL®

FR HUMIDIMÈTRE NUMÉRIQUE
NL DIGITALE VOCHTMETER
DE FEUCHTIGKEITSTESTER
ES MEDIDOR DE HUMEDAD

for use in: ◦ sawn timber ◦ cardboard, paper ◦ plaster, concrete and mortar ◦ average humidity value of European woods based on a temperature of 20°C ◦ hold data freezes the displayed readings

display: digital LCD display • resolution: $\pm 1\%$ • measuring principle: electrical resistance
• electrode: 13 mm • measuring range: 5% ~ 90% • accuracy: 5% ~ 40% : $\pm 1\%$ • 40% ~ 70% : $\pm 2\%$ • 70% ~ 90% : $\pm 4\%$ • power supply: 1 x 9 V 6F22 (included) • working temperature: 0°C ~ 40°C • relative ambient humidity: 0% ~ 70% • dimensions: 154 x 68 x 26 mm • weight: 142 g (including battery)



EEM800



5 410329 612993



VOLTAGE TEST SCREWDRIVER WITH INDICATION THROUGH NEON LAMP

PEREL®

FR TOURNEVIS TESTEUR AVEC INDICATION LAMPE NEÓN
NL SPANNINGZOEKER MET INDICATIE VIA NEONLAMPJE
DE SPANNUNGSTESTER MIT ANZEIGE ÜBER NEONLAMPE
ES DESTORNILLADOR COMPROBADOR DE TENSIÓN CON INDICACIÓN POR LÁMPARA DE NEÓN

voltages: 100 to 250Vac • tip & blade: 3.5 x 104mm



EVT02



5 410329 416249



VOLTAGE TEST SCREWDRIVER WITH INDICATION THROUGH NEON LAMP

PEREL®

FR TOURNEVIS TESTEUR AVEC INDICATION LAMPE NEON
NL SPANNINGZOEKER MET INDICATIE VIA NEONLAMPJE
DE SPANNUNGSPRÜFER MIT ANZEIGE ÜBER NEONLAMPE
ES DESTORNILLADOR COMPROBADOR DE TENSIÓN CON INDICACIÓN POR LÁMPARA DE NEÓN

voltages: 120 to 250Vac • tip & blade: 3.5 x 52mm • weight: 19g



EVT03



5 410329 430443



DIGITAL VOLTAGE TESTER - WITH LCD

PEREL®

FR TESTEUR DE TENSION AVEC AFFICHEUR LCD
NL DIGITALE SPANNINGSTESTER - MET LCD
DE DIGITALER SPANNUNGSTESTER - MIT LC-DISPLAY
ES COMPROBADOR DIGITAL DE TENSIONES - CON DISPLAY LCD

voltage tester (AC or DC) between 12 V and 220 V • grounding test and testing of broken lines • with LCD • length: 125 mm • weight: 16g



EVT04



5 410329 552145



DIGITAL CLAMP MULTIMETER WITH DATA- HOLD FUNCTION AND BACKLIGHT

PEREL®

FR PINCE AMPÈRÉMÉTRIQUE AVEC DATA-HOLD ET RÉTRO-ÉCLAIRAGE
NL DIGITALE STROOMTANG MET DATA-HOLD-FUNCTIE EN
ACHTERGRONDVERLICHTING
DE DIGITALE STROMZANGE MIT DATA-HOLD-FUNKTION UND
HINTERGRUNDBELEUCHTUNG
ES PINZAMPÉRIMÉTRICA DIGITAL CON RETENCIÓN DE LECTURA Y
RETROILUMINACIÓN

digital clamp meter with a resolution to 1mAAC • 3 1/2-digit LCD display with automatic polarity indication • data-hold and backlight function • AC current measurements: max. 400A (via jaws) • AC voltage (max. 600V) and DC voltage (max. 600V) measurements • resistance measurements: max. 20Mohm • with carrying bag

DC voltage: 200mV / 2V / 20V / 200V / 600V ◦ basic accuracy: $\pm (1.2\% \text{ of rdg} + 3 \text{ digits})$, $\pm (0.5\% \text{ of rdg} + 5 \text{ digits})$ for 200mV range ◦ input impedance: 7.8Mohm ◦ maximum input: 40-400Hz • AC voltage: 200mV / 2V / 20V / 200V / 600V ◦ basic accuracy: $\pm (1.5\% \text{ of rdg} + 3 \text{ digits})$, $\pm (1.5\% \text{ of rdg} + 30 \text{ digits})$ for 200mV range ◦ input impedance: 7.8Mohm ◦ frequency range: 40-400Hz ◦ maximum input: 600V • DC current: - ◦ basic accuracy: - ◦ overload protection: - • AC current: 2/20/200A/400A ◦ basic accuracy: 2A range $\pm (2.5\% \text{ of rdg} + 6 \text{ digits})$, 20A ~ 200A range $\pm (2.5\% \text{ of rdg} + 4 \text{ digits})$, 400A range $\pm (3.0\% \text{ of rdg} + 4 \text{ digits})$ ◦ overload protection: • resistance: 200 / 2K / 20K / 200K / 2M / 20M ◦ basic accuracy: 2A range $\pm (2.0\% \text{ of rdg} + 4 \text{ digits})$, 2K ~ 200K range $\pm (1.5\% \text{ of rdg} + 2 \text{ digits})$, 2M range $\pm (2.0\% \text{ of rdg} + 3 \text{ digits})$, 20M range $\pm (3.0\% \text{ of rdg} + 5 \text{ digits})$ ◦ overload protection: 250V during max. 15s on all ranges • capacitance: - ◦ accuracy: - • inductance: - ◦ accuracy: - • frequency: - ◦ basic accuracy: - ◦ overload protection: - • temperature: - ◦ basic accuracy: - • overrange: yes "OL" • continuity buzzer: yes • transistor test: no • diode test: yes • low-battery indication: yes • maximum display: 1999 • LCD display size: 20 x 30mm • ranging mode: auto / manual • data hold: yes • backlight: yes • dimensions: 205 x 70 x 37mm • weight (with battery): 210g • power supply: 2 x 1.5V AAA batteries (incl.) • packing: box • accessories: manual / test leads / batteries / carrying bag • auto power-off: yes



ECM330



5 410329 429621



3 1/2 DIGIT DMM - 17 RANGES - 10 A - TRANSISTOR TEST

PEREL®

FR MULTIMÈTRE NUMÉRIQUE - 17 GAMMES - 10 A - TEST DE TRANSISTOR
NL 3 1/2-DIGIT DMM - 17 BEREIKEN - 10 A - TRANSISTORTEST
DE 3 1/2-STELLIGES MULTIMETER - 17 BEREICHE - 10 A - TRANSISTORTEST
ES MULTÍMETRO 3 1/2 DÍGITOS - 17 RANGOS - 10 A - PRUEBA DE TRANSISTORES

automatic polarity function • low-battery indication • transistor and diode test • voltage measurements: AC 500V and DC 500V max. • current measurements: max. 10A • resistance measurements: max. 2Mohm • packaging: blister • CAT. II 500V

DC voltage: 200m/2000m/20/200/500V ◦ basic accuracy: $\pm 0.5\% \text{ of rdg} \pm 2 \text{ digits}$ for 0.2V range / $\pm 0.8\% \text{ of rdg} \pm 2 \text{ digits}$ for 2V~200V range / $\pm 1.0\% \text{ of rdg} \pm 2 \text{ digits}$ for 500V range ◦ input impedance: - ◦ maximum input: 500V • AC voltage: 200/500V ◦ basic accuracy: $\pm 1.5\% \text{ of rdg} \pm 10 \text{ digits}$ ◦ input impedance: - ◦ frequency range: 45-450Hz ◦ maximum input: 500V • DC current: 2000 μ /20m/200m/10A ◦ basic accuracy: $\pm 1.2\% \text{ of rdg} \pm 2 \text{ digits}$ for 2000 μ ~20mA range / $\pm 1.5\% \text{ of rdg} \pm 2 \text{ digits}$ for 200mA range / $\pm 2.5\% \text{ of rdg} \pm 2 \text{ digits}$ for 10A range ◦ overload protection: 500mA/250V resettable fuse + 10A/250V fuse • AC current: - ◦ basic accuracy: - ◦ overload protection: - • resistance: 200/2000/20k/200k/2000k ◦ basic accuracy: $\pm 0.8\% \text{ of rdg} \pm 2 \text{ digits}$ for 200~200K range / $\pm 1.2\% \text{ of rdg} \pm 2 \text{ digits}$ for 2000K range ◦ overload protection: 220Vrms max. for 15 seconds • capacitance: - ◦ accuracy: - • inductance: - ◦ accuracy: - • frequency: - ◦ basic accuracy: - ◦ overload protection: - • temperature: - ◦ basic accuracy: - • overrange: yes "1" • continuity buzzer: yes • transistor test: yes • diode test: yes • low-battery indication: yes • maximum display: 1999 • LCD display size: - • ranging mode: manual • data hold: no • backlight: no • dimensions: 126 x 70 x 27mm • weight (with battery): $\pm 120\text{g}$ • power supply: 2 x AAA, incl. • packing: blister • accessories: manual / test leads / battery • auto power-off: -



► May not be sold in France



EVM831



5 410329 428440



3 1/2 DMM - 10 A / HOLD FUNCTION / BACKLIGHT

PEREL®

FR MULTIMETRE NUMERIQUE LCD 3 1/2 - 10 A / FONCTION MEMOIRE / RETRO-ECLAIRAGE
NL 3 1/2-DIGIT DMM - 10 A / HOLD-FUNCTIE / ACHTERGRONDVERLICHTING
DE 3 1/2-STELLIGES MULTIMETER - 10 A / DATA HOLD / HINTERGRUNDBELEUCHTUNG
ES MULTÍMETRO 3 1/2 DÍGITOS - 10 A / DATA HOLD / RETROILUMINACIÓN

DMM with automatic polarity indication and 3 1/2-digit LCD display • measurements: DC current up to 10A, AC and DC voltage up to 600V, resistance up to 2Mohm • diode, transistor and continuity test with buzzer • data-hold function and backlight • with protection holster • CAT. II 600V

DC voltage: 200m/2/20/200/600V ◦ basic accuracy: ± 0.5% of rdg ± 2 digits for 0.2V range / ± 0.8% of rdg ± 2 digits for 2V-200V range / ± 1.0% of rdg ± 2 digits for 600V range
◦ input impedance: 1Mohm ◦ maximum input: 600V • AC voltage: 200/600V ◦ basic accuracy: ± 1.2% of rdg ± 10 digits ◦ input impedance: 1Mohm ◦ frequency range: 40 to 400Hz ◦ maximum input: 600V • DC current: 200µ/2m/20m/10A ◦ basic accuracy: ± 1.0% of rdg ± 2 digits for 200µA-20mA range / ± 1.5% of rdg ± 2 digits for 0.2A range / ± 3.0% of rdg ± 2 digits for 10A range ◦ overload protection: F500mA/250V - 10A/250V • resistance: 200/2k/20k/200k/2M ◦ basic accuracy: ± 0.8% of rdg ± 2 digits for 200 ohms-200k range / ± 1.0% of rdg ± 2 digits for 2M range ◦ overload protection: 250VDC or rms AC on all ranges • overrange: yes "1" • continuity buzzer: yes • transistor test: yes • diode test: yes • low-battery indication: yes • maximum display: 1999 • LCD display size: 45 x 18mm • ranging mode: manual • data hold: yes • backlight: yes • dimensions: 68 x 138 x 30mm • power supply: 1 x 9V 6LR61 battery (incl.)



EVM851



5 410329 428457



3 1/2 DMM - 24 RANGES / 10 A / TEMPERATURE / CAPACITANCE / FREQUENCY

PEREL®

FR MULTIMETRE NUMERIQUE LCD 3 1/2 - 24 GAMMES / 10 A / SONDE TEMPERATURE / CAPACITE / FREQUENCE
NL 3 1/2-DIGIT DMM - 24 BEREIKEN / 10 A / TEMPERATUURMETING / CAPACITEITSMETINGEN / FREQUENTIEMETINGEN
DE 3 1/2-STELLIGES MULTIMETER - 24 BEREICHE / 10 A / TEMPERATUR / KAPAZITÄT / FREQUENZ
ES MULTÍMETRO 3 1/2 DÍGITOS - 24 RANGOS / 10 A / TEMPERATURA / CAPACÍMETRO / FRECUENCIÓMETRO

low-battery indication, overload protection and automatic deactivation • transistor, diode and audible continuity test • DC current 10A (max.10 seconds every 15 minutes), DC voltage max. 600V • AC current 10A (max.10 seconds every 15 minutes), AC voltage max. 600V • resistance measurements: up to 20Mohm • capacitance measurements: from 200nF to 20µF • frequency measurements: max. range 20kHz • temperature test range: from 0°C to 40°C through built-in sensor • K-type thermocouple measuring range: from -50°C to 400°C • with holster • packaging: box • CAT. II 600V

DC voltage: 200m/2/20/200/600V ◦ basic accuracy: ± 0.8% of rdg ± 2 digit ◦ input impedance: 10Mohm ◦ maximum input: 600V • AC voltage: 20/200/600V ◦ basic accuracy: ± 0.8% of rdg ± 3 digits ◦ input impedance: 10Mohm ◦ frequency range: 40-400Hz ◦ maximum input: 600V • DC current: 2m/20m/200m/10A ◦ basic accuracy: ± 1.5% of rdg ± 2 digits (±2.0% of rdg ± 5 digits for 10A range) ◦ overload protection: 200mA resettable fuse + 10A fuse for 10A range • AC current: 20m/200m/10A ◦ basic accuracy: ± 1.8% of rdg ± 2 digits (±3.0% of rdg ± 7 digits for 10A range) ◦ overload protection: 200mA resettable fuse + 10A fuse for 10A range • resistance: 200/2k/20k/200k/2M/20M ◦ basic accuracy: ± 1.2% of rdg ± 2 digits (±1.8% of rdg ± 2 digits for 20M range) • capacitance: 200n/2µ/20µF ◦ accuracy: ± 4% of rdg ± 5 digits • inductance: - ◦ accuracy: - • frequency: 20kHz ◦ basic accuracy: ± 1.5% of rdg ± 5 digits ◦ overload protection: 250V DC/AC • temperature: -50°C to 400°C (probe tip, max. 5s) ◦ basic accuracy: ± 0.75% of rdg ± 3°C • overrange: yes "1" • continuity buzzer: yes • transistor test: yes • diode test: yes • low-battery indication: yes • maximum display: 1999 • LCD display size: 31 x 61mm • ranging mode: manual • data hold: no • backlight: no • dimensions: 189 x 91 x 32mm • weight (with battery): 240g • power supply: 9V battery • packing: box • accessories: manual / test leads / holster / battery / temp. probe • auto power-off: yes



EVM892



5 410329 428112

**ENERGY METER 230 V - 16 A****PEREL®**

FR WATTMÈTRE 230 V / 16 A - TERRE FRANÇAISE
 NL ENERGIEMETER 230 V / 16 A
 DE ENERGIEKOSTEN-MESSGERÄT 230 V / 16 A - SCHUTZKONTAKT (FRANZÖSISCHES SYSTEM)
 ES CONTADOR DE ENERGÍA 230 V / 16 A - TOMA DE TIERRA DE ESPAÑA

determine the power costs of your devices by means of this energy meter • large LCD display • selection of double cost tariff • 8 different screens present all electrical data • displayed values: current, real power, power factor, line power, line voltage, frequency, total cost, ON time • clear and master clear function • input/output through child-safe plug/socket

operating voltage: 230VAC / 50Hz • voltage measuring range: 190 ~ 276VAC • current measuring range: 0.01 ~ 16A • power measuring accuracy: $\pm 1\%$ or $\pm 0.2W$ • clock accuracy: ± 1 minute per month • max. power: 3600W / 16A • frequency measuring range: 45 ~ 65Hz • accumulated power range: 0 ~ 9999.9 kWh • working temperature: 10°C ~ 40°C • energy display: 0 ~ 9999.9 kWh • max. record time: 9999h 59min • backup battery: 3 x LR44 (incl.) • battery life: ± 3 months without AC power • power consumption @ 220V: < 0.5W • weight: 140g

► May only be sold in Belgium, Czech Republic, Denmark, France, Ile de la Réunion, Poland, Rep. Dem. Congo, Slovakia



E305EM5



5 410329 429300

**ENERGY METER 230 V - 16 A - GERMAN EARTHING****PEREL®**

FR WATTMÈTRE 230 V / 16 A - TERRE ALLEMANDE
 NL ENERGIEMETER 230 V / 16 A - RANDAARDE
 DE ENERGIEKOSTEN-MESSGERÄT 230 V / 16 A - SCHUTZKONTAKT
 ES CONTADOR DE ENERGÍA 230 V / 16 A - TOMA DE TIERRA LATERAL

determine the power costs of your devices by means of this energy meter • large LCD display • selection of double cost tariff • 8 different screens present all electrical data • displayed values: current, real power, power factor, line power, line voltage, frequency, total cost, ON time • clear and master clear function • input/output through child-safe plug/socket

operating voltage: 230VAC / 50Hz • voltage measuring range: 190 ~ 250VAC ($\pm 3\%$) • current measuring range: 0.01 ~ 16A • accuracy: $\pm 1\%$ (@ resistive load) • clock accuracy: ± 1 minute per month • max. power: 3600W / 16A • frequency measuring range: 45 ~ 65Hz • accumulated power range: 0 ~ 9999.9 kWh • working temperature: 10°C ~ 40°C • energy display: 0 ~ 999.9 kWh • max. record time: 9999h • backup battery: 3 x LR44 (incl.) • battery life: ± 3 months without AC power • power consumption @ 220V: < 0.3W

► May not be sold in Belgium, Czech Republic, Denmark, France, Poland, Slovakia



E305EM5-G



5 410329 429317

**ENERGY METER 230 V - 16 A****PEREL®**

FR WATTMÈTRE 230 V / 16 A - TERRE FRANÇAISE
 NL ENERGIEMETER 230 V / 16 A
 DE ENERGIEKOSTEN-MESSGERÄT 230 V / 16 A
 ES CONTADOR DE ENERGÍA 230 V / 16 A

determine the power costs of your devices by means of this energy meter • large LCD display • 4 different screens present all electrical data • displayed values: line power (W), consumption (kWh), total cost, cost/kWh • reset function • input/output through child-safe plug/socket

operating voltage: 230VAC / 50Hz • max. load: 3600W / 16A • min. power display: 0.1W • power measuring accuracy: $\pm 1\%$ or $\pm 1W$ (0-100W) • min. consumption display: 0.01kWh • consumption accuracy: $\pm 1\%$ • consumption range: 0.00 ~ 9999.99 kWh • own consumption @ 220V: < 0.5W • cost range: 0.00 ~ 9999 • dimensions: 55 x 115 x 75 mm • weight: $\pm 120g$

► May only be sold in Belgium, Czech Republic, Denmark, France, Ile de la Réunion, Poland, Rep. Dem. Congo, Slovakia



E305EM6



5 410329 444969



ENERGY METER 230 V - 16 A - SCHUKO

PEREL®

FR WATTMÈTRE 230 V / 16 A - TERRE ALLEMANDE
NL ENERGIEMETER 230 V / 16 A - RANDAARDE
DE ENERGIEKOSTEN-MESSGERÄT 230 V / 16 A - DEUTSCHES SYSTEM
ES CONTADOR DE ENERGÍA 230 V / 16 A - TOMA DE TIERRA LATERAL

determine the power costs of your devices by means of this energy meter • large LCD display • 4 different screens present all electrical data • displayed values: line power (W), consumption (kWh), total cost, cost/kWh • reset function • input/output through child-safe plug/socket

operating voltage: 230VAC / 50Hz • max. load: 3600W / 16A • min. power display: 0.1W
• power measuring accuracy: $\pm 1\%$ or $\pm 1W$ (0~100W) • min. consumption display: 0.01kWh • consumption accuracy: $\pm 1\%$ • consumption range: 0.00 ~ 9999.99 kWh • own consumption @ 220V: < 0.5W • cost range: 0.00 ~ 9999 • dimensions: 55 x 115 x 75 mm • weight: $\pm 120g$

► May not be sold in Belgium, Czech Republic, Denmark, France, Ile de la Réunion, Poland, Rep. Dem. Congo, Slovakia



E305EM6-G



5 410329 444983



TIMERS

MINUTEURS
TIMERS
TIMER
TEMPORIZADORES



COUNTDOWN TIMER

PEREL®

FR MINUTEUR DÉCROISSANT
NL COUNTDOWN-TIMER
DE COUNTDOWN-TIMER
ES TEMPORIZADOR DE CUENTAATRÁS

switches consumer electronics devices, office equipment, lights, etc. on or off with a certain time delay • lateral slide switch to preset the desired time: 30 min, 1h, 3h, 6h • ON/OFF start button with touch sensor • dual mode slide switch: OFF switch position (countdown function): the connected devices are switched off after a certain period of time / ON switch position (timer function): the connected devices are switched on after a certain period of time • no need to make changes to the domestic installation, simply install between the wall socket and the device (lamp, radio) • German plug

power supply: 230 VAC 50 Hz • max. power: 3500 W 16 A • dimensions (W x H x D): 62 x 120 x 40 mm (plugged in) • weight: 140 g

► May not be sold in Belgium, Czech Republic, Denmark, France, Ile de la Réunion, Poland, Rep. Dem. Congo, Slovakia



E305DC-G



5 410329 606718



COUNTDOWN TIMER

PEREL®

FR MINUTERIE A COMPTE À REBOURS
NL COUNTDOWN-TIMER
DE COUNTDOWN-TIMER
ES TEMPORIZADOR DE CUENTAATRÁS

switches consumer electronics devices, office equipment, lights, etc. on or off with a certain time delay • lateral slide switch to preset the desired time: 30 min, 1h, 3h, 6h • ON/OFF start button with touch sensor • dual mode slide switch: OFF switch position (countdown function): the connected devices are switched off after a certain period of time / ON switch position (timer function): the connected devices are switched on after a certain period of time • no need to make changes to the domestic installation, simply install between the wall socket and the device (lamp, radio) • French plug

power supply: 230 VAC 50 Hz • max. power: 3500 W 16 A • dimensions (W x H x D): 62 x 120 x 40 mm (plugged in) • weight: 140 g



► May only be sold in Belgium, Czech Republic, Denmark, France, Ile de la Réunion, Poland, Rep. Dem. Congo, Slovakia



E305DC



5 410329 604974



24H-TIMER

PEREL®

FR MINUTEUR 24H
NL 24 UUR-TIMER
DE 24 STD.-TIMER
ES TEMPORIZADOR DE 24h

activates and deactivates electric appliances • switching time settable per 15 minutes
• 96 programs in a 24h period • french plug

power supply: 230VAC/50Hz • max. power: 3500W/16A • dimensions: 120 x 72 x 75mm
• weight: 152g



► May only be sold in Belgium, Czech Republic, Denmark, France, Ile de la Réunion, Poland, Rep. Dem. Congo, Slovakia



E305D



5 410329 371043



24H-TIMER - GERMAN TYPE PLUG

PEREL®

FR MINUTEUR 24H - TERRE ALLEMANDE
NL 24H-TIMER - RANDAARDE
DE 24 STD.-TIMER - DEUTSCHES SYSTEM
ES TEMPORIZADOR DE 24h - TOMA DE TIERRA LATERAL

activates and deactivates electric appliances • switching time settable per 15 minutes
• 96 programs in a 24h period • german type plug

power supply: 230VAC/50Hz • max. power: 3500W/16A • dimensions: 120 x 72 x 75mm
• weight: 152g



► May not be sold in Belgium, Czech Republic, France, Ile de la Réunion, Poland, Rep. Dem. Congo, Slovakia



E305DG



5 410329 398781



24H TIMER

PEREL®

FR MINUTEUR 24H
NL 24H-TIMER
DE 24 STD.-TIMER
ES TEMPORIZADOR DE 24h

activates and deactivates electric appliances • switching time adjustable per 15 minutes
• 96 programs in a 24 h period • French plug

power supply: 230 VAC 50 Hz • max. power: 3500 W / 16 A • dimensions: 62 x 93 x 70 mm • weight: 100 g



► May only be sold in Belgium, Czech Republic, Denmark, France, Ile de la Réunion, Poland, Rep. Dem. Congo, Slovakia



E305D2



5 410329 562090



24H TIMER

PEREL®

FR MINUTEUR 24H
NL 24H-TIMER
DE 24 STD.-TIMER
ES TEMPORIZADOR DE 24h

activates and deactivates electric appliances • switching time adjustable per 15 minutes
• 96 programs in a 24 h period • German plug

power supply: 230 VAC 50 Hz • max. power: 3500 W / 16 A • dimensions: 62 x 93 x 70 mm • weight: 100 g



► May not be sold in Belgium, Czech Republic, Denmark, France, Ile de la Réunion, Poland, Rep. Dem. Congo, Slovakia



E305D2-G



5 410329 568078



3PC 24H-TIMER SET

PEREL®

FR MINUTEUR 24H (3 pcs)
NL 24H-TIMER (3 ST)
DE TIMER 24 Std. (3 ST)
ES TEMPORIZADOR DE 24h (3PC)

activates and deactivates electric appliances • switching time settable per 15 minutes
• 96 programs in a 24h period • french plug • contains: 3 pieces

power supply: 230VAC/50Hz • max. power: 3500W/16A • dimensions: 120 x 72 x 75mm
• weight: 152g



E305DX3



5 410329 389031



24H-TIMER - FOR OUTDOOR USE

PEREL®

FR MINUTEUR 24H - USAGE EXTÉRIEUR
NL 24H-TIMER - VOOR GEBRUIK BUITENSHUIS
DE TIMER 24 Std.
ES TEMPORIZADOR DE 24h

activates and deactivates electric appliances • switching time settable per 15 minutes
• 96 programs in a 24h period • French plug • for outdoor use (IP44)

power supply: 230 VAC 50 Hz • max. power: 3500 W / 16 A • dimensions: 154 x 73 x 83 mm
• weight: 223 g • do not use at temperatures below -10 °C



► May only be sold in Belgium, Czech Republic, Denmark, France, Ile de la Réunion, Poland, Rep. Dem. Congo, Slovakia



E305DO



5 410329 398774



24H TIMER - FOR OUTDOOR USE - GERMAN SOCKET

PEREL®

FR MINUTEUR 24H
NL 24H-TIMER
DE ZEITSCHALTUHR 24 Std.
ES TEMPORIZADOR DE 24h

activates and deactivates electric appliances • switching time settable per 15 minutes
• 96 programs in a 24h period • German type plug • for outdoor use (IP44)

power supply: 230 VAC 50 Hz • max. power: 3500 W / 16 A • dimensions: 154 x 73 x 83 mm
• weight: 215 g • do not use at temperatures below -10 °C



► May not be sold in Belgium, Czech Republic, France, Ile de la Réunion, Poland, Rep. Dem. Congo, Slovakia



E305DOG



5 410329 398828



DIGITAL TIMER - WEEKLY PROGRAMMABLE

PEREL®

FR MINUTEUR HEBDOMADAIRE
NL WEEKTIMER
DE WOCHENZEITSCHALTUHR
ES TEMPORIZADOR SEMANAL

activates and deactivates electric appliances • large LCD display • memory for max. 10 daily or weekly ON/OFF programs • minimum time interval: 1 minute • 12/24 hour mode selectable • daylight saving time function • french plug

power supply: 230VAC/50Hz • max. power: 3500W/16A • dimensions: 125 x 60 x 75 mm
• weight: 169g



► May only be sold in Belgium, Czech Republic, France, Ile de la Réunion, Poland, Slovakia



E305W



5 410329 386481



DIGITAL TIMER - WEEKLY PROGRAMMABLE - GERMAN TYPE PLUG



FR MINUTEUR HEBDOMADAIRE - TERRE ALLEMANDE
NL WEEKTIMER - RANDAARDE
DE WOCHENZEITSCHALTUHR - DEUTSCHES SYSTEM
ES TEMPORIZADOR SEMANAL - TOMA DE TIERRA LATERAL

activates and deactivates electric appliances • large LCD display • memory for max. 10 daily or weekly ON/OFF programs • minimum time interval: 1 minute • 12/24 hour mode selectable • daylight saving time function • german type plug

power supply: 230VAC/50Hz • max. power: 3500W/16A • dimensions: 125 x 60 x75 mm • weight: 169g



► May not be sold in Belgium, Czech Republic, France, Poland, Slovakia



E305WG



5 410329 398866



DIGITAL TIMER - WEEKLY PROGRAMMABLE - FOR OUTDOOR USE



FR MINUTEUR HEBDOMADAIRE - USAGE EXTÉRIEUR
NL WEEKTIMER - GEBRUIK BUITENSHUIS
DE WOCHENZEITSCHALTUHR
ES TEMPORIZADOR SEMANAL

activates and deactivates electric appliances • large LCD display • memory for max. 10 daily or weekly ON/OFF programs • minimum time interval: 1 minute • 12/24 hour mode selectable • daylight saving time function • french plug • for outdoor use (IP44)

power supply: 230VAC/50Hz • max. power: 3500W/16A • dimensions: 125 x 60 x75 mm • weight: 169g • do not use at temperatures below -10°C



► May only be sold in Belgium, Czech Republic, France, Ile de la Réunion, Poland, Slovakia, Tunisia



E305WO



5 410329 398873



DIGITAL TIMER - WEEKLY PROGRAMMABLE - FOR OUTDOOR USE



FR MINUTEUR HEBDOMADAIRE
NL WEEKTIMER
DE WOCHENZEITSCHALTUHR
ES TEMPORIZADOR SEMANAL

activates and deactivates electric appliances • large LCD display • memory for max. 10 daily or weekly ON/OFF programs • minimum time interval: 1 minute • 12/24 hour mode selectable • daylight saving time function • german type plug • for outdoor use

power supply: 230VAC/50Hz • max. power: 3500W/16A • dimensions: 125 x 60 x75 mm • weight: 169g • do not use at temperatures below -10°C



► May not be sold in Belgium, Czech Republic, France, Poland, Slovakia



E305WOG



5 410329 398897



DIGITAL TIMER - DIN RAIL MOUNTING - WEEKLY PROGRAMMABLE

PEREL®

FR PROGRAMMATEUR HEBDOMADAIRE POUR MONTAGE SUR RAIL DIN
NL WEEKTIMER VOOR MONTAGE OP DIN-RAIL
DE HUTSCHIENEN-WOCHENZEITSCHALTUHR
ES TEMPORIZADOR SEMANAL PARA MONTAJE EN CARRIL DIN

daily and weekly programs • 8 selectable programs each with 15 different repeat options
• LCD display: time of day, weekday and switching status • NiMH backup battery holds data for up to 200 h when fully charged • 3-way manual override function: on - off - auto
• easy installation on DIN rail or on wall with supplied adapter plate • transparent front cover

power supply: 220-250 VAC 50 Hz • output: ◦ resistive load: 16 A @ 230 VAC, max. 3680 W ◦ inductive load: 8 A @ 230 VAC (cos μ = 0.4) • timer interval: 1 min • power consumption: 4.4 W • operating temperature: -10 °C to 40 °C • accuracy: \pm 1 min per month



E305DIN1



5 410329 442804



TAPE & CABLE STRAPS

RUBAN ADHÉSIF & SERRE-CÂBLES
TAPE & KABELBEVESTIGING
KABELBEFESTIGUNG
FIJACIÓN DE CABLES

ASSORTED INSULATION TAPES

- 19 mm x 10 m (10 pcs)

FR ASSORTIMENT DE RUBANS ADHESIFS
ISOLANTS - 19 mm x 10 m (10 pcs)
NL ASSORTIMENT ISOLATIETAPE - 19 mm x 10 m (10 st)
DE SORTIMENT VON 10 ISOLIERBÄNDERN - 19 mm x 10 m (10 St.)
ES SURTIDO DE CINTAS ADHESIVAS AISLANTES - 19 mm x 10 m (10 uds.)

4 black - 1 white - 1 blue - 1 green - 1 grey - 1 yellow - 1 red • dimensions: 19mm x 10m



1040



5 411512 100068

INSULATION TAPE - BLUE

- 19 mm x 10 m

FR RUBAN ADHESIF ISOLANT - BLEU - 19 mm x 10 m
NL ISOLATIETAPE - BLAUW - 19 mm x 10 m
DE ISOLIERBAND - BLAU - 19 mm x 10 m
ES CINTA ADHESIVA AISLANTE - 19 mm x 10 m - COLOR AZUL

1 blue roll

dimensions: 19mm x 10m



1040-BLPC



5 411512 069075

INSULATION TAPE - WHITE

- 19 mm x 10 m

FR RUBAN ADHESIF ISOLANT - BLANC - 19 mm x 10 m
NL ISOLATIETAPE - WIT - 19 mm x 10 m
DE ISOLIERBAND - WEIß - 19 mm x 10 m
ES CINTA ADHESIVA AISLANTE - 19 mm x 10 m - COLOR BLANCO

1 white roll

dimensions: 19mm x 10m



1040-BPC



5 411512 069204

INSULATION TAPE - BROWN

- 19 mm x 10 m

FR RUBAN ADHESIF ISOLANT - BRUN - 19 mm x 10 m
NL ISOLATIETAPE - BRUIN - 19 mm x 10 m
DE ISOLIERBAND - BRAUN - 19 mm x 10 m
ES CINTA ADHESIVA AISLANTE - 19 mm X - 10 m - COLOR MARRÓN

1 brown roll

dimensions: 19mm x 10m



1040-BRPC



5 411512 069082

INSULATION TAPE - GREY

- 19 mm x 10 m

FR RUBAN ADHESIF ISOLANT - GRIS - 19 mm x 10 m
NL ISOLATIETAPE - GRIJS - 19 mm x 10 m
DE ISOLIERBAND - GRAU - 19 mm x 10 m
ES CINTA ADHESIVA AISLANTE - 19 mm X - 10 m - COLOR GRIS

1 grey roll

dimensions: 19mm x 10m • color: grey



1040-GPC



5 411512 069235

**INSULATION TAPE - YELLOW
- 19 mm x 10 m**

FR RUBAN ADHESIF ISOLANT - JAUNE - 19 mm x 10 m
 NL ISOLATIETAPE - GEEL - 19 mm x 10 m
 DE ISOLIERBAND - GELB - 19 mm x 10 m
 ES CINTA ADHESIVA AISLANTE - 19 mm X - 10 m - COLOR AMARILLO

1 yellow roll

dimensions: 19mm x 10m



1040-JPC



5 411512 069228

NITTO DENKO

**INSULATION TAPE - BLACK
- 19 mm x 10 m**

FR RUBAN ADHESIF ISOLANT - NOIR - 19 mm x 10 m
 NL ISOLATIETAPE - ZWART - 19 mm x 10 m
 DE ISOLIERBAND - SCHWARZ - 19 mm x 10 m
 ES CINTA ADHESIVA AISLANTE - 19 mm X - 10 m - COLOR NEGRO

1 black roll

dimensions: 19mm x 10m



1040-NPC



5 411512 069068

NITTO DENKO

**INSULATION TAPE - RED - 19 mm x 10 m**

FR RUBAN ADHESIF ISOLANT - ROUGE - 19 mm x 10 m
 NL ISOLATIETAPE - ROOD - 19 mm x 10 m
 DE ISOLIERBAND - ROT - 19 mm x 10 m
 ES CINTA ADHESIVA AISLANTE - 19 mm x 10 m - COLOR ROJO

1 red roll

dimensions: 19mm x 10m



1040-RPC



5 411512 069167

NITTO DENKO

**INSULATION TAPE - GREEN/
YELLOW - 19 mm x 10 m**

FR RUBAN ADHESIF ISOLANT - VERT/JAUNE - 19 mm x 10 m
 NL ISOLATIETAPE - GROEN/GEEL - 19 mm x 10 m
 DE ISOLIERBAND - GRÜN/GELB - 19 mm x 10 m
 ES CINTA ADHESIVA AISLANTE - - COLOR VERDE/AMARILLO - 19 mm x 10 m

1 green/yellow roll

dimensions: 19mm x 10m



1040-VJPC



5 411512 069211

NITTO DENKO

**INSULATION TAPE - GREEN
- 19 mm x 10 m**

FR RUBAN ADHESIF ISOLANT - VERT - 19 mm x 10 m
 NL ISOLATIETAPE - GROEN - 19 mm x 10 m
 DE ISOLIERBAND - GRÜN (19 mm x 10 mm)
 ES CINTA ADHESIVA AISLANTE - 19 mm X - 10 m - COLOR VERDE

1 green roll

dimensions: 19mm x 10m



1040-VPC



5 411512 069112

NITTO DENKO

**INSULATION TAPE - BLUE
- 50 mm x 20 m**

FR RUBAN ADHESIF ISOLANT - BLEU - 50 mm x 20 m
 NL ISOLATIETAPE - BLAUW - 50 mm x 20 m
 DE ISOLIERBAND - BLAU - 50 mm x 20 m
 ES CINTA ADHESIVA AISLANTE - 50 mm x 20 m - COLOR AZUL

1 blue roll

dimensions: 50mm x 20m



1042-BLPC



5 411512 069433

NITTO DENKO

**INSULATION TAPE - WHITE
- 50 mm x 20 m**

FR RUBAN ADHESIF ISOLANT - BLANC - 50 mm x 20 m
 NL ISOLATIETAPE - WIT - 50 mm x 20 m
 DE ISOLIERBAND - WEIß 19 mm x 20 mm
 ES CINTA ADHESIVA AISLANTE - 50 mm x 20 m - COLOR BLANCO

1 white roll

dimensions: 50mm x 20m



1042-BPC



5 411512 069570

NITTO DENKO

**INSULATION TAPE - GREY
- 50 mm x 20 m**

FR RUBAN ADHESIF ISOLANT - GRIS - 50 mm x 20 m
 NL ISOLATIETAPE - GRIJS - 50 mm x 20 m
 DE ISOLIERBAND - GRAU - 50 mm x 20 m
 ES CINTA ADHESIVA AISLANTE - 50 mm x 20 m - COLOR GRIS

1 grey roll

dimensions: 50mm x 20m



1042-GPC



5 411512 069488

NITTO DENKO



INSULATION TAPE - YELLOW
- 50 mm x 20 m

FR RUBAN ADHESIF ISOLANT - JAUNE - 50 mm x 20 m
NL ISOLATIETAPE - GEEL - 50 mm x 20 m
DE ISOLIERBAND - GELB - 50 mm x 20 m
ES CINTA ADHESIVA AISLANTE - 50 mm x 20 m - COLOR AMARILLO

1 yellow roll

dimensions: 50mm x 20m



1042-JPC



5 411512 069594

NITTO DENKO



ASSORTED INSULATION TAPES
- 50 mm x 20 m (4 pcs)

FR ASSORTIMENT DE RUBANS ADHESIFS
ISOLANTS - 50 mm x 20 m (4 pcs)
NL ASSORTIMENT ISOLATIETAPE - 50 mm x 20 m (4 st)
DE ISOLIERBAND - VERSCHIEDENE FARBEN - 50 mm x 20 m (4 St.)
ES SURTIDO DE CINTAS ADHESIVAS AISLANTES - 50 mm x 20 m (4 uds.)

4 assorted rolls

dimensions: 50mm x 20m



1042-M



5 411512 100181

NITTO DENKO



INSULATION TAPE - BLACK
- 50 mm x 20 m

FR RUBAN ADHESIF ISOLANT - NOIR - 50 mm x 20 m
NL ISOLATIETAPE - ZWART - 50 mm x 20 m
DE ISOLIERBAND - SCHWARZ - 50 mm x 20 m
ES CINTA ADHESIVA AISLANTE - 50 mm x 20 m - COLOR NEGRO

1 black roll

dimensions: 50mm x 20m



1042-NPC



5 411512 069426

NITTO DENKO



INSULATION TAPE - RED - 50 mm x 20 m

FR RUBAN ADHESIF ISOLANT - ROUGE - 50 mm x 20 m
NL ISOLATIETAPE - ROOD - 50 mm x 20 m
DE ISOLIERBAND - ROT - 50 mm x 20 m
ES CINTA ADHESIVA AISLANTE - 50 mm x 20 m - COLOR ROJO

1 red roll

dimensions: 50mm x 20m



1042-RPC



5 411512 069532

NITTO DENKO



INSULATION TAPE - GREEN
- 50 mm x 20 m

FR RUBAN ADHESIF ISOLANT - VERT - 50 mm x 20 m
NL ISOLATIETAPE - GROEN - 50 mm x 20 m
DE ISOLIERBAND - GRÜN - 50 mm x 20 m
ES CINTA ADHESIVA AISLANTE - 50 mm x 20 m - COLOR VERDE

1 green roll

dimensions: 50mm x 20m



1042-VPC



5 411512 069471

NITTO DENKO



ASSORTED INSULATION TAPES
- 19 mm x 20 m (10 pcs)

FR ASSORTIMENT DE RUBANS ADHESIFS
ISOLANTS - 19 mm x 20 m (10 pcs)
NL ASSORTIMENT ISOLATIETAPE - 19 mm x 20 m (10 st)
DE SORTIMENT VON 10 ROLLEN ISOLIERBAND - 19 mm x 20 m (10 St.)
ES SURTIDO DE CINTAS ADHESIVAS
AISLANTES - 19 mm x 20 m (10 uds.)

4 black - 1 white - 1 blue - 1 green - 1 grey - 1 yellow - 1 red

dimensions: 19mm x 20m



1045



5 411512 106701

NITTO DENKO



INSULATION TAPE - BLUE
- 19 mm x 20 m

FR RUBAN ADHESIF ISOLANT - BLEU - 19 mm x 20 m
NL ISOLATIETAPE - BLAUW - 19 mm x 20 m
DE ISOLIERBAND - BLAU - 19 mm x 20 m
ES CINTA ADHESIVA AISLANTE - 19 mm x 20 m - COLOR AZUL

1 blue roll

dimensions: 19mm x 20m



1045-BLPC



5 411512 069259

NITTO DENKO



INSULATION TAPE - WHITE
- 19 mm x 20 m

FR RUBAN ADHESIF ISOLANT - BLANC - 19 mm x 20 m
NL ISOLATIETAPE - WIT - 19 mm x 20 m
DE ISOLIERBAND - WEIß - 19 mm x 20 m
ES CINTA ADHESIVA AISLANTE - 19 mm x 20 m - COLOR BLANCO

1 white roll

dimensions: 19mm x 20m



1045-BPC



5 411512 069396

NITTO DENKO

**INSULATION TAPE - GREY
- 19 mm x 20 m**

FR RUBAN ADHESIF ISOLANT - GRIS - 19 mm x 20 m
 NL ISOLATIETAPE - GRIJS - 19 mm x 20 m
 DE ISOLIERBAND - GRAU - 19 mm x 20 m
 ES CINTA ADHESIVA AISLANTE - 19 mm x 20 m - COLOR GRIS

1 grey roll

dimensions: 19mm x 20m

NITTO DENKO



1045-GPC



5 411512 069303

**INSULATION TAPE - YELLOW
- 19 mm x 20 m**

FR RUBAN ADHESIF ISOLANT - JAUNE - 19 mm x 20 m
 NL ISOLATIETAPE - GEEL - 19 mm x 20 m
 DE ISOLIERBAND - GELB - 19 mm x 20 m
 ES CINTA ADHESIVA AISLANTE - 19 mm x 20 m - COLOR AMARILLO

1 yellow roll

dimensions: 19mm x 20m

NITTO DENKO



1045-JPC



5 411512 069419

**INSULATION TAPE - BLACK
- 19 mm x 20 m**

FR RUBAN ADHESIF ISOLANT - NOIR - 19 mm x 20 m
 NL ISOLATIETAPE - ZWART - 19 mm x 20 m
 DE ISOLIERBAND - SCHWARZ - 19 mm x 20 m
 ES CINTA ADHESIVA AISLANTE - 19 mm x 20 m - COLOR NEGRO

1 black roll

dimensions: 19mm x 20m

NITTO DENKO



1045-NPC



5 411512 069242

**INSULATION TAPE - RED - 19 mm x 20 m**

FR RUBAN ADHESIF ISOLANT - ROUGE - 19 mm x 20 m
 NL ISOLATIETAPE - ROOD - 19 mm x 20 m
 DE ISOLIERBAND - ROT - 19 mm x 20 m
 ES CINTA ADHESIVA AISLANTE - 19 mm x 20 m - COLOR ROJO

1 red roll

dimensions: 19mm x 20m

NITTO DENKO



1045-RPC



5 411512 069358

**INSULATION TAPE - GREEN/
YELLOW - 19 mm x 20 m**

FR RUBAN ADHESIF ISOLANT - VERT/JAUNE - 19 mm x 20 m
 NL ISOLATIETAPE - GROEN/GEEL - 19 mm x 20 m
 DE ISOLIERBAND - GRÜN/GELB - 19 mm x 20 m
 ES CINTA ADHESIVA AISLANTE - 19 mm x 20 m - COLOR VERDE/AMARILLO

1 green/yellow roll

dimensions: 19mm x 20m

NITTO DENKO



1045-VJPC



5 411512 069402

**INSULATION TAPE - GREEN
- 19 mm x 20 m**

FR RUBAN ADHESIF ISOLANT - VERT - 19 mm x 20 m
 NL ISOLATIETAPE - GROEN - 19 mm x 20 m
 DE ISOLIERBAND - GRÜN - 19 mm x 20 m
 ES CINTA ADHESIVA AISLANTE - 19 mm x 20 m - COLOR VERDE

1 green roll

dimensions: 19mm x 20m

NITTO DENKO



1045-VPC



5 411512 069297

**INSULATION TAPE - WHITE
- 100 mm x 10 m**

FR RUBAN ADHESIF ISOLANT - BLANC - 100 mm x 10 m (1 pc)
 NL ISOLATIETAPE - WIT - 100 mm x 10 m (1 st)
 DE ISOLIERBAND - WEIß 100 mm x 10 m (1 St.)
 ES CINTA ADHESIVA AISLANTE - 100 mm x 10 m - COLOR BLANCO

1 white roll

dimensions: 100mm x 10m

NITTO DENKO



1047-B



5 411512 114362

**INSULATION TAPE - BLUE
- 100 mm x 10 m**

FR RUBAN ADHESIF ISOLANT - BLEU - 100 mm x 10 m (1 pc)
 NL ISOLATIETAPE - BLAUW - 100 mm x 10 m (1 st)
 DE ISOLIERBAND - BLAU - 100 mm x 10 m (1 St.)
 ES CINTA ADHESIVA AISLANTE - 100 mm x 10 m - COLOR AZUL

1 blue roll

dimensions: 100mm x 10m

NITTO DENKO



1047-BL



5 411512 114232



INSULATION TAPE - GREY
- 100 mm x 10 m

FR RUBAN ADHESIF ISOLANT - GRIS - 100 mm x 10 m (1 pc)
NL ISOLATIETAPE - GRIJS - 100 mm x 10 m (1 st)
DE ISOLIERBAND - GRAU - 100 mm x 10 m (1 St.)
ES CINTA ADHESIVA AISLANTE - 100 mm x 10 m - COLOR GRIS

1 grey roll

dimensions: 100mm x 10m



1047-G



NITTO DENKO



INSULATION TAPE - YELLOW
- 100 mm x 10 m

FR RUBAN ADHESIF ISOLANT - JAUNE - 100 mm x 10 m (1 pc)
NL ISOLATIETAPE - GEEL - 100 mm x 10 m (1 st)
DE ISOLIERBAND - GELB - 100 mm x 10 m (1 St.)
ES CINTA ADHESIVA AISLANTE - 100 mm x 10 m - COLOR AMARILLO

1 yellow roll

dimensions: 100mm x 10m



1047-J



NITTO DENKO



INSULATION TAPE - BLACK
- 100 mm x 10 m

FR RUBAN ADHESIF ISOLANT - NOIR - 100 mm x 10 m (1 pc)
NL ISOLATIETAPE - ZWART - 100 mm x 10 m (1 st)
DE ISOLIERBAND - 100 mm x 10 m (1 St.)
ES CINTA ADHESIVA AISLANTE - 100 mm x 10 m - COLOR NEGRO

1 black roll

dimensions: 100mm x 10m



1047-N



NITTO DENKO



INSULATION TAPE - RED
- 100 mm x 10 m

FR RUBAN ADHESIF ISOLANT - ROUGE - 100 mm x 10 m (1 pc)
NL ISOLATIETAPE - ROOD - 100 mm x 10 m (1 st)
DE ISOLIERBAND - ROT - 100 mm x 10 m (1 St.)
ES CINTA ADHESIVA AISLANTE - 100 mm x 10 m - COLOR ROJO

1 red roll

dimensions: 100mm x 10m



1047-R



NITTO DENKO



INSULATION TAPE - GREEN
- 100 mm x 10 m

FR RUBAN ADHESIF ISOLANT - VERT - 100 mm x 10 m (1 pc)
NL ISOLATIETAPE - GROEN - 100 mm x 10 m (1 st)
DE ISOLIERBAND - GRÜN - 100 mm x 10 m (1 St.)
ES CINTA ADHESIVA AISLANTE - 100 mm x 10 m - COLOR VERDE

1 green roll


dimensions: 100mm x 10m



1047-V



NITTO DENKO



INSULATION TAPE - WHITE
- 100 mm x 20 m

FR RUBAN ADHESIF ISOLANT - BLANC - 100 mm x 20 m
NL ISOLATIETAPE - WIT - 100 mm x 20 m
DE ISOLIERBAND - WEISS - 100 mm x 20 m (1 St.)
ES CINTA ADHESIVA AISLANTE - 100 mm x 20 m - COLOR BLANCO

1 white roll


dimensions: 100mm x 20m



1049-B



NITTO DENKO



INSULATION TAPE - BLUE
- 100 mm x 20 m

FR RUBAN ADHESIF ISOLANT - BLEU - 100 mm x 20 m
NL ISOLATIETAPE - BLAUW - 100 mm x 20 m
DE ISOLIERBAND - BLAU - 100 mm x 20 m (1 St.)
ES CINTA ADHESIVA AISLANTE - 100 mm x 20 m - COLOR AZUL

1 blue roll

dimensions: 100mm x 20m



1049-BL



NITTO DENKO



INSULATION TAPE - GREY
- 100 mm x 20 m

FR RUBAN ADHESIF ISOLANT - GRIS - 100 mm x 20 m
NL ISOLATIETAPE - GRIJS - 100 mm x 20 m
DE ISOLIERBAND - GRAU - 100 mm x 20 m
ES CINTA ADHESIVA AISLANTE - 100 mm x 20 m - COLOR GRIS

1 grey roll

dimensions: 100mm x 20m



1049-G



NITTO DENKO

**INSULATION TAPE - YELLOW**
- 100 mm x 20 m

FR RUBAN ADHESIF ISOLANT - JAUNE - 100 mm x 20 m
 NL ISOLATIETAPE - GEEL - 100 mm x 20 m
 DE ISOLIERBAND - GELB - 100 mm x 20 m
 ES CINTA ADHESIVA AISLANTE - 100 mm x 20 m - COLOR AMARILLO

1 yellow roll

dimensions: 100mm x 20m



NITTO DENKO

**INSULATION TAPE - BLACK**
- 100 mm x 20 m

FR RUBAN ADHESIF ISOLANT - NOIR - 100 mm x 20 m
 NL ISOLATIETAPE - ZWART - 100 mm x 20 m
 DE ISOLIERBAND - SCHWARZ - 100 mm x 20 m
 ES CINTA ADHESIVA AISLANTE - 100 mm x 20 m - COLOR NEGRO

1 black roll

dimensions: 100mm x 20m



NITTO DENKO

**INSULATION TAPE - RED**
- 100 mm x 20 m

FR RUBAN ADHESIF ISOLANT - ROUGE - 100 mm x 20 m
 NL ISOLATIETAPE - ROOD - 100 mm x 20 m
 DE ISOLIERBAND - ROT - 100 mm x 20 m
 ES CINTA ADHESIVA AISLANTE - 100 mm x 20 m - COLOR ROJO

1 red roll

dimensions: 100mm x 20m



NITTO DENKO

**INSULATION TAPE - GREEN**
- 100 mm x 20 m

FR RUBAN ADHESIF ISOLANT - VERT - 100 mm x 20 m
 NL ISOLATIETAPE - GROEN - 100 mm x 20 m
 DE ISOLIERBAND - GRÜN - 100 mm x 20 m
 ES CINTA ADHESIVA AISLANTE - 100 mm x 20 m - COLOR VERDE

1 green roll

dimensions: 100mm x 20m




NITTO DENKO

**HEAT-SHRINKABLE TUBE KIT - MULTICOLOUR**

FR LOT DE GAINES THERMORETRACTABLES - 40 pcs - MULTICOLORE
 NL SET THERMISCHE KRIMPKOUSEN - 40 STUKS - VEELKLEURIG
 DE SCHRUMPFSCHLAUCHSET - MEHRFARBIG
 ES JUEGO DE TUBOS TERMORRETRACTILES - MULTICOLOR

contains: ○ 1 x 120mm: 10 pcs ○ 2 x 120mm: 10 pcs ○ 4 x 120mm: 5 pcs
 ○ 6 x 120mm: 5 pcs ○ 9 x 120mm: 5 pcs ○ 12 x 120mm: 5 pcs ● halogen and dioxine free ● flame retardant

colour: mixed color ● shrinking temperature: 90°C ● max. temperature: 120°C ● shrinking ratio: 2:1 ● dielectric strength: 15kV/mm




PEREL®

**HEAT-SHRINKABLE TUBE KIT - MULTICOLOUR 10 cm - 170 pcs - IN STORAGE BOX**

FR LOT DE GAINES THERMORETRACTABLES - MULTICOLORE 10 cm - 170 pcs - DANS COFFRET DE RANGEMENT
 NL SET THERMISCHE KRIMPKOUSEN - VEELKLEURIG 10 cm - 170 st. - IN OPBERGDOOS
 DE SCHRUMPFSCHLAUCHSET - MEHRFARBIG 10 cm - 170 St. - IN BOX
 ES JUEGO DE TUBOS TERMORRETRACTILES - MULTICOLOR 10 cm - 170 uds. - EN CAJA DE ALMACENAMIENTO

contains: ○ Ø1 x 100mm: 60 pcs ○ Ø2 x 100mm: 40 pcs ○ Ø3 x 100mm: 30 pcs ○ Ø4.5 x 100mm: 20 pcs ○ Ø6 x 100mm: 10 pcs ○ Ø9 x 100mm: 10 pcs ● halogen and dioxine free ● flame retardant

colour: mixed ● shrinking temperature: 90°C ● max. temperature: 120°C ● shrinking ratio: 2:1 ● dielectric strength: at 1 min. 2500VAC - no breakdown




PEREL®

**BLACK HOOK&LOOP CABLE STRAPS - 12.5 x 205 mm (10 pcs)**

FR COLLIERS DE SERRAGE À FERMETURE AUTO-AGRIPPANTE - NOIR - 12,5 x 205 mm (10 pcs)
 NL KLITTENBAND-KABELBINDERS - ZWART - 12,5 x 205 mm (10 st.)
 DE KLETTKABELBINDER - SCHWARZ - 12,5 x 205 mm (10-tlg.)
 ES CADENETAS CON CIERRE DE GANCHO Y BUCLE - COLOR NEGRO - 12,5 x 205 mm (10 uds.)

UV-resistant

length: 20,5cm ● packaging: 10 pcs/bag ● width: 12,5mm



PEREL®



BLACK HOOK&LOOP CABLE STRAPS - 12.5 x 300 mm (10 pcs)

FR COLLIERS DE SERRAGE À FERMETURE AUTO-AGRIPPANTE - NOIR - 12.5 x 300 mm (10 pcs)
NL KLITTENBAND-KABELBINDERS - ZWART - 12.5 x 300 mm (10 st.)
DE KLETTVERSCHLUSS-KABELBINDER - SCHWARZ - 12.5 x 300 mm (10 St.)
ES CADENETA CON CIERRE DE GANCHO Y BUCLE - COLOR NEGRO - 12.5 x 300 mm (10 uds.)

UV-resistant


length: 30cm • packaging: 10 pcs/bag • width: 12,5mm



ECSB300



5 410329 475345



CABLE MANAGER SET - 31 pcs

FR JEU DE COLLIERS POUR CÂBLAGE - 31 pcs
NL KABELBINDERSET - 31 st.
DE KABELBINDERSATZ - 31 St.
ES JUEGO CON CADENETAS PARA CABLEADO - 31 uds.

contents: ◦ 10 transparent cable ties - 4 x 120mm ◦ 6 multicoloured hook and loop fasteners ◦ 15 self-adhesive clips • UV-resistant



ECTSET1



5 410329 404550



NYLON CABLE TIE SET - 2.5 x 100 mm - WHITE (100 pcs)

FR COLLIERS DE SERRAGE EN NYLON - 2.5 x 100 mm - BLANC (100 pcs)
NL NYLON KABELBINDBANDJES - 2.5 x 100 mm - WIT (100 st.)
DE NYLON-KABELBINDER 2.5 mm x 100 mm 100 St.
ES JUEGO CON CADENETAS DE NYLON - 2.5 x 100 mm - COLOR BLANCO (100 uds.)

white • UV-resistant

100pcs 2.5 x 100mm



ECTW100



5 410329 369682



NYLON CABLE TIE SET - 4.6 x 120 mm - WHITE (100 pcs)

FR COLLIERS DE SERRAGE EN NYLON - 4.6 x 120 mm - BLANC (100 pcs)
NL NYLON KABELBINDERS - 4.6 x 120 mm - WIT (100 st.)
DE NYLON-KABELBINDER WEIß 4.6 mm x 120 mm 100 St.
ES JUEGO CON CADENETAS DE NYLON - 4.6 x 120 mm - COLOR BLANCO (100 uds.)

white • UV-resistant

100pcs 4.6 x 120mm



ECTW120



5 410329 369699



NYLON CABLE TIE SET - 4.8 x 200 mm - WHITE (100 pcs)

FR COLLIERS DE SERRAGE EN NYLON - 4.8 x 200 mm - BLANC (100 pcs)
NL NYLON KABELBINDBANDJES - 4.8 x 200 mm - WIT (100 st.)
DE NYLON-KABELBINDER 4.8 mm x 200 mm 100 St.
ES JUEGO CON CADENETAS DE NYLON - 4.8 x 200 mm - COLOR BLANCO (100 uds.)

white • UV-resistant

100pcs 4.8 x 200mm



ECTW200



5 410329 369705



NYLON CABLE TIE SET - 4.8 x 300 mm - WHITE (100 pcs)

FR COLLIERS DE SERRAGE EN NYLON - 4.8 x 300 mm - BLANC (100 pcs)
NL NYLON KABELBINDBANDJES - 4.8 x 300 mm - WIT (100 st.)
DE NYLON-KABELBINDER 4.8 x 300 mm 100 St.
ES JUEGO CON CADENETAS DE NYLON - 4.8 x 300 mm - COLOR BLANCO (100 uds.)

white • UV-resistant

100pcs 4.8 x 300mm



ECTW300



5 410329 369712



NYLON CABLE TIE SET - 7.8 x 400 mm - WHITE (100 pcs)

FR COLLIERS DE SERRAGE EN NYLON - 7.8 x 400 mm - BLANC (100 pcs)
NL NYLON KABELBINDBANDJES - 7.8 x 400 mm - WIT (100 st.)
DE NYLON-KABELBINDER 7.8 x 400 mm 100 St.
ES JUEGO CON CADENETAS DE NYLON - 7.8 x 400 mm - COLOR BLANCO (100 uds.)

white • UV-resistant

100pcs 7.8 x 400mm



ECTW400



5 410329 371210



NYLON CABLE TIE SET - 8.8 x 500 mm - WHITE (100 pcs)

FR COLLIERS DE SERRAGE EN NYLON - 8.8 x 500 mm - BLANC (100 pcs)
NL NYLON KABELBINDBANDJES - 8.8 x 500 mm - WIT (100 st.)
DE NYLON-KABELBINDER 8.8 x 500 mm 100 St.
ES JUEGO CON CADENETAS DE NYLON - 8.8 x 500 mm - COLOR BLANCO (100 uds.)

white • UV-resistant

100pcs 8.8 x 500mm



ECTW500



5 410329 371234

**NYLON CABLE TIE SET -
8.8 x 500 mm - WHITE (50 pcs)**

FR COLLIERS DE SERRAGE EN NYLON - 8.8 x 500 mm - BLANC (50 pcs)
 NL NYLON KABELBINDBANDJES - 8.8 x 500 mm - WIT (50 st.)
 DE NYLON-KABELBINDER 8.8 x 500 mm 50 St.
 ES JUEGO CON CADENETAS DE NYLON - 8.8 x 500 mm - COLOR BLANCO (50 uds.)

white • UV-resistant

50pcs 8.8 x 500mm



ECTW500-50



5 410329 471033

PEREL®

**NYLON CABLE TIE SET -
9 x 610 mm - WHITE (50 pcs)**

FR COLLIERS DE SERRAGE EN NYLON - 9 x 610 mm - BLANC (50 pcs)
 NL NYLON KABELBINDBANDJES - 9 x 610 mm - WIT (50 st.)
 DE NYLON-KABELBINDER 9 x 610 mm 50 St.
 ES JUEGO CON CADENETAS DE NYLON - 9 x 610 mm - COLOR BLANCO (50 uds.)

white • UV-resistant

50pcs 9 x 610mm



ECTW610-50



5 410329 471040

PEREL®

**NYLON CABLE TIE SET -
9 x 750 mm - WHITE (50 pcs)**

FR COLLIERS DE SERRAGE EN NYLON - 9 x 750 mm - BLANC (50 pcs)
 NL NYLON KABELBINDBANDJES - 9 x 750 mm - WIT (50 st.)
 DE NYLON-KABELBINDER 9 x 750 mm 50 St.
 ES JUEGO CON CADENETAS DE NYLON - 9 x 750 mm - COLOR BLANCO (50 uds.)

white • UV-resistant

50pcs 9 x 750mm



ECTW750-50



5 410329 471071

PEREL®

**NYLON CABLE TIE SET
(75 pcs) - WHITE**

FR COLLIERS DE SERRAGE EN NYLON - BLANC - 75 pcs
 NL NYLON KABELBINDBANDJES - WIT (75 st.)
 DE NYLON-KABELBINDER SORTIMENT 75 St.
 ES JUEGO CON CADENETAS DE NYLON (75 uds.) - COLOR BLANCO

white • UV-resistant

25pcs 2.5 x 100mm • 25pcs 3.6 x 140mm • 25pcs 3.6 x 200mm



ECTWMIX



5 410329 369668

PEREL®

**NYLON CABLE TIE SET -
2.5 x 100 mm - BLACK (100 pcs)**

FR COLLIERS DE SERRAGE EN NYLON - 2.5 x 100 mm - NOIR (100 pcs)
 NL NYLON KABELBINDBANDJES - 2.5 x 100 mm - ZWART (100 st.)
 DE NYLON-KABELBINDER 2.5 mm x 100 mm 100 St.
 ES JUEGO CON CADENETAS DE NYLON - 2.5 x 100 mm - NEGRO (100 uds.)

black • UV-resistant

100pcs 2.5 x 100mm



ECTB100



5 410329 433079

PEREL®

**NYLON CABLE TIE SET -
4.6 x 120 mm - BLACK (100 pcs)**

FR COLLIERS DE SERRAGE EN NYLON - 4.6 x 120 mm - NOIR (100 pcs)
 NL NYLON KABELBINDERS - 4.6 x 120 mm - ZWART (100 st.)
 DE NYLON-KABELBINDER SCHWARZ 4.6 mm x 120 mm 100 St.
 ES JUEGO CON CADENETAS DE NYLON - 4.6 x 120 mm - NEGRO (100 uds.)

black • UV-resistant

100pcs 4.6 x 120mm



ECTB120



5 410329 433086

PEREL®

**NYLON CABLE TIE SET -
4.8 x 200 mm - BLACK (100 pcs)**

FR COLLIERS DE SERRAGE EN NYLON - 4.8 x 200 mm - NOIR (100 pcs)
 NL NYLON KABELBINDBANDJES - 4.8 x 200 mm - ZWART (100 st.)
 DE NYLON-KABELBINDER 4.8 x 200 mm 100 St.
 ES JUEGO CON CADENETAS DE NYLON - 4.8 x 200 mm - COLOR NEGRO (100 uds.)

black • UV-resistant

100pcs 4.8 x 200mm



ECTB200



5 410329 369736

PEREL®

**NYLON CABLE TIE SET -
4.8 x 300 mm - BLACK (100 pcs)**

FR COLLIERS DE SERRAGE EN NYLON - 4.8 x 300 mm - NOIR (100 pcs)
 NL NYLON KABELBINDBANDJES - 4.8 x 300 mm - ZWART (100 st.)
 DE NYLON-KABELBINDER 4.8 mm x 310 mm 100 St.
 ES JUEGO CON CADENETAS DE NYLON - 4.8 x 300 mm - COLOR NEGRO (100 uds.)

black • UV-resistant

100pcs 4.8 x 300mm



ECTB300



5 410329 369743

PEREL®



**NYLON CABLE TIE SET -
7.8 x 400 mm - BLACK (100 pcs)**

FR COLLIERS DE SERRAGE EN NYLON - 7.8 x 400 mm - NOIR (100 pcs)
NL NYLON KABELBINDBANDJES - 7.8 x 400 mm - ZWART (100 st.)
DE NYLON-KABELBINDER 7.8 x 400 mm 100 St.
ES JUEGO CON CADENETAS DE NYLON - 7.8 x 400 mm - COLOR NEGRO (100 uds.)

black • UV-resistant

100pcs 7.8 x 400mm



ECTB400



5 410329 371227

PEREL®



**NYLON CABLE TIE SET -
8.8 x 500 mm - BLACK (100 pcs)**

FR COLLIERS DE SERRAGE EN NYLON - 8.8 x 500 mm - NOIR (100 pcs)
NL NYLON KABELBINDBANDJES - 8.8 x 500 mm - ZWART (100 st.)
DE NYLON-KABELBINDER 8.8 x 500 mm 100 St.
ES JUEGO CON CADENETAS DE NYLON - 8.8 x 500 mm - COLOR NEGRO (100 uds.)

black • UV-resistant

100pcs 8.8 x 500mm



ECTB500



5 410329 371241

PEREL®



**NYLON CABLE TIE SET -
8.8 x 500 mm - BLACK (50 pcs)**

FR COLLIERS DE SERRAGE EN NYLON - 8.8 x 500 mm - NOIR (50 pcs)
NL NYLON KABELBINDBANDJES - 8.8 x 500 mm - ZWART (50 st.)
DE NYLON-KABELBINDER 8.8 x 500 mm 50 St.
ES JUEGO CON CADENETAS DE NYLON - 8.8 x 500 mm - COLOR NEGRO (50 uds.)

black • UV-resistant

50pcs 8.8 x 500mm



ECTB500-50



5 410329 471026

PEREL®



**NYLON CABLE TIE SET -
9 x 610 mm - BLACK (50 pcs)**

FR COLLIERS DE SERRAGE EN NYLON - 9 x 610 mm - NOIR (50 pcs)
NL NYLON KABELBINDBANDJES - 9 x 610 mm - ZWART (50 st.)
DE NYLON-KABELBINDER 9 x 610 mm 50 St.
ES JUEGO CON CADENETAS DE NYLON - 9 x 610 mm - COLOR NEGRO (50 uds.)

black • UV-resistant

50pcs 9 x 610mm



ECTB610-50



5 410329 471057

PEREL®



**NYLON CABLE TIE SET -
9 x 750 mm - BLACK (50 pcs)**

FR COLLIERS DE SERRAGE EN NYLON - 9 x 750 mm - NOIR (50 pcs)
NL NYLON KABELBINDBANDJES - 9 x 750 mm - ZWART (50 st.)
DE NYLON-KABELBINDER 9 x 750 mm 50 St.
ES JUEGO CON CADENETAS DE NYLON - 9 x 750 mm - COLOR NEGRO (50 uds.)

black • UV-resistant

50pcs 9 x 750mm



ECTB750-50



5 410329 471064

PEREL®



**NYLON CABLE TIE SET
(75 pcs) - BLACK**

FR ATTACHES NYLON NOIR ASSORTIMENT 75PC
NL NYLON KABELBINDBANDJES - ZWART (75 st.)
DE NYLON-KABELBINDERASSORTIMENT 75 St.
ES JUEGO CON CADENETAS DE NYLON (75 uds.) - COLOR NEGRO

black • UV-resistant

25pcs 2.5 x 100mm • 25pcs 3.6 x 140mm • 25pcs 3.6 x 200mm



ECTBMIX



5 410329 369675

PEREL®



**NYLON CABLE TIE SET -
4.8 x 200 mm - GREEN (100 pcs)**

FR COLLIERS DE SERRAGE EN NYLON - 4.8 x 200 mm - VERT (100 pcs)
NL NYLON KABELBINDBANDJES - 4.8 x 200 mm - GROEN (100 st.)
DE NYLON-KABELBINDER 4.8 x 200 mm - GRÜN (100 St.)
ES JUEGO CON CADENETAS DE NYLON - 4.8 x 200 mm - COLOR VERDE (100 uds.)

green • UV-resistant

100pcs 4.8 x 200mm



ECTG200



5 410329 471088

PEREL®



**NYLON CABLE TIE SET -
4.8 x 300 mm - GREEN (100 pcs)**

FR COLLIERS DE SERRAGE EN NYLON - 4.8 x 300 mm - VERT (100 pcs)
NL NYLON KABELBINDBANDJES - 4.8 x 300 mm - GROEN (100 st.)
DE NYLON-KABELBINDER 4.8 x 300 mm - GRÜN (100 St.)
ES JUEGO CON CADENETAS DE NYLON - 4.8 x 300 mm - COLOR VERDE (100 uds.)

green • UV-resistant

100pcs 4.8 x 300mm



ECTG300



5 410329 471095

PEREL®



NYLON CABLE TIE SET - VARIOUS COLOURS - 100 pcs

FR COLLIERS DE SERRAGE EN NYLON -
100 pcs - DIFFERENTES COULEURS
NL NYLON KABELBINDBANDJES - 100 st. - VERSCHILLENDE KLEUREN
DE NYLON-KABELBINDERSORTIMENT -
100 St. VERSCHIEDENE FARBEN
ES JUEGO CON CADENETAS DE NYLON -
100 uds. - DIFERENTES COLORES

UV-resistant

white: 25 pcs 2.5 x 160 mm • red: 25 pcs 2.5 x 160 mm • black: 25 pcs 2.5 x 160 mm • green: 25 pcs 2.5 x 160 mm

PEREL®



ECTC160



5 410329 369729



CABLE TIE SET (300 pcs)

FR LOT DE 300 SERRE-CABLES
NL SET VAN 300 KABELBANDJES
DE SET MIT NYLON-KABELBINDERN (300 St.)
ES JUEGO DE CADENETAS (300 uds.)

UV-resistant

dimensions (A x B): quantity / colour ◦ 2.5 x 100mm: 25 pcs green, 25 pcs yellow, 25 pcs black, 25 pcs red, 50 pcs transparent ◦ 3.5 x 200mm: 50 pcs red, 50 pcs blue, 50 pcs transparent • total number: 300 pcs


PEREL®



ECTM300



5 410329 346263



CABLE CLIP FLAT - GREY - 4 mm (100 pcs/box)

FR CLIP PLAT DE FIXATION, GRIS, 4 mm (100 pcs/boîte)
NL PLATTE KABELCLIP, GRIJS, 4 mm (100 st/doos)
DE NAGELSCHELLE, FLACH, GRAU, 4 mm (100 St. / Packung)
ES CLIP PLANO PARA CABLE, GRIS, 4 mm (100 uds./caja)

colour: grey • cable height (A): 3.8mm • cable width (B): 4mm • height (H): 6mm • dimensions nail: 1.7 x 14mm • packing unit: box (100pcs)


PEREL®



EFCF4G



5 410329 341312



CABLE CLIP FLAT - WHITE - 4 mm (100 pcs/box)

FR CLIP DE FIXATION PLAT, BLANC, 4 mm (100 pcs/boîte)
NL PLATTE KABELCLIP, WIT, 4 mm (100 st/doos)
DE NAGELSCHELLE, FLACH, WEIß, 4 mm (100 St. / Packung)
ES CLIP PLANO PARA CABLE, BLANCO, 4 mm (100 uds./caja)

colour: white • cable height (A): 3.8mm • cable width (B): 4mm • height (H): 6mm • dimensions nail: 1.7 x 14mm • packing unit: box (100pcs)


PEREL®



EFCF4W



5 410329 341305



CABLE CLIP FLAT - GREY - 6 mm (100 pcs/box)

FR CLIP DE FIXATION PLAT, GRIS, 6 mm (100 pcs/boîte)
NL PLATTE KABELCLIP, GRIJS, 6 mm (100 st/doos)
DE NAGELSCHELLE, FLACH, GRAU, 6 mm (100 St./Packung)
ES CLIP PLANO PARA CABLE, GRIS, 6 mm (100 uds./caja)

colour: grey • cable height (A): 4.1mm • cable width (B): 6mm • height (H): 6.5mm • dimensions nail: 1.7 x 16mm • packing unit: box (100pcs)


PEREL®



EFCF6G



5 410329 341336



CABLE CLIP FLAT, WHITE - 6 mm (100 pcs/box)

FR CLIP DE FIXATION PLAT, BLANC, 6 mm (100 pcs/boîte)
NL PLATTE KABELCLIP, WIT, 6 mm (100 st/doos)
DE NAGELSCHELLE, FLACH, WEIß, 6 mm (100 St. / Packung)
ES CLIP PLANO PARA CABLE, BLANCO, 6 mm (100 uds./caja)

colour: white • cable height (A): 4.1mm • cable width (B): 6mm • height (H): 6.5mm • dimensions nail: 1.7 x 16mm • packing unit: box (100pcs)


PEREL®



EFCF6W



5 410329 341329



CABLE CLIP FLAT - GREY - 8 mm (100 pcs/box)

FR CLIP DE FIXATION PLAT, GRIS, 8 mm (100 pcs/boîte)
NL PLATTE KABELCLIP, GRIJS, 8 mm (100 st/doos)
DE NAGELSCHELLE FLACH, GRAU, 8 mm (100 St. / Packung)
ES CLIP PLANO PARA CABLE, GRIS, 8 mm (100 uds./caja)

colour: grey • cable height (A): 5mm • cable width (B): 8mm • height (H): 7.5mm • dimensions nail: 2.1 x 19mm • packing unit: box (100pcs)


PEREL®



EFCF8G



5 410329 341350



CABLE CLIP FLAT - WHITE - 8 mm (100 pcs/box)

FR CLIP DE FIXATION PLAT, BLANC, 8 mm (100 pcs/boîte)
NL PLATTE KABELCLIP, WIT, 8 mm (100 st/doos)
DE NAGELSCHELLE, FLACH, WEIß, 8 mm (100 St. / Packung)
ES CLIP PLANO PARA CABLE, BLANCO, 8 mm (100 uds./caja)

colour: white • cable height (A): 5mm • cable width (B): 8mm • height (H): 7.5mm • dimensions nail: 2.1 x 19mm • packing unit: box (100pcs)

PEREL®



EFCF8W



5 410329 341343

ROUND CABLE CLIP, GREY - 4 mm (100 pcs/box)

FR CLIP DE FIXATION ROND, GRIS - 4 mm (100 pcs/boîte)
NL RONDE KABELCLIP, GRIJS - 4 mm (100 st/doos)
DE NAGELSCHELLE RUND, GRAU - 4 mm (100 St. / Packung)
ES CLIP REDONDO PARA CABLE, GRIS - 4 mm (100 uds./caja)

colour: grey • cable Ø: 4mm • height (H): 5.3mm • dimensions nail: 1.7 x 14mm • packing unit: box (100pcs)

PEREL®



EFCR4G



5 410329 341190



ROUND CABLE CLIP, WHITE

- 4 mm (100 pcs/box)

FR CLIP DE FIXATION ROND, BLANC - 4 mm (100 pcs/boîte)
NL RONDE KABELCLIP, WIT - 4 mm (100 st/doos)
DE RUNDE NAGELSCHELLE, WEISS - 4 mm (100 St. / Packung)
ES CLIP REDONDO PARA CABLE, BLANCO - 4 mm (100 uds./caja)

colour: white • cable Ø: 4mm • height (H): 5.3mm • dimensions nail: 1.7 x 14mm • packing unit: box (100pcs)


PEREL®



EFCR4W



5 410329 341183



CABLE CLIP FLAT - GREY

- 10 mm (100 pcs/box)

FR CLIP PLAT DE FIXATION, GRIS, 10 mm (100 pcs/boîte)
NL PLATTE KABELCLIP, GRIJS, 10 mm (100 st/doos)
DE NAGELSCHELLE, FLACH, GRAU, 10 mm (100 St. / Packung)
ES CLIP PLANO PARA CABLE, GRIS, 10 mm (100 uds./caja)

colour: grey • cable height (A): 5.7mm • cable width (B): 10mm • height (H): 8.6mm • dimensions nail: 2.3 x 21mm • packing unit: box (100pcs)


PEREL®



EFCF10G



5 410329 341374



CABLE CLIP FLAT - WHITE

- 10 mm (100 pcs/box)

FR CLIP PLAT DE FIXATION, BLANC, 10 mm (100 pcs/boîte)
NL PLATTE NAGELCLIP, WIT, 10 mm (100 stuks/doos)
DE NAGELSCHELLE, FLACH, WEISS, 10 mm (100 St. / Packung)
ES CLIP PLANO PARA CABLE, BLANCO, 10 mm (100 uds./caja)

colour: white • cable height (A): 5.7mm • cable width (B): 10mm • height (H): 8.6mm • dimensions nail: 2.3 x 21mm • packing unit: box (100pcs)

PEREL®



EFCF10W



5 410329 341367



EPR SELF-FUSING TAPE - 9 m

FR RUBAN ISOLANT À AUTO-FUSIONNEMENT - 9 m
NL ZELF-FUSERENDE TAPE - 9 m
DE SELBSTVERSCHWEIßENDES ISOLIERBAND 9 m
ES CINTA AISLANTE AUTOFUNDENTE - 9 m

no glue needed to fix the tape thanks to a self-fusing process which "melts" the rubber to a watertight fit • strong bonding rubber layer offers an immediate bond and waterproof junction • application: insulation, sealing and protection of joints and terminations of rubber or plastic cables and tubes

EPR (Ethylene Propylene Rubber) based • length: 19 mm x 9 m • thickness: 0.76 mm • colour: black • ideal storage temperature: ± 21 °C • storage humidity: 40-50 % RH • storage environment: store the tape away from moisture, heat, direct sunlight, acids, alkalis, and make sure the rubber is not in contact with any harmful substances

PEREL®



ET09SF



5 410329 586423