



### SOLAR LIGHT WITH STAINLESS STEEL POLE, H 26 cm - 12 pcs IN DISPLAY

**PEREL®**

FR LAMPE DE JARDIN SOLAIRE AVEC SOCLE EN ACIER INOXYDABLE, 26 cm - PRÉSENTAIRE DE 12 pcs  
 NL TUINLAMP OP ZONNE-ENERGIE MET SOKKEL IN ROESTVRIJ STAAL, 26 cm - 12 st. IN DISPLAY  
 DE SOLAR-AUßENLEUCHTE MIT EDELSTAHL-SOCKEL, 26 cm - 12 St./DISPLAY  
 ES LÁMPARA SOLAR PARA JARDÍN CON POSTE DE ACERO INOXIDABLE, 26 cm - 12 uds./EXPOSITOR

stainless steel pole • trendy design • ideal for your garden and patio • recharges by sunlight via solar panel • light turns on automatically in dark environment • no wiring, fast & easy installation • water & corrosion resistant


solar panel: 1 x 2 V / 30 mA • light source: 1 x super bright LED 10 000 - 12 000 mcd  
 • light colour: white • rechargeable battery: 1 x 1.2 V NiMh AA 600 mAh • operating time: 6-8 h when fully charged • dimensions: ∅ 62 x 260 mm ∅ ground pin: 110 mm ∅ total: ∅ 62 x 370 mm • weight: 185 g



CSOL13D



5 410329 582685



### SUPER BRIGHT ALUMINIUM GARDEN SOLAR LIGHT

**PEREL®**

FR LAMPE DE JARDIN SOLAIRE À HAUTE LUMINOSITÉ - ALUMINIUM  
 NL ZEER HELDERE TUINLAMP OP ZONNE-ENERGIE - ALUMINIUM  
 DE SEHR HELLE SOLAR-AUßENLEUCHTE - ALUMINIUM  
 ES LÁMPARA SOLAR PARA JARDÍN MUY LUMINOSA - ALUMINIO

aluminium pole with oxide film coating • trendy design • ideal for your garden and patio • recharges by sunlight via solar panel • light turns on automatically in dark environment • no wiring, fast & easy installation • on/off switch • water & corrosion resistant


light source: 1 x super bright LED 10 000 - 12 000 mcd • light colour: white • rechargeable battery: 1 LiFePO4 battery, 3.2 V - 500 mA • operating time: 6-8 h when fully charged • dimensions: ∅ 170 x 325 mm ∅ ground pin: ∅ 55 x 180 mm • weight: 450 g



CSOL15



5 410329 582746



### SOLAR TABLE LAMP - SILVER-GREY HANDLE

**PEREL®**

FR LAMPE DE TABLE SOLAIRE - POIGNÉE GRIS ARGENTÉ  
 NL TAFELLAMP OP ZONNE-ENERGIE - ZILVERGRIJS HANDVAT  
 DE SOLAR-TISCHLAMPE  
 ES LÁMPARA SOLAR DE SOBREMESA

the battery recharges by sunlight via solar panel • trendy design • with pull cord • settings: half power - full power - off • material: plastic • bracket colour: silver-grey


light source: 1 x super bright LED 10 000 - 12 000 mcd • light colour: white • rechargeable battery: 1 LiFePO4 battery, 3.2 V - 400 mA • operating time: 6-8 h • dimensions: 16.3 x 16.3 x 23 cm • weight: 275 g



CSOL14



5 410329 582722



**SOLAR TABLE LAMP - BLACK BRACKET**

**PEREL®**

- FR LAMPE DE TABLE SOLAIRE - POIGNÉE NOIRE
- NL TAFELLAMP OP ZONNE-ENERGIE - ZWART HANDVAT
- DE SOLAR-TISCHLAMPE - SCHWARZE HALTERUNG
- ES LÁMPARA SOLAR DE SOBREMESA - SOPORTE NEGRO

the battery recharges by sunlight via solar panel • trendy design • with pull cord • settings: half power - full power - off • material: plastic • bracket colour: black


light source: 1 x super bright LED 10 000 - 12 000 mcd • light colour: white • rechargeable battery: 1 LiFePO4 battery, 3.2 V - 400 mA • operating time: 6-8 h • dimensions: 16.3 x 16.3 x 23 cm • weight: 275 g



CSOL14B



5 410329 593179



**SOLAR TABLE LAMP - GREEN BRACKET**

**PEREL®**

- FR LAMPE DE TABLE SOLAIRE - POIGNÉE VERTE
- NL TAFELLAMP OP ZONNE-ENERGIE - GROEN HANDVAT
- DE SOLAR-TISCHLAMPE - GRÜNE HALTERUNG
- ES LÁMPARA SOLAR DE SOBREMESA - SOPORTE VERDE

the battery recharges by sunlight via solar panel • trendy design • with pull cord • settings: half power - full power - off • material: plastic • bracket colour: green


light source: 1 x super bright LED 10 000 - 12 000 mcd • light colour: white • rechargeable battery: 1 LiFePO4 battery, 3.2 V - 400 mA • operating time: 6-8 h • dimensions: 16.3 x 16.3 x 23 cm • weight: 275 g



CSOL14G



5 410329 593162



**SOLAR TABLE LAMP - RED BRACKET**

**PEREL®**

- FR LAMPE DE TABLE SOLAIRE - POIGNÉE ROUGE
- NL TAFELLAMP OP ZONNE-ENERGIE - ROOD HANDVAT
- DE SOLAR-TISCHLAMPE - ROTE HALTERUNG
- ES LÁMPARA SOLAR DE SOBREMESA - SOPORTE ROJO

the battery recharges by sunlight via solar panel • trendy design • with pull cord • settings: half power - full power - off • material: plastic • bracket colour: cardinal red

light source: 1 x super bright LED 10 000 - 12 000 mcd • light colour: white • rechargeable battery: 1 LiFePO4 battery, 3.2 V - 400 mA • operating time: 6-8 h • dimensions: 16.3 x 16.3 x 23 cm • weight: 275 g



CSOL14R



5 410329 593124



**MINI 1 W LED CAMPING LANTERN**

**PEREL®**

- FR MINI LANTERNE DE CAMPING À LED - 1 W
- NL MINI LED-KAMPEERLANTAARN - 1 W
- DE MINI LED-CAMPINGLAMPE - 1 W
- ES MINI LINTERNA DE CAMPING - LED DE 1 W

for use on a camping, as a desk lamp or night light • a hook makes it easy to hang the lantern up • switch between white and red LED • super bright LED • handy carrying handle

LEDs: 1 W white and red LED • power supply: 4 x 1.5 V AA batteries (not incl.) LR6C • dimensions: ± 105 x 170 mm • lifetime: ± 100 000 h



EFCL01




5 410329 558055



## OUTDOOR HEATING

CHAUFFAGE D'EXTÉRIEUR  
BUITENVERWARMING  
TERRASSENHEIZUNG  
CALEFACCIÓN PARA TERRAZAS



### PATIO HEATER - WALL MOUNT - 1500 W - IP 65 - WATERPROOF

**Toolland**  
a land of possibilities

FR CHAUFFAGE DE TERRASSE - SUPPORT MURAL - 1500 W -  
IP 65 - RÉSISTANT À L'EAU  
NL TERRASVERWARMER - MUURBEVESTIGING - 1500 W - IP 65 - WATERBESTENDIG  
DE TERRASSENSTRAHLER - WANDMONTAGE - 2000 W  
ES CALEFACCIÓN DE TERRAZA - MONTAJE MURAL - 2000 W

aluminum body with stainless steel grid • instant heating - no need to pre-heat • waterproof  
• tilting

power cord: 1.9 m - H05RN-F3 x 1.0 mm<sup>2</sup> • power consumption: 1500 W • power supply:  
230 VAC 50 Hz • IP rating: IP65 • radiation range: 3 m



TC76206



5 411244 762060

### SPARE BULB - FOR TC76206

FR AMPOULE DE RECHANGE - POUR TC76206  
NL RESERVELAMP - VOOR TC76206  
DE ERSATZLAMPE - FÜR TC76206  
ES BOMBILLA DE RECAMBIO - PARA TC76206



TC76226



5 411244 762268



### PATIO HEATER - HANGING

**Toolland**  
a land of possibilities

FR CHAUFFAGE DE TERRASSE - MODÈLE SUSPENDU  
NL TERRASVERWARMING - HANGEND  
DE TERRASSENSTRAHLER - ZUM AUFHÄNGEN  
ES CALEFACCIÓN DE TERRAZA - PARA COLGAR

halogen heating lamp • easy to mount • can be used indoor and outdoor

power: 1500 W • chain length: 50 cm • cable: H05RN-F 3G x 1.0 mm<sup>2</sup> / 1.7 m • diameter:  
45 cm



TC76210



5 411244 762107



### PATIO HEATER - WALL MOUNT - 2000 W

**Toolland**  
a land of possibilities

FR CHAUFFAGE DE TERRASSE - SUPPORT MURAL - 2000 W  
NL TERRASVERWARMER - MUURBEVESTIGING - 2000 W  
DE TERRASSENSTRAHLER - WANDMONTAGE - 2000 W  
ES CALEFACCIÓN DE TERRAZA - MONTAJE MURAL - 2000 W

3 heating positions • tip-over protection

power supply: 230 VAC 50 Hz • power consumption: 2000 W • IP rating: IP.X4 • tilt angle:  
45°



TC76207



5 411244 762077



### PATIO HEATER - STANDING - 2000 W

**Toolland**  
a land of possibilities

FR PARASOL CHAUFFANT - SUR PIED - 2000 W  
NL TERRASVERWARMER - STAAND - 2000 W  
DE TERRASSENSTRAHLER - 2000 W  
ES CALEFACCIÓN DE TERRAZA - 2000 W

3 heating positions • tilting protection

power supply: 230 VAC 50 Hz • power consumption: 2000 W • IP rating: IP.X4 • tilt angle:  
45°



TC76208



5 411244 762084



**PATIO HEATER ON STAND - 2000 W PEREL®**

FR CHAUFFE-PATIO SUR PIED  
 NL TERRASVERWARMER OP STATIEF  
 DE TERRASSENHEIZUNG MIT STANDFUß  
 ES CALEFACCIÓN PARA TERRAZAS EN PIE

adjustable height: 1.7 - 2.1 m • 2 heat settings: 1000 / 2000 W • pull chain switch  
 • weatherproof for outdoor use (sheltered): IP X4 • up-down adjustable angle • with tip-over protection

input power: 230 VAC 50 Hz • power cord: 3 m H05RN-F 3G1.0 • settings: 0 / 1000 / 2000 W • dimensions: 48 x 48 x 210 cm • weight: 11 kg



EPATH3



5 410329 452216



**KEROSENE HEATER**

FR CHAUFFAGE AU KÉROSÈNE  
 NL PETROLEUMKACHEL  
 DE PETROLEUM-HEIZUNG  
 ES CALEFACTOR DE QUEROSENO



impurity free fuel • wick included • spare wick: TC84101

heating consumption: 2060 - 2200 kcal / h • consumption: 0.24 - 0.28 L / h • autonomy: 18 h • weight: 3.6 kg • tank capacity: 4.4 L • coverage: 12 m²



TC84100



5 411244 841000

**WICK - FOR TC84100**

FR MÉCHE - POUR POËLE À PÉTROLE TC84100  
 NL WIEK - VOOR PETROLEUMKACHEL TC84100  
 DE DOCHT - FÜR PETROLEUM-HEIZUNG TC84100  
 ES MACHA - PARA CALEFACTOR DE QUEROSENO TC84100



TC84101



5 411244 841017



**QUARTZ HEATER - 1200 W - IP 24**

FR RADIANT INFRAROUGE - 1200 W - IP 24  
 NL INFRAROODSTRALER - 1200 W - IP 24  
 DE QUARTZSTRAHLER - IP 24  
 ES CALEFACTOR DE CUARZO - 1200 W - IP 24



2 heating positions • on/off switch with cord • tilting head

power supply: 230 VAC 50 Hz • power consumption: 1200 W • IP rating: IP24

TC78062



5 411244 780620



**GARDENING TOOLS**

OUTILS DE JARDINAGE  
 TUINGEREEDSCHAP  
 GARTENWERKZEUGE  
 HERRAMIENTAS DE JARDINERÍA



**PVC GARDEN GLOVES - DOTTED**

FR GANTS DE JARDINAGE EN PVC - AVEC PICOTS  
 NL TUINHANDSCHOENEN IN PVC - NOPPENPROFIEL  
 DE PVC-GARTENHANDSCHUHE - PUNKTIERT  
 ES GUANTES DE JARDÍN DE PVC - CON PUNTOS

size: XL (10)



SGG01



5 410329 354930



**PVC GARDEN GLOVES - DOTTED**

FR GANTS DE JARDINAGE EN PVC - AVEC PICOTS  
 NL TUINHANDSCHOENEN IN PVC - NOPPENPROFIEL  
 DE PVC-GARTENHANDSCHUHE - PUNKTIERT  
 ES GUANTES DE JARDÍN DE PVC - CON PUNTOS

size: M (8) • colour: neo



SGG02



5 410329 354947



### LATEX-COATED GARDEN GLOVES

FR GANTS DE JARDINAGE AVEC ENDUCTION LATEX  
 NL TUINHANDSCHOENEN MET LATEX COATING  
 DE LATEX-GARTENHANDSCHUHE  
 ES GUANTES DE JARDÍN DE LÁTEX

size: L (9) • colour: green



SGG03L



5 410329 354961

**PEREL®**



### GARDEN BUCKET - 14 L

FR SEAU DE JARDIN - 14 L  
 NL TUINEMMER - 14 L  
 DE GARTENEIMER - 14 L  
 ES CUBO DE JARDÍN - 14 L

flexible • with handles

capacity: 14 L



MP413



5 411244 413009

**Toolland**  
 a land of possibilities



### GARDEN BUCKET - 24 L

FR SEAU DE JARDIN - 24 L  
 NL TUINEMMER - 24 L  
 DE GARTENEIMER - 24 L  
 ES CUBO DE JARDÍN - 24 L

flexible • with handles

capacity: 24 L



MP425



5 411244 425002

**Toolland**  
 a land of possibilities



### GARDEN BUCKET - 45 L

FR SEAU DE JARDIN - 45 L  
 NL TUINEMMER - 45 L  
 DE GARTENEIMER - 45 L  
 ES CUBO DE JARDÍN - 45 L

flexible • with handles

capacity: 45 L



MP445



5 411244 445000

**Toolland**  
 a land of possibilities



### WATERING CAN - 9 L

FR ARROSOIR - 9 L  
 NL GIETER - 9 L  
 DE GIEßKANNE - 9 L  
 ES REGADERA - 9 L




BB70100



5 411244 701007

**Toolland**  
 a land of possibilities



### HAND SPRAYER - 15 m

FR PULVÉRISATEUR À MAIN - 15 m  
 NL HANDSPROEIER - 15 m  
 DE HANDSPRÜHER 15 m  
 ES PULVERIZADOR 15 m

9 spray positions • flexible hose • ergonomic soft grip handle

length: 15 m • connection: 1/2" - 3/4"



DT70015



5 411244 700154

**Toolland**  
 a land of possibilities



### WATER SPRINKLER ON "T" SPIKE **PEREL®**

FR ARROSEUR A PIQUET "T"  
 NL SPROEIER MET "T" GRONDPKET  
 DE SPRINKLER AUF "T-SPIKE"  
 ES ASPERSOR CON PIQUETE EN FORMA DE "T"

for professional and better watering • waters any part of a circle up to 120m<sup>2</sup> (diameter ±12m)

total length: 310mm • weight: 120g



GSPR



5 410329 354060



### GARDEN HOSE REEL


- FR DÉVIDOIR
- NL TUINHASPEL
- DE GARTEN-SCHLAUCHWAGEN
- ES CARRO PORTAMANGUERA



DT81000



5 411244 810006



### HOSE REEL WITH HOSE - 20 m

- FR DÉVIDOIR AVEC FLEXIBLE - 20 m
- NL HASPEL MET SLANG - 20 m
- DE SCHLAUCHTROMMEL MIT SCHLAUCH - 20 m
- ES PORTAMANGUERAS DE PARED CON MANGUERA - 20 m

the hose retracts automatically • wall mounted and swivels through 180 degrees to be pulled out in any direction • blocking system

hose length: 20 m • hose diameter: 1/2" • fitting: 3/4" • working temperature: -5°C to 45°C



DT70020



5 411244 770065



### GARDEN ROLLER - LENGTH 50 cm

- FR ROULEAU À JARDIN - LONGUEUR 50 cm
- NL GAZONROL - LENGTE 50 cm
- DE RASENWALZE - LÄNGE 50 cm
- ES RODILLO APISONADOR - LONGITUD 50 cm



can be filled with sand or water • with dirt scraper

roller diameter: 32 cm • roller width: 50 cm • weight: 9.6 kg • height: 110 cm • weight (filled with water): 50 kg • weight (filled with sand): 75 kg



DT75000



5 411244 750005



### SPREADER - WIDTH 45 cm - VOLUME 12 L

- FR ÉPANDEUR - LARGEUR 45 cm - VOLUME 12 L
- NL ZADEN VERSTOOIER - BREEDTE 45 cm - VOLUME 12 L
- DE STREUWAGEN - STREUBREITE 45 cm - FASSUNGSVERMÖGEN 12 L
- ES CARRO ESPARCIDOR - AMPLITUD 45 cm - CAPACIDAD 12 L



also for spreading salt


width: 45 cm • capacity: 12 L • seed: 0-8 mm



DT40012



5 411244 400122



### RIDE ON MOWER LIFT

- FR LÈVE-TRACTEUR TONDEUSE
- NL LIFT VOOR ZITMAAIER
- DE LIFT FÜR RASENTRAKTOR
- ES ELEVADOR PARA TRACTOR CORTACÉSPED



perfect for maintaining a mower, ride-on mower, quad...

lifting rack size: 106 x 30 cm • adjustable height: 12 to 79 cm • maximum load: 400 kg



QT200



5 411244 002005



### EARTH ANCHOR

- FR PIED D'ANCRAGE
- NL VERANKERINGSVOET
- DE BODENANKER
- ES PIE PARA ANCLAR



robust and durable plastic earth anchor • with screw-bars for quick and easy stepless installation to a depth of 43cm • to anchor umbrellas, parasols, camping and party tents, (rotary) clothes lines, sportsnets, signposts...

supported pole: Ø28 - 45mm • dimensions: ◊ length screw thread: 40cm ◊ length screw handle: 16cm ◊ total length: 64cm • weight: ±1kg



GEA1



5 410329 430252



### GARDEN CART - 115 x 50 x 47 cm - max. VOLUME 75 L



- FR CHARIOT DE JARDIN - 115 x 50 x 47 cm - VOLUME MAX. 75 L
- NL TUINKAR - 115 x 50 x 47 cm - MAX. VOLUME 75 L
- DE BOLLERWAGEN - 115 x 50 x 47 cm - MAX. FASSUNGSVERMÖGEN 75 L
- ES CARRETILLA DE TRANSPORTE - 115 x 50 x 47 cm - VOLUMEN MAX. 75 l

swivel handle • a perfect alternative to a standard wheel barrow • durable poly bed is easy to clean and will not rust • t: the dump system makes unloading quick and easy • pneumatic tires

dimensions: 115 x 50 x 47 cm • maximum load: 75 L - 150 kg



QT300



5 411244 003002



### SAW TRESTLE



- FR SUPPORT DE BÛCHES
- NL ZAAGBOK
- DE SÄGEBOCK
- ES CABALLETE PARA CORTAR LEÑA

3 supports included

length: 80 cm • max. height: 99 cm • min. working height: 63 cm • max. load: 150 kg



VL5000



5 411244 500068



### HATCHET - 600 g



- FR HACHETTE - 600 GR
- NL BIJL - 600 GR
- DE BEIL - 600 g
- ES HACHA - 600 g

softgrip handle

length: 30 cm • weight: 600 gr



VR30060



5 411244 300606



### AXE HANDLE - 90 cm - 2 kg



- FR POIGNÉE POUR HACHE - 90 cm - 2 kg
- NL BIJLHANDGREEP - 90 cm - 2 kg
- DE GRIFF FÜR BEIL - 90 cm - 2 kg
- ES MANGO PARA HACHA - 90 cm - 2 kg

soft grip

length: 90 cm • weight: 2 kg



VR30200



5 411244 302006



### SPLITTING MAUL - 3 kg



- FR MERLIN - 3 kg
- NL KLIEFHAMER - 3 kg
- DE SPALTHAMMER - 3 kg
- ES HACHA DE HENDIR - 3 kg

soft grip

length: 90 cm • weight: 3 kg



VR40300



5 411244 403000



### SAW - LENGTH 30 cm



- FR SCIE - LONGUEUR 30 cm
- NL ZAAG - LENGTE 30 cm
- DE SÄGE - LÄNGE 30 cm
- ES SIERRA - LONGITUD 30 cm

soft grip

length: 30 cm



VR60300



5 411244 730823



**SAW - LENGTH 76 cm**

- FR SCIE - LONGUEUR 76 cm
- NL ZAAG - LENGTE 76 cm
- DE SÄGE - LÄNGE 76 cm
- ES SIERRA - LONGITUD 76 cm



soft grip

length: 76 cm



VR60760



5 411244 730809



**PLASTIC SNOW SHOVEL**



- FR PELLE À NEIGE EN PLASTIQUE
- NL KUNSTSTOF SNEEUWSCHOP
- DE SCHNEESCHAUFEL - KUNSTSTOFF
- ES PALA DE NIEVE DE PLÁSTICO

plastic shovel • steel wear strip extends the life of the blade and helps remove stubborn patches of snow and ice • wooden shaft

dimensions: ◦ shovel: 40 x 32 cm ◦ total height: 130 cm ◦ Ø handle: 32 mm • weight: 1100 g



G853P



5 410329 578923



**SNOW SHOVEL - 105 cm**



- FR PELLE À NEIGE - 105 cm
- NL SNEEUWSCHOP - 105 cm
- DE SCHNEESCHAUFEL - 105 cm
- ES PALA DE NIEVE - 105 cm



PM1001



5 411244 891005



**SIEVE 22 x 32 cm**



- FR TAMIS 22 x 32 cm
- NL ZEEF 22 x 32 cm
- DE SIEB 22 x 32 cm
- ES TAMIZ 22 x 32 cm

mesh: 6 x 6mm • dimensions: 320 x 220 x 110mm



843



5 411257 002665



**TIMBER-SPLIT WEDGE 2 kg**

- FR COIN À REFENDRE POUR BOIS - 2 kg
- NL HOUTWIG - 2 kg
- DE HOLZSPALTKEIL - 2 kg
- ES CUÑA PARA MADERA - 2 kg

material: steel • weight: 2kg



HSW2



5 410329 408947



**SPLITTING CROSS - FOR LOG SPLITTER VL4001**



- FR CROIX DE FENDAGE - POUR FENDEUSE VL4001
- NL SPLIJTKRUIS - VOOR HOUTSPLIJTER VL4001
- DE SPALTKEIL - FÜR HOLZSPALTER VL4001
- ES CUÑA - PARA CORTADOR DE LEÑA VL4001



TL74035



5 411244 740358





## GARDENING MACHINERY & ACCESSORIES

MACHINES DE JARDINAGE & ACCESSOIRES  
 TUINMACHINES & ACCESSOIRES  
 GARTENMASCHINEN & ZUBEHÖR  
 MAQUINARIA DE JARÍN & ACCESORIOS



### ELECTRIC PRUNER - LI-ION BATTERY - 3.6 V

FR SÉCATEUR - PILE LI-ION - 3.6 V  
 NL SNOEISCHAAR - LI-ION BATTERIJ 3.6 V  
 DE GARTENSCHERE - LI-ION-AKKU - 3.6 V  
 ES TIJERAS DE PODARBATERÍA LI-ION - 3.6 V



battery indicator

battery: Li-ION 3.6 V • charging time: 5 h • capacity: strong wood 10 mm • capacity: soft wood 14 mm



VL125



5 411244 001251



### HAND LAWN MOWER

FR TONDEUSE À MAIN  
 NL HANDGRASMAAIER  
 DE HAND-RASENMÄHER  
 ES CORTACÉSPED MANUAL



bag included

width: 300 mm • cutting height: 15 to 40 mm • weight: 6.5 kg



VL120



5 411244 120013



### CULTIVATOR - 450 W

FR BINEUSE - 450 W  
 NL GRONDFREES - 450 W  
 DE BODENHACKE - 450 W  
 ES MOTOAZADA - 450 W



adjustable telescopic handle, up to 137 cm • 2 cutting blades

power supply: 230 VAC 50 Hz • power consumption: 450 W • max. working depth: 22 cm  
 • max working width: 16.2 cm



VL140



5 411244 140004



### CULTIVATOR - 750 W

FR BINEUSE - 750 W  
 NL GRONDFREES - 750 W  
 DE BODENHACKE - 750 W  
 ES MOTOAZADA - 750 W



4 cutting blades • foldable handle

power supply: 230 VAC 50 Hz • power consumption: 750 W • max. working depth: 22 cm  
 • working width: 30 cm • speed: 372 rpm



VL150



5 411244 150034



### SHREDDER - 2500 W - CUTTING CAPACITY 40 mm - SILENT MOTOR

FR BROYEUR - 2500 W - CAPACITÉ DE COUPE 40 mm - MOTEUR SILENCIEUX  
 NL HAKSELAAR - 2500 W - SLIJPCAPACITEIT 40 mm - STILLE MOTOR  
 DE HÄCKSLER - 2500 W - ASTDURCHMESSER 40 mm - LEISE  
 ES TRITURADORA - 2500 W - DIÁMETRO DE TRITURACIÓN 40 mm - MOTOR SILENCIOSO



silent motor • drum included

power supply: 230 VAC 50 Hz • power consumption: 2500 W • cutting capacity: 40 mm



VL110



5 411244 110007



**SHREDDER - 2500 W -  
CUTTING CAPACITY 40 mm**



FR BROYEUR - 2500 W - CAPACITÉ DE COUPE 40 mm  
 NL HAKSELAAR - 2500 W - SLIJPCAPACITEIT 40 mm  
 DE HÄCKSLER - 2500 W - ASTDURCHMESSER 40 mm  
 ES TRITURADORA 2500 W - DIÁMETRO DE TRITURACIÓN 40 mm

drum included

power supply: 230 VAC 50 Hz • power consumption: 2500 W • cutting capacity: 40 mm



VL111



**LOG SAW - 2200 W**




FR SCIE À BÛCHES - 2200 W  
 NL AFKORTZAAG - 2200 W  
 DE HOLZKREISSÄGE - 2200 W  
 ES SIERRA PARA CORTAR LEÑA - 2200 W

power supply: 230 VAC 50 Hz • power consumption: 2200 W • max. capacity: 140 mm  
 • saw blade: 40 cm • weight: 34 kg



VL2001



**LOG SPLITTER - 1960 W -  
5 TON - HORIZONTAL**




FR FENDEUR DE BÛCHES - 1960 W - 5 TONNES - HORIZONTAL  
 NL HOUTKLIEVER - 1960 W - 5 TON - HORIZONTAAL  
 DE HOLZSPALTER - 1960 W - 5 TONNEN - HORIZONTAL  
 ES CORTADOR DE LEÑA - 1960 W - 5 TONELADAS - HORIZONTAL

Mobil DTE11 - Shell Tellus 22 - BP Energol HLP-HM 22 - Aral Vitam gf 22 or similar oils from other brands

power supply: 230 VAC 50 Hz • power consumption: 1500 W • motor: 2800 rpm • max. length: 52 cm • max. diameter: 25 cm • weight: 41 kg • IP rating: IP54 • capacity: 5 ton • power consumption: 1960 W • speed: 2800 rpm • capacity: 5 ton • hydraulic oil tank capacity: 3.2 L • weight: 48 kg



VL3001



**LOG SPLITTER - 3500 W  
- 6 TON - VERTICAL**



FR FENDEUR DE BÛCHES - 3500 W - 6 TONNES - VERTICAL  
 NL HOUTKLIEVER - 3500 W - 6 TON - VERTICAAL  
 DE HOLZSPALTER - 3500 W - 6 TONNEN - VERTIKAL  
 ES CORTADOR DE LEÑA - 3500 W - 6 TONELADAS - VERTICAL

3 working heights • Mobil DTE11 - Shell Tellus 22 - BP Energol HLP-HM 22 - Aral Vitam gf 22 or similar oils from other brands

power supply: 230 VAC 50 Hz • power consumption: 3000 W • motor: 2800 rpm • max. working height: 1050 mm • max. diameter: 40 cm • weight: 106 kg • IP rating: IP54 • capacity: 6 ton • power consumption: 3500 W • speed: 2800 rpm • capacity: 6 ton • hydraulic oil tank capacity: 4 L



VL4001



**LEAF-BLOWER**



FR SOUFFLEUR À FEUILLES  
 NL BLADBLAZER  
 DE LAUBBLÄSER  
 ES SOPLADOR DE HOJAS

functions: blowing / suction / shredding

power supply: 230 VAC 50 Hz • power consumption: 2600 W • motor: 8000-15000 RPM



VL2600





### CHAINSAW SHARPENER - 220 W

FR AFFÛTEUR DE CHAÎNE - 220 W  
 NL KETTINGSLIJPER - 220 W  
 DE SÄGEKETTENSCHÄRFGERÄT - 220 W  
 ES AFILADOR DE CADENAS - 220 W



5 cutting angles • stone 100 x 10 x 4.5 mm (incl.)

power supply: 230 VAC 50 Hz • power consumption: 220 W • motor: 7500 rpm



VL6000



5 411244 600003



### NYLON THREAD - 1.2 mm x 25 m

FR FIL DE NYLON - 1.2 mm x 25 m  
 NL NYLON DRAAD - 1.2 mm x 25 m  
 DE NYLONFADEN - 1.2 mm x 25 m  
 ES HILO DE NYLON - 1.2 mm x 25 m

length: 25 m • thickness: 1.2 mm



DC12025



5 411244 120259



### TRIMMER WIRE - 100 m x 1.6 mm

FR FIL POUR COUPE-BORDURE - 100 m x 1.6 mm  
 NL TRIMMERDRAAD - 100 m x 1.6 mm  
 DE TRIMMERFADEN - 100 m x 1.6 mm  
 ES HILO PARA CORTABORDES - 100 m x 1.6 mm

length: 100 m • thickness: 1.6 mm



DC16010



5 411244 280014



### TRIMMER WIRE - 25 m x 1.6 mm

FR FIL POUR COUPE-BORDURE - 25 m x 1.6 mm  
 NL TRIMMERDRAAD - 25 m x 1.6 mm  
 DE TRIMMERFADEN - 25 m x 1.6 mm  
 ES HILO PARA CORTABORDES - 25 m x 1.6 mm

length: 25 m • thickness: 1.6 mm



DC16025



5 411244 280021



### TRIMMER WIRE - 50 m x 1.6 mm

FR FIL POUR COUPE-BORDURE - 50 m x 1.6 mm  
 NL TRIMMERDRAAD - 50 m x 1.6 mm  
 DE TRIMMERFADEN - 50 m x 1.6 mm  
 ES HILO PARA CORTABORDES - 50 m x 1.6 mm

length: 50 m • thickness: 1.6 mm



DC16050



5 411244 280038



### TRIMMER WIRE - 100 m x 2.0 mm

FR FIL POUR COUPE-BORDURE - 100 m x 2.0 mm  
 NL TRIMMERDRAAD - 100 m x 2.0 mm  
 DE TRIMMERFADEN - 100 m x 2.0 mm  
 ES HILO PARA CORTABORDES - 100 m x 2.0 mm

length: 100 m • 2 mm



DC20010



5 411244 280045



### TRIMMER WIRE - 25 m x 2.0 mm

FR FIL POUR COUPE-BORDURE - 25 m x 2.0 mm  
 NL TRIMMERDRAAD - 25 m x 2.0 mm  
 DE TRIMMERFADEN - 25 m x 2.0 mm  
 ES HILO PARA CORTABORDES - 25 m x 2.0 mm

length: 25 m • thickness: 2 mm



DC20025



5 411244 280052



### TRIMMER WIRE - 50 m x 2.0 mm

FR FIL POUR COUPE-BORDURE - 50 m x 2.0 mm  
 NL TRIMMERDRAAD - 50 m x 2.0 mm  
 DE TRIMMERFADEN - 50 m x 2.0 mm  
 ES HILO PARA CORTABORDES - 50 m x 2.0 mm

length: 50 m • thickness: 2 mm



DC20050



5 411244 280069



### TRIMMER WIRE - 100 m x 2.4 mm

FR FIL POUR COUPE-BORDURE - 100 m x 2.4 mm  
 NL TRIMMERDRAAD - 100 m x 2.4 mm  
 DE TRIMMERFADEN - 100 m x 2.4 mm  
 ES HILO PARA CORTABORDES - 100 m x 2.4 mm

length: 100 m • thickness: 2.4 mm



DC24010



5 411244 280076



### TRIMMER WIRE - 25 m x 2.4 mm

FR FIL POUR COUPE-BORDURE - 25 m x 2.4 mm  
 NL TRIMMERDRAAD - 25 m x 2.4 mm  
 DE TRIMMERFADEN - 25 m x 2.4 mm  
 ES HILO PARA CORTABORDES - 25 m x 2.4 mm

length: 25 m • thickness: 2.4 mm



DC24025



5 411244 280083



**TRIMMER WIRE - 50 m x 2.4 mm**

FR FIL POUR COUPE-BORDURE - 50 m x 2.4 mm  
 NL TRIMMERDRAAD - 50 m x 2.4 mm  
 DE TRIMMERFADEN - 50 m x 2.4 mm  
 ES HILO PARA CORTABORDES - 50 m x 2.4 mm

length: 50 m • thickness: 2.4 mm



DC24050



5 411244 280090



**TRIMMER WIRE - 100 m x 3.0 mm**

FR FIL POUR COUPE-BORDURE - 100 m x 3.0 mm  
 NL TRIMMERDRAAD - 100 m x 3.0 mm  
 DE TRIMMERFADEN - 100 m x 3.0 mm  
 ES HILO PARA CORTABORDES - 100 m x 3.0 mm

length: 100 m • thickness: 3 mm



DC30010



5 411244 280106



**TRIMMER WIRE - 25 m x 3.0 mm**

FR FIL POUR COUPE-BORDURE - 25 m x 3.0 mm  
 NL TRIMMERDRAAD - 25 m x 3.0 mm  
 DE TRIMMERFADEN - 25 m x 3.0 mm  
 ES HILO PARA CORTABORDES - 25 m x 3.0 mm

length: 25 m • thickness: 3 mm



DC30025



5 411244 280113



**TRIMMER WIRE - 50 m x 3.0 mm**

FR FIL POUR COUPE-BORDURE - 50 m x 3.0 mm  
 NL TRIMMERDRAAD - 50 m x 3.0 mm  
 DE TRIMMERFADEN - 50 m x 3.0 mm  
 ES HILO PARA CORTABORDES - 50 m x 3.0 mm

length: 50 m • 3 mm



DC30050



5 411244 280120



**TRIMMER WIRE - 100 m x 3.2 mm**

FR FIL POUR COUPE-BORDURE - 100 m x 3.2 mm  
 NL TRIMMERDRAAD - 100 m x 3.2 mm  
 DE TRIMMERFADEN - 100 m x 3.2 mm  
 ES HILO PARA CORTABORDES - 100 m x 3.2 mm

length: 100 m • thickness: 3.2 mm



DC32010



5 411244 280137



**TRIMMER WIRE - 25 m x 3.2 mm**

FR FIL POUR COUPE-BORDURE - 25 m x 3.2 mm  
 NL TRIMMERDRAAD - 25 m x 3.2 mm  
 DE TRIMMERFADEN - 25 m x 3.2 mm  
 ES HILO PARA CORTABORDES - 25 m x 3.2 mm

length: 25 m • thickness: 3.2 mm



DC32025



5 411244 280144



**TRIMMER WIRE - 50 m x 3.2 mm**

FR FIL POUR COUPE-BORDURE - 50 m x 3.2 mm  
 NL TRIMMERDRAAD - 50 m x 3.2 mm  
 DE TRIMMERFADEN - 50 m x 3.2 mm  
 ES HILO PARA CORTABORDES - 50 m x 3.2 mm

length: 50 m • thickness: 3.2 mm



DC32050



5 411244 280151



**SPARKING PLUG - WSR9EC-C7HSA**

FR BOUGIE D'ALLUMAGE - WSR9EC-C7HSA  
 NL ONTSTEKINGSBOUGIE - WSR9EC-C7HSA  
 DE ZÜNDKERZE - WSR9EC-C7HSA  
 ES BUJÍA - WSR9EC-C7HSA



DC40001



5 411244 280168



**SPARKING PLUG - A7TC**

FR BOUGIE D'ALLUMAGE - A7TC  
 NL ONTSTEKINGSBOUGIE - A7TC  
 DE ZÜNDKERZE - A7TC  
 ES BUJÍA - A7TC



DC40002



5 411244 280175



**SPARKING PLUG - B&SJ19LM-B2LM**

FR BOUGIE D'ALLUMAGE - B&SJ19LM-B2LM  
 NL ONTSTEKINGSBOUGIE - B&SJ19LM-B2LM  
 DE ZÜNDKERZE - B&SJ19LM-B2LM  
 ES BUJÍA - B&SJ19LM-B2LM



DC40003



5 411244 280182





### SPARKING PLUG - B&SRJ19LM-BR2LM

FR BOUGIE D'ALLUMAGE - B&SRJ19LM-BR2LM  
NL ONTSTEKINGSBOUGIE - B&SRJ19LM-BR2LM  
DE ZÜNDKERZE - B&SRJ19LM-BR2LM  
ES BUJÍA - B&SRJ19LM-BR2LM

**Toolland**  
a land of possibilities



DC40004



5 411244 280199



### SPARKING PLUG - W7DC-BP6ES

FR BOUGIE D'ALLUMAGE - W7DC-BP6ES  
NL ONTSTEKINGSBOUGIE - W7DC-BP6ES  
DE ZÜNDKERZE - W7DC-BP6ES  
ES BUJÍA - W7DC-BP6ES

**Toolland**  
a land of possibilities



DC40005



5 411244 280205



### SPARKING PLUG - CMR7H

FR BOUGIE D'ALLUMAGE - CMR7H  
NL ONTSTEKINGSBOUGIE - CMR7H  
DE ZÜNDKERZE - CMR7H  
ES BUJÍA - CMR7H

**Toolland**  
a land of possibilities



DC40006



5 411244 280212



### SPARKING PLUG - WS7F-BPM6A

FR BOUGIE D'ALLUMAGE - WS7F-BPM6A  
NL ONTSTEKINGSBOUGIE - WS7F-BPM6A  
DE ZÜNDKERZE - WS7F-BPM6A  
ES BUJÍA - WS7F-BPM6A

**Toolland**  
a land of possibilities



DC40007



5 411244 280229



### SPARKING PLUG - U4AC

FR BOUGIE D'ALLUMAGE - U4AC  
NL ONTSTEKINGSBOUGIE - U4AC  
DE ZÜNDKERZE - U4AC  
ES BUJÍA - U4AC

**Toolland**  
a land of possibilities



DC40008



5 411244 280236



### SPARKING PLUG - BP6HS-W6BC

FR BOUGIE D'ALLUMAGE - BP6HS-W6BC  
NL ONTSTEKINGSBOUGIE - BP6HS-W6BC  
DE ZÜNDKERZE - BP6HS-W6BC  
ES BUJÍA - BP6HS-W6BC

**Toolland**  
a land of possibilities



DC40009



5 411244 280243



### SPARKING PLUG - RDJ8J-BMR6F

FR BOUGIE D'ALLUMAGE - RDJ8J-BMR6F  
NL ONTSTEKINGSBOUGIE - RDJ8J-BMR6F  
DE ZÜNDKERZE - RDJ8J-BMR6F  
ES BUJÍA - RDJ8J-BMR6F

**Toolland**  
a land of possibilities



DC40010



5 411244 280250



**PEST CONTROL**  
 PROUITS ANTIPARASITAIRES  
 ONGEDIERTEBESTRIJDING  
 INSEKTENVERNICHTER  
 REPELENTE PARA INSECTOS



**ELECTRIC INSECT KILLER**  
**2 x 15 W - OUTDOOR USE**

**PEREL®**

FR TUE-INSECTES ÉLECTRIQUE - 2 x 15 W - USAGE EXTÉRIEUR  
 NL ELEKTRISCHE INSEKTENVERDELGER - 2 x 15 W - GEBRUIK BUITENSHUIS  
 DE INSEKTENVERNICHTER 2 x 15 W - ANWENDUNG IM AUßENBEREICH  
 ES REPELENTE ELECTRÓNICO PARA INSECTOS 2 x 15 W - USO EN EXTERIORES

for indoor and outdoor use (IPx4 weatherproof) • no chemical substances so no pollution  
 • odourless, noiseless and safe • suitable for ceiling suspension (chain included) or  
 freestanding use • remove the bottom to dispose of dead insects

input voltage: 230 Vac 50 Hz • grid voltage: 1800-3000 V • effective area: 100 m<sup>2</sup> • lamp:  
 UV-A tube 2 x 15 W (spare lamp: GIK09LAMP) • dimensions: 532 x 320 x 140 mm  
 • weight: 4.2 kg

► May not be sold in Germany



GIK11



**WASP TRAP**

**Toolland**  
 a land of possibilities

FR PIÈGE À GUÊPES  
 NL WESPENVAL  
 DE WESPENFALLE  
 ES TRAMPAS PARA AVISPAS

removable entrance holes • hang cord included • works without chemicals



TV76640



**SOLAR-POWERED GROUND  
 RODENT REPELLER**

**PEREL®**

FR ANTI-TAUPES SOLAIRE  
 NL MOLLENVERDRIJVER OP ZONNEENERGIE  
 DE SOLAR-MAULWURFSCHRECK  
 ES REPELENTE DE TOPOS CON ENERGÍA SOLAR

no chemicals • chases moles and burrowing rodents • runs on solar energy  
 • weatherproof and UV-resistant

range: ± 800m<sup>2</sup> • frequency: 300Hz • dimensions: Ø180 x 475mm • power: 0.2W  
 • rechargeable battery (incl.): Ni-MH, 1.2V/800mAh (24h-autonomy with battery)



GRR02



**GROUND RODENT REPELLER**

**PEREL®**

FR ANTI-TAUPES  
 NL MOLLENVERDRIJVER  
 DE MAULWURFSCHRECK ULTRASONIC  
 ES REPELENTE ULTRASÓNICO DE TOPOS

no chemicals • chases moles and burrowing rodents • runs on 4 D-batteries (not incl.)  
 • weatherproof and UV-resistant

range: ± 1000m<sup>2</sup> • frequency: 300Hz



GRR01





### BIRD NET 2 x 5 m

**PEREL®**

- FR FILET OISEAUX 2 x 5 m
- NL VOGELNET 2 x 5 m
- DE VOGELSCHUTZNETZ 2 x 5 m
- ES RED PARA AVES 2 x 5 m

mesh: 22 x 22mm • dimensions: 2 x 5m



GBN25



5 410329 367268



### BIRD NET 4 x 5 m

**PEREL®**

- FR FILET OISEAUX 4 x 5 m
- NL VOGELNET 4 x 5 m
- DE VOGELSCHUTZNETZ 4 x 5 m
- ES RED PARA AVES 4 x 5 m

mesh: 22 x 22mm • dimensions: 4 x 5m



GBN45



5 410329 367251



### BIRD NET 2 x 10 m

**PEREL®**

- FR FILET OISEAUX 2 x 10 m
- NL VOGELNET 2 x 10 m
- DE VOGELSCHUTZNETZ 2 x 10 m
- ES RED PARA AVES 2 x 10 m

mesh: 22 x 22mm • dimensions: 2 x 10m



GBN210



5 410329 367275



### BIRD NET 4 x 10 m

**PEREL®**

- FR FILET OISEAUX 4 x 10 m
- NL VOGELNET 4 x 10 m
- DE VOGELSCHUTZNETZ 4 x 10 m
- ES RED PARA AVES 4 x 10 m

mesh: 22 x 22mm • dimensions: 4 x 10m



GBN410



5 410329 367282



### BIRD NET 8 x 8 m

**PEREL®**

- FR FILET OISEAUX 8 x 8 m
- NL VOGELNET 8 x 8 m
- DE VOGELSCHUTZNETZ 8 x 8 m
- ES RED PARA AVES 8 x 8 m

mesh: 22 x 22mm • dimensions: 8 x 8m



GBN88



5 410329 367299



**KIDS**  
 ENFANTS  
 KIDS  
 KINDER  
 NIÑOS



**KIDS' GARDEN GLOVE -  
 4-7 YEARS - PLOP THE GNOME**

FR GANTS DE JARDIN POUR ENFANTS - 4-7 ANS - LUTIN PLOP  
 NL TUINHANDSCHOENEN VOOR KINDEREN - 4-7 JAAR - KABOUTER PLOP  
 DE KIDS' GARDEN GLOVE - 4-7 YEARS - PLOP THE GNOME  
 ES KIDS' GARDEN GLOVE - 4-7 YEARS - PLOP THE GNOME

not suitable for children under 3 years old

size: 4-7 years

► May only be sold in Belgium, The Netherlands



ST100156



5 410329 603250



**KIDS' GARDEN GLOVE -  
 7-10 YEARS - PLOP THE GNOME**

FR GANTS DE JARDIN POUR ENFANTS - 7-10 ANS - LUTIN PLOP  
 NL TUINHANDSCHOENEN VOOR KINDEREN - 7-10 JAAR - KABOUTER PLOP  
 DE KIDS' GARDEN GLOVE - 7-10 YEARS - PLOP THE GNOME  
 ES KIDS' GARDEN GLOVE - 7-10 YEARS - PLOP THE GNOME



not suitable for children under 3 years old

size: 4-7 years

► May only be sold in Belgium, The Netherlands



ST100157



5 410329 603267



**HAND TOOL SET - 3 pcs  
 - PLOP THE GNOME**

FR JEU D'OUTILS À MAIN - 3 pièces - LUTIN PLOP  
 NL HANDGEREEDSCHAPSET - 3-delig - KABOUTER PLOP  
 DE HAND TOOL SET - 3 pcs - PLOP THE GNOME  
 ES HAND TOOL SET - 3 pcs - PLOP THE GNOME



safe for kids: according to standard EN71 1-2-3 • not suitable for children under 3 years old

length: 21 cm

► May only be sold in Belgium, The Netherlands



ST100120



5 410329 603243



**BUCKET - PLOP THE GNOME**

FR SEAU - LUTIN PLOP  
 NL EMMER - KABOUTER PLOP  
 DE BUCKET - PLOP THE GNOME  
 ES BUCKET - PLOP THE GNOME



not suitable for children under 3 years old

dimensions: 16 x 11 x 13.5 cm

► May only be sold in Belgium, The Netherlands



ST100202



5 410329 603274





## WATERING CAN - PLOP THE GNOME

FR ARROSOIR - LUTIN PLOP  
NL GIETER - KABOUTER PLOP  
DE WATERING CAN - PLOP THE GNOME  
ES WATERING CAN - PLOP THE GNOME



not suitable for children under 3 years old

SIZE: 29 X 12 X 14 CM

► May only be sold in Belgium, Luxemburg, The Netherlands



ST100302



5 410329 603281



## RAKE - PLOP THE GNOME

FR RÂTEAU - LUTIN PLOP  
NL GAZONHARK - KABOUTER PLOP  
DE RAKE - PLOP THE GNOME  
ES RAKE - PLOP THE GNOME



standard: EN71 1-2-3 ● age: +3

length: 80cm


► May only be sold in Belgium, The Netherlands



ST100111



5 411244 971110



## SPADE - RECTANGULAR - PLOP THE GNOME

FR BÈCHE - RECTANGULAIRE - LUTIN PLOP  
NL SPADE - RECHTHOEKIG - KABOUTER PLOP  
DE SPADE - RECTANGULAR - PLOP THE GNOME  
ES SPADE - RECTANGULAR - PLOP THE GNOME



Standard: EN71 1-2-3 ● age: +3

length: 80cm

► May only be sold in Belgium, The Netherlands



ST100112



5 411244 971127



## SPADE - ROUNDED - PLOP THE GNOME

FR BÈCHE - POINTUE - LUTIN PLOP  
NL SPADE - MET PUNT - KABOUTER PLOP  
DE SPADE - ROUNDED - PLOP THE GNOME  
ES SPADE - ROUNDED - PLOP THE GNOME



standard: EN71 1-2-3 ● age: +3

length: 80cm

► May only be sold in Belgium, The Netherlands



ST100113



5 411244 971134



## GARDEN BROOM - PLOP THE GNOME

FR BALAI DE JARDIN - LUTIN PLOP  
NL BORSTEL - KABOUTER PLOP  
DE GARDEN BROOM - PLOP THE GNOME  
ES GARDEN BROOM - PLOP THE GNOME



standard: EN71 1-2-3 ● age: +3

length: 80cm

► May only be sold in Belgium, The Netherlands



ST100114



5 411244 971141



### SHOVEL - PLOP THE GNOME

- FR PELLE - LUTIN PLOP
- NL SCHOP - KABOUTER PLOP
- DE SHOVEL - PLOP THE GNOME
- ES SHOVEL - PLOP THE GNOME



standard: EN71 1-2-3 • age: +3

length: 80cm

► May only be sold in Belgium, The Netherlands



ST100115



5 411244 971158



### DISPLAY - EMPTY - PLOP THE GNOME

- FR PRÉSENTOIR - VIDE - LUTIN PLOP
- NL DISPLAY - LEEG - KABOUTER PLOP
- DE DISPLAY - EMPTY - PLOP THE GNOME
- ES DISPLAY - EMPTY - PLOP THE GNOME



ST100101



### WHEELBARROW - PLOP THE GNOME

- FR BROUETTE - LUTIN PLOP
- NL KRUIWAGEN - KABOUTER PLOP
- DE WHEELBARROW - PLOP THE GNOME
- ES WHEELBARROW - PLOP THE GNOME



not suitable for children under 3 years old

with full PU-foam wheel - flat free tire


► May only be sold in Belgium, The Netherlands



ST100401



5 410329 603236



**NEW**

### WHEELBARROW STAND

- FR PRÉSENTOIR POUR BROUETTES
- NL PRESENTATIESTAANDER VOOR KRUIWAGENS
- DE DISPLAY FÜR SCHUBKARREN
- ES EXPOSITOR PARA CARRETILLAS



for: 5 x wheelbarrow (ST100401, ST200401) • wheelbarrows not included

dimensions (W x H x D): 58 x 190 x 40 cm



ST100002



5 410329 611958



## PRESSURE SPRAYERS

- PULVÉRISATEURS À PRESSION
- DRUKSPROEIER
- DRUCKSPRÜHER
- PULVERIZADORES DE PRESIÓN



### HAND SPRAYER - 1 L

- FR PULVÉRISATEUR À MAIN - 1 l
- NL HANDSPROEIER - 1 L
- DE HANDSPRÜHER - 1 l
- ES PULVERIZADOR - 1 l



capacity: 1 L



DT10001



5 411244 770010



### PRESSURE SPRAYER - 1 L

FR PULVÉRISATEUR À PRESSION - 1 l  
 NL DRUKSPROEIER - 1 l  
 DE DRUCKSPRÜHER - 1 l  
 ES PULVERIZADOR DE PRESIÓN - 1 l



suitable for solvent-free liquids: water, fertilizers, herbicides, pesticides, cleaning detergents, preservative treatments etc.

capacity: 1 l • material: PP, PE



DT10010



5 410329 601935



### PRESSURE SPRAYER - 1.5 L

FR PULVÉRISATEUR À PRESSION - 1.5 l  
 NL DRUKSPROEIER - 1.5 l  
 DE DRUCKSPRÜHER - 1.5 l  
 ES PULVERIZADOR DE PRESIÓN - 1.5 l



pump system

capacity: 1.5 L



DT10015



5 411244 770027



### PRESSURE SPRAYER - 2 L

FR PULVÉRISATEUR À PRESSION - 2 l  
 NL DRUKSPROEIER - 2 l  
 DE DRUCKSPRÜHER - 2 l  
 ES PULVERIZADOR DE PRESIÓN - 2 l



pump system

capacity: 2 L



DT20002



5 411244 200029



### PRESSURE SPRAYER - 5 L

FR PULVÉRISATEUR À PRESSION - 5 l  
 NL DRUKSPROEIER - 5 l  
 DE DRUCKSPRÜHER - 5 l  
 ES PULVERIZADOR DE PRESIÓN - 5 l



pump system • belt included

capacity: 5 L



DT20005



5 411244 770034



### PRESSURE SPRAYER - 8 L

FR PULVÉRISATEUR À PRESSION - 8 l  
 NL DRUKSPROEIER - 8 l  
 DE DRUCKSPRÜHER - 8 l  
 ES PULVERIZADOR DE PRESIÓN - 8 l



pump system • belt included

capacity: 8 L



DT20008



5 411244 200081



### PRESSURE SPRAYER - WITH PRESSURE GAUGE - 5 L

FR PULVÉRISATEUR À PRESSION - AVEC MANOMÈTRE - 5 L  
 NL HOGEDRUKSPROEIER - MET MANOMETER - 5 L  
 DE DRUCKSPRÜHER - MIT MANOMETER - 5 l  
 ES PULVERIZADOR DE PRESIÓN - CON MANÓMETRO - 5 l



high performance pump • pump with safety valve • support handle • pressure gauge • adjustable carrying strap

capacity: 5 L • do not use with: solvents, flammable materials, acid



DT20050



5 410329 604035



**BACKPACK SPRAYER - 16 L**



FR PULVÉRISATEUR À DOS - 16 L  
 NL RUGDRUKSPROEIER - 16 L  
 DE RÜCKENSPRÜHGERÄT - 16 l  
 ES PULVERIZADOR DE MOCHILA - 16 l

pump system • belt included • with handle

capacity: 16 L



DT20016



5 411244 770041



**BACKPACK PRESSURE SPRAYER - 16 L**



FR PULVERISATEUR A DOS - 16 L  
 NL RUGDRUKSPROEIER - 16 L  
 DE RÜCKENSPRITZGERÄT - 16 L  
 ES PULVERIZADOR DE MOCHILA 16 L

for spraying solvent-free liquids: water, fertilizers, herbicides, pesticides, cleaning detergents, preservative treatments, etc. • with on/off spray switch • lever, lance and arm clamps for easy transportation and storage • large filling mouth (comes with non-drip valve cover) • large capacity and highly resistant pressure chamber • reversible: can be used left or right handed

capacity: 16000ml • material: PP, PE

► May not be sold in France, Spain



GPS16



5 410329 356880



**CELLFAST • GARDEN HOSES & ACCESSORIES**  
 CELLFAST • TUYAUX D'ARROSAGE ET ACCESSOIRES  
 CELLFAST • TUINSLANGEN EN TOEBEHOREN  
 CELLFAST • GARTENSCHLÄUCHE UND ZUBEHÖR  
 CELLFAST • MANGUERAS DE JARDÍN Y ACCESORIOS



**QUICK HOSE CONNECTOR - WITH WATER STOP - 1/2" - 5/8"**

FR RACCORD RAPIDE POUR TUYAU - AVEC ARRÊT D'EAU - 1/2" - 5/8"  
 NL SNELLE SLANGKOPPELING - MET WATERSTOP - 1/2" - 5/8"  
 DE SCHNELLSCHLAUCH KONNEKTOR - MIT WASSER-STOPP - 1/2" - 5/8"  
 ES CONECTOR RÁPIDO DE LA MANGUERA - CON PARADA DE AGUA - 1/2" - 5/8"

change accessories without closing the water supply • clench mechanism made of stainless steel • ABS housing, three clamps

diameter: 12.5 mm (1/2") & 15 mm (5/8") • colour: black & blue

**NEW**



CF50-120



5 901828 856044



**QUICK HOSE CONNECTOR - WITH WATER STOP - 3/4"**

FR RACCORD RAPIDE POUR TUYAU - AVEC ARRÊT D'EAU - 3/4"  
 NL SNELLE SLANGKOPPELING - MET WATERSTOP - 3/4"  
 DE SCHNELLSCHLAUCH KONNEKTOR - MIT WASSER-STOPP - 3/4" - 5/8"  
 ES CONECTOR RÁPIDO DE LA MANGUERA - CON PARADA DE AGUA - 3/4"

change accessories without closing the water supply • clench mechanism made of stainless steel • ABS housing, three clamps

diameter: 19 mm (3/4") • colour: black & blue

**NEW**



CF50-125



5 901828 856051



**QUICK HOSE CONNECTOR - 1/2" - 5/8"**

FR RACCORD RAPIDE POUR TUYAU - 1/2" - 5/8"  
 NL SNELLE SLANGKOPPELING - 1/2" - 5/8"  
 DE 1 SCHNELLSCHLAUCHKONNEKTOR - 1/2" - 5/8"  
 ES CONECTOR RÁPIDO DE LA MANGUERA - 1/2" - 5/8"

clench mechanism made of stainless steel • ABS housing, three clamps

diameter: 12.5 mm (1/2") & 15 mm (5/8") • colour: black & blue

**NEW**



CF50-130



5 901828 856068



**QUICK HOSE CONNECTOR - 3/4"**

FR RACCORD RAPIDE POUR TUYAU - 3/4"  
 NL SNELLE SLANGKOPPELING - 3/4"  
 DE SCHNELLSCHLAUCHKONNEKTOR - 3/4"  
 ES CONECTOR RÁPIDO DE LA MANGUERA - 3/4"

clench mechanism made of stainless steel • ABS housing, three clamps

diameter: 19 mm (3/4") • colour: black & blue

**NEW**



CF50-135



5 901828 856075



### EXTENSION CONNECTOR 1/2" - 5/8"

FR CONNECTEUR D'EXTENSION 1/2" - 5/8"  
 NL UITBREIDINGSCONNECTOR - 1/2" - 5/8"  
 DE EXTENSION KONNEKTOR 1/2" - 5/8"  
 ES CONECTOR DE EXTENSIÓN 1/2" - 5/8"

connects 2 hoses with quick hose connectors  
 diameter: 12.5 mm (1/2") & 15 mm (5/8") • colour: black & blue

**NEW**



CF50-200



5 901828 856105



### GARDEN HOSE 2-WAY CONNECTOR - 1/2" - 5/8"

FR CONNECTEUR À 2 VOIES POUR TUYAU D'ARROSAGE - 1/2" - 5/8"  
 NL TUINSLANG 2-WEG CONNECTOR - 1/2" - 5/8"  
 DE GARTENSCHLAUCH-2-WEGE-KONNEKTOR - 1/2" - 5/8"  
 ES CONECTOR DE 2 VÍAS PARA MANGUERA DE JARDÍN - 1/2" - 5/8"

allows connecting 2 watering accessories  
 diameter: 12.5 mm (1/2") & 15 mm (5/8") • colour: black & blue

**NEW**



CF50-205



5 901828 856112



### COUPLING WITH FEMALE THREAD - 1/2"

FR RACCORD FILETÉ FEMELLE - 1/2"  
 NL KOPPELING MET BINNENDRAAD - 1/2"  
 DE KUPPLUNG MIT INNENGEWINDE - 1/2"  
 ES ACOPLAMIENTO CON ROSCA HEMBRA - 1/2"

water source connector  
 diameter: 12.5 mm (1/2") • colour: black & blue

**NEW**



CF50-210



5 901828 856129



### COUPLING WITH FEMALE THREAD - 3/4"

FR RACCORD FILETÉ FEMELLE - 3/4"  
 NL KOPPELING MET BINNENDRAAD - 3/4"  
 DE KUPPLUNG MIT INNENGEWINDE - 3/4"  
 ES ACOPLAMIENTO CON ROSCA HEMBRA - 3/4"

water source connector  
 diameter: 19 mm (3/4") • colour: black & blue

**NEW**



CF50-215



5 901828 856136



### COUPLING WITH MALE THREAD - 1/2"

FR RACCORD FILETÉ MÂLE - 1/2"  
 NL KOPPELING MET BUITENDRAAD - 1/2"  
 DE KUPPLUNG MIT AUßENGEWINDE - 1/2"  
 ES ACOPLAMIENTO CON ROSCA HEMBRA - 1/2"

water source connector  
 diameter: 12.5 mm (1/2") • colour: black & blue

**NEW**



CF50-230



5 901828 856150



### COUPLING WITH MALE THREAD - 3/4"

FR RACCORD FILETÉ MÂLE - 3/4"  
 NL KOPPELING MET BUITENDRAAD - 3/4"  
 DE KUPPLUNG MIT AUßENGEWINDE - 3/4"  
 ES ACOPLAMIENTO CON ROSCA MACHO - 1/2"

water source connector  
 diameter: 19 mm (3/4") • colour: black & blue

**NEW**



CF50-235



5 901828 856167



### ADJUSTABLE HOSE NOZZLE

FR BUSE DE TUYAU RÉGLABLE  
 NL REGELBAAR SLANGSTUK  
 DE REGELBARES SCHLAUCHMUNDSTÜCK  
 ES BOQUILLA DE MANGUERA AJUSTABLE

sprinkler with non gradual water flow adjustment (narrow to wide)  
 colour: black & blue

**NEW**



CF50-300



5 901828 856174



### HAND SPRINKLER - SHOWER

FR PISTOLET D'ARROSAGE - SHOWER  
 NL HANDSPROEIER - SHOWER  
 DE GIEßKANNE - SHOWER  
 ES ASPERSOR - SHOWER

water flow starts by pulling the trigger and is fully adjustable (from delicate sprinkling to full water shower) • water output can be locked  
 colour: black & blue

**NEW**



CF50-320



5 901828 855955



### HAND SPRINKLER - ORION

FR PISTOLET D'ARROSAGE - ORION  
 NL HANDSPROEIER - ORION  
 DE GIEßKANNE - ORION  
 ES ASPERSOR - ORION

trigger starts water flow and controls water output  
 colour: black & blue

**NEW**



CF50-325



5 901828 855948



**STATIC SPRINKLER ON SPIKE - WULKAN (28 m<sup>2</sup>)**

FR ARROSEUR STATIQUE SUR PIQUET - WULKAN (28 m<sup>2</sup>)  
 NL STATISCHE SPROEIER OP GRONDPEN - WULKAN (28 m<sup>2</sup>)  
 DE STATISCHER SPRINKLER AUF SPITZE - WULKAN (28 m<sup>2</sup>)  
 ES ASPERSOR ESTÁTICO - WULKAN (28 m<sup>2</sup>)

light sprinkler for small areas with max. 6 m diameter • coverage of about 28 m<sup>2</sup>

colour: blue

**NEW**



CF50-400

5 901828 856211



**ROTATING SPRINKLER TWISTER (170 m<sup>2</sup>)**

FR ARROSEUR OSCILLANT TWISTER (170 m<sup>2</sup>)  
 NL ROTERENDE SPROEIER - TWISTER (170 m<sup>2</sup>)  
 DE ROTIERENDER SPRINKLER TWISTER (170 m<sup>2</sup>)  
 ES ASPERSOR GIRATORIO (170 m<sup>2</sup>)

rotating sprinkler with three nozzles with adjustable speed • 12 holes with max. 15 m diameter of sprinkling (about 170 m<sup>2</sup>)

colour: blue

**NEW**



CF50-460

5 901828 856280



**SET OF ADJUSTABLE HOSE NOZZLES - 1/2" - 5/8" - 4 pcs**

FR JEU AVEC BUSES D'ARROSAGE RÉGLABLES - 1/2" - 5/8" - 4 pcs  
 NL SET REGBARE SLANGSTUKKEN - 1/2" - 5/8" - 4 st.  
 DE SET VON REGBAREN SCHLAUCHMUNDSTÜCKEN - 1/2" - 5/8" - 4 STÜCK  
 ES JUEGO DE BOQUILLAS AJUSTABLES PARA MANGUERA - 1/2" - 5/8" - 4 piezas

set contains: ◦ adjustable hose nozzle ◦ 1 quick hose connector with water stop ◦ 1 quick hose connector ◦ female tap adapter - 3/4"

nozzle diameter: 12.5 mm (1/2") & 15 mm (5/8") • colour: black & blue

**NEW**



CF50-500

5 901828 856334



**HAND SPRINKLER SET WITH TRIGGER GUN - 1/2" & 5/8"**

FR JEU D'ARROSAGE AVEC PISOLET À GÂCHETTE - 1/2" & 5/8"  
 NL HANDSPROEISSET MET SPROEIPISTOOL - 1/2" & 5/8"  
 DE HANDSPRINKLER-SET MIT SCHALTPISTOLE - 1/2" & 5/8"  
 ES ASPERSOR CON GATILLO TIPO PISTOLA - 1/2" & 5/8"

set contains: ◦ hand sprinkler ORION ◦ 1 quick hose connector with water stop ◦ 1 quick hose connector ◦ female tap adapter - 3/4"

diameter of trigger gun: 12.5 mm (1/2") & 15 mm (5/8") • colour: black & blue

**NEW**



CF50-530

5 901828 855962



**HAND SPRINKLER - PROFI**

FR PISTOLET D'ARROSAGE - PROFI  
 NL HANDSPROEIER - PROFI  
 DE GIEBKANNE - PROFI  
 ES ASPERSOR - PROFI

non-gradual adjustment of water flow (from strong to delicate mist)

materials: aluminium and plastic • colour: black

**NEW**



CF52-010

5 901828 851995



**HAND SPRINKLER - MAX**

FR PISTOLET D'ARROSAGE - MAX  
 NL HANDSPROEIER - MAX  
 DE GIEBKANNE - MAX  
 ES ASPERSOR - MAX

non-gradual adjustment of water flow (from strong to delicate mist)

material: metal and plastic • colour: black & blue

**NEW**



CF52-020

5 901828 855214



**MULTI-PURPOSE SPRINKLER - ON SPIKE (300 m<sup>2</sup>)**

FR ARROSEUR MULTIFONCTIONNEL - SUR PIQUET (300 m<sup>2</sup>)  
 NL VEELZIJDIGE SPROEIER - OP GRONDPEN (300 m<sup>2</sup>)  
 DE MULTI-ZWECKSPRINKLER - AUF SPITZE (300 m<sup>2</sup>)  
 ES ASPERSOR MULTIUSOS - ON SPIKE (300 m<sup>2</sup>)

multi-purpose sprinkler made of high quality plastic, with spike base • water flow can be adjusted (4 settings) • adjustable sprinkling angle from 20° to 360° • coverage up to 300 m<sup>2</sup> • system can be extended with additional sprinklers

colour: blue

**NEW**



CF52-060

5 901828 855283



**OSCILLATING SPRINKLER - ECONOMIC (200 m<sup>2</sup>)**

FR ARROSEUR OSCILLANT - ECONOMIC (200 m<sup>2</sup>)  
 NL ROTERENDE SPROEIER - ECONOMISCH (200 m<sup>2</sup>)  
 DE OSZILLIERENDER SPRITZER - GÜNSTIG (200 m<sup>2</sup>)  
 ES ASPERSOR OSCILANTE - ECONÓMICO (200 m<sup>2</sup>)

15 nozzles • water flow can be adjusted • coverage of about 200 m<sup>2</sup>

colour: black & blue

**NEW**



CF52-071

5 901828 855320



### TELESCOPIC WATERING LANCE

FR LANCE D'ARROSAGE TÉLESCOPIQUE  
 NL TELESCOPIISCHE LANS  
 DE TELESKOPIISCHE SPRÜHLANZE  
 ES LANZA DE RIEGO TELESCÓPICA

high quality multi-purpose water(6 functions) watering lance made of high quality • adjustable water flow (6 settings) • suitable for hard to reach places • sprinkling angle adjustable up to 180° • can be used as a garden shower

materials: aluminium and plastic • colour: grey & blue

**NEW**



CF52-080



5 901828 855276



### DIGITAL WATER TIMER

FR PROGRAMMATEUR D'ARROSAGE NUMÉRIQUE  
 NL DIGITALE WATERTIMER  
 DE DIGITALER BEWÄSSERUNGSTIMER  
 ES PROGRAMADOR DIGITAL DE RIEGO

digital display for easy programming • manual and automatic modes • allows programming for specific days and times • supports week programming and 2 watering cycles per day • watering intervals from 1 to 99 minutes • low battery indicator

**NEW**



CF52-095



5 901828 858819



### DOUBLE DISTRIBUTOR

FR DOUBLE RÉPARTITEUR  
 NL 2-WEG WATERVERDELER  
 DE ZWEIFACH-VERTEILER  
 ES DISTRIBUIDOR DOBLE

allows operating two watering accessories at the same time • 2 fully adjustable outlets • fits 3/4" and 1" taps

colour: black & blue

**NEW**



CF52-220



5 901828 858550



### WALL HANGER FOR GARDEN HOSE

FR PORTE-TUYAU MURAL  
 NL MUURHASPEL VOOR TUINSLANG  
 DE WANDAUFHÄNGUNG FÜR GARTENSCHLAUCH  
 ES SOPORTE DE PAREDE PARA MANGUERA DE JARDÍN

convenient garden hose hanger • capacity of 25/30 m • with holders for sprinklers or tools

**NEW**



CF55-993



5 901828 855993



### GARDEN HOSE - ECOLIGHT - 1/2" - 20 m

FR TUYAU D'ARROSAGE - ECOLIGHT - 1/2" - 20 m  
 NL TUINSLANG - ECOLIGHT - 1/2" - 20 m  
 DE GARTENSCHLAUCH - ECOLIGHT - 1/2" - 20 m  
 ES MANGUERA DE JARDÍN - ECOLIGHT - 1/2" - 20 m

three-layer hose • polyester cross reinforcement • UV resistant, internal parts are resistant to algae • flexible

diameter: 12.5 mm (1/2") • length: 20 m • temperature range: -10 / + 50 °C

**NEW**



CF10-150



5 901828 859175



### GARDEN HOSE - ECOLIGHT - 1/2" - 50 m

FR TUYAU D'ARROSAGE - ECOLIGHT - 1/2" - 50 m  
 NL TUINSLANG - ECOLIGHT - 1/2" - 50 m  
 DE GARTENSCHLAUCH - ECOLIGHT - 1/2" - 50 m  
 ES MANGUERA DE JARDÍN - ECOLIGHT - 1/2" - 50 m

three-layer hose • polyester cross reinforcement • UV resistant, internal parts are resistant to algae • flexible

diameter: 12.5 mm (1/2") • length: 50 m • temperature range: -10 / + 50 °C

**NEW**



CF10-152



5 901828 859199



### GARDEN HOSE - ECOLIGHT - 5/8" - 20 m

FR TUYAU D'ARROSAGE - ECOLIGHT - 5/8" - 20 m  
 NL TUINSLANG - ECOLIGHT - 5/8" - 20 m  
 DE GARTENSCHLAUCH - ECOLIGHT - 5/8" - 20 m  
 ES MANGUERA DE JARDÍN - ECOLIGHT - 5/8" - 20 m

three-layer hose • polyester cross reinforcement • UV resistant, internal parts are resistant to algae • flexible

diameter: 15 mm (5/8") • length: 20 m • temperature range: -10 / + 50 °C

**NEW**



CF10-160



5 901828 859205



### GARDEN HOSE - ECOLIGHT - 5/8" - 50 m

FR TUYAU D'ARROSAGE - ECOLIGHT - 5/8" - 50 m  
 NL TUINSLANG - ECOLIGHT - 5/8" - 50 m  
 DE GARTENSCHLAUCH - ECOLIGHT - 5/8" - 50 m  
 ES MANGUERA DE JARDÍN - ECOLIGHT - 5/8" - 50 m

three-layer hose • polyester cross reinforcement • UV resistant, internal parts are resistant to algae • flexible

diameter: 15 mm (5/8") • length: 50 m • temperature range: -10 / + 50 °C

**NEW**



CF10-162



5 901828 859229




**ECOLIGHT SET - GARDEN HOSE  
20 m - 4 NOZZLES - 3/4"**

FR ECOLIGHT SET - TUYAU D'ARROSAGE 20 m - 4 TÊTES - 3/4"  
 NL ECOLIGHT SET - TUINSLANG 20 m - 4 SPUITSTUKKEN - 3/4"  
 DE ECOLIGHT SET - GARTENSCHLAUCH 20 m - 4 MUNDSTÜCKE - 3/4"  
 ES JUEGO ECOLIGHT - MANGUERA DE JARDÍN 20 m - 4 BOQUILLAS - 3/4"

set contains: Ecolight garden hose and set of packaged nozzles (4 pcs)  
 • three-layer hose • UV resistant, internal parts are resistant to algae  
 • flexible

diameter: 12.5 mm (1/2") • length: 20 m • temperature range: -10 / + 50 °C



**GARDEN HOSE - SMART - 1/2" - 25 m**

FR TUYAU D'ARROSAGE - SMART - 1/2" - 25 m  
 NL TUINSLANG - SMART - 1/2" - 25 m  
 DE GARTENSCHLAUCH - SMART - 1/2" - 25 m  
 ES MANGUERA DE JARDÍN - SMART - 1/2" - 25 m

three-layer kink proof garden hose • tricot reinforcement (ATS VARIANT™)  
 made of the highest quality polyester yarn • UV resistant, internal parts are resistant to algae • durable and flexible

diameter: 12.5 mm (1/2") • length: 25 m • temperature range: -20 / + 60 °C




**GARDEN HOSE - SMART - 1/2" - 50 m**

FR TUYAU D'ARROSAGE - SMART - 1/2" - 50 m  
 NL TUINSLANG - SMART - 1/2" - 50 m  
 DE GARTENSCHLAUCH - SMART - 1/2" - 50 m  
 ES MANGUERA DE JARDÍN - SMART - 1/2" - 50 m

three-layer kink proof garden hose • tricot reinforcement (ATS VARIANT™)  
 made of the highest quality polyester yarn • UV resistant, internal parts are resistant to algae • durable and flexible

diameter: 12.5 mm (1/2") • length: 50 m • temperature range: -20 / + 60 °C




**GARDEN HOSE - SMART - 5/8" - 25 m**

FR TUYAU D'ARROSAGE - SMART - 5/8" - 25 m  
 NL TUINSLANG - SMART - 5/8" - 25 m  
 DE GARTENSCHLAUCH - SMART - 5/8" - 25 m  
 ES MANGUERA DE JARDÍN - SMART - 5/8" - 25 m

three-layer kink proof garden hose • tricot reinforcement (ATS VARIANT™)  
 made of the highest quality polyester yarn • UV resistant, internal parts are resistant to algae • durable and flexible

diameter: 15 mm (5/8") • length: 25 m • temperature range: -20 / + 60 °C




**GARDEN HOSE - SMART - 5/8" - 50 m**

FR TUYAU D'ARROSAGE - SMART - 5/8" - 50 m  
 NL TUINSLANG - SMART - 5/8" - 50 m  
 DE GARTENSCHLAUCH - SMART - 5/8" - 50 m  
 ES MANGUERA DE JARDÍN - SMART - 5/8" - 50 m

three-layer kink proof garden hose • tricot reinforcement (ATS VARIANT™)  
 made of the highest quality polyester yarn • UV resistant, internal parts are resistant to algae • durable and flexible

diameter: 15 mm (5/8") • length: 50 m • temperature range: -20 / + 60 °C



**SMART SET - GARDEN HOSE  
20 m - 1/2" - 4 NOZZLES**

FR SMART SET - TUYAU D'ARROSAGE 20 m - 1/2" - 4 BUSES  
 NL SMART SET - TUINSLANG 20 m - 1/2" - 4 SPUITSTUKKEN  
 DE SMART SET - GARTENSCHLAUCH 20 m - 1/2" - 4 MUNDSTÜCKE  
 ES JUEGO SMART - MANGUERA DE JARDÍN 20 m - 1/2" - 4 BOQUILLAS

set contains: SMART garden hose and set of packaged nozzles (4 pcs)  
 • three-layer kink proof garden hose • tricot reinforcement (ATS VARIANT™)  
 made of the highest quality polyester yarn • UV resistant, internal parts are resistant to algae • durable and flexible

diameter: 12.5 mm (1/2") • length: 20 m • temperature range: -20 / + 60 °C



**DRIP WATERING HOSE - 1/2" - 7.5 m**


FR TUYAU D'ARROSAGE POREUX - 1/2" - 7.5 m  
 NL DRUPPELSLANG - 1/2" - 7.5 m  
 DE TROPFBEWÄSSERUNGSSCHLAUCH - 1/2" - 7.5 m  
 ES MANGUERA DE RIEGO POR GOTEO - 1/2" - 7.5 m

drip watering hose for economical and precise plant watering • saves up to 70% water by eliminating evaporation • can be placed on or under the surface of the ground (recommended depth 15-20 cm) • water consumption depends on working pressure (1 to 10 L/h per 1 m) • can run at very low water pressure • fixed nozzles for fast hose connection • best suited for watering plant clusters (hedges, flower beds, rock gardens, vegetable gardens)

diameter: 12.5 mm (1/2") • length: 7.5 m








## ACCESS RAMPS

RAMPE D'ACCÈS  
OPRIJPLATEN  
ZUGANGSRAMPEN  
RAMPAS DE ACCESO



### LOADING RAMP - 80 x 25 cm - max. LOAD 200 kg

**Toolland**  
a land of possibilities

FR RAMPE DE CHARGEMENT - 80 x 25 cm - CHARGE MAX. 200 kg

NL OPRIJPLAAT - 80 x 25 cm - MAX. BELASTING 200 kg

DE LADERAMPE - 80 x 25 cm - MAX. LAST 200 kg

ES RAMPA DE CARGA - 80 x 25 cm - CARGA MÁX. 200 kg


length: 80 cm • width: 25 cm • maximum load: 200 kg



TL73103



5 411244 731035



### LOADING RAMP - 135 x 23 cm - max. LOAD 200 kg

**Toolland**  
a land of possibilities

FR RAMPE DE CHARGEMENT - 135 x 23 cm - CHARGE MAX. 200 kg

NL OPRIJPLAAT - 135 x 23 cm - MAX. BELASTING 200 kg

DE LADERAMPE - 135 x 23 cm - MAX. TRAGKRAFT 200 kg

ES RAMPA DE CARGA - 135 x 23 cm - CARGA MÁX. 200 kg

length: 135 cm • width: 23 cm • maximum load: 200 kg



TL73104



5 411244 731042



### LOADING RAMP - 185 x 23 cm

**Toolland**  
a land of possibilities

FR RAMPE DE CHARGEMENT - 185 x 23 cm

NL OPRIJPLAAT - 185 x 23 cm

DE AUFFAHRRAMPE - 185 x 23 cm - MAX. TRAGKRAFT 200 kg

ES RAMPA DE CARGA - 185 x 23 cm - CARGA MÁX. 200 kg


material: steel • length: 185 cm • width: 23 cm • ultimate limit state: 200 kg • working load: 148 kg (safety factor: 1.35) • nominal load: 80 kg (safety factor: 2.5)



TL73003



5 411244 730038



### ALUMINIUM LOADING RAMP - 200 x 23 cm - max. LOAD 200 kg

**Toolland**  
a land of possibilities

FR RAMPE DE CHARGEMENT EN ALU - 200 x 23 cm - CHARGE MAX. 200 kg

NL ALUMINIUM OPRIJPLAAT - 200 x 23 cm - MAX. BELASTING 200 kg

DE ALU-LADERAMPE - 200 x 23 cm - MAX. LAST 200 kg

ES RAMPA DE CARGA EN ALUMINIO - 200 x 23 cm - CARGA MÁX. 200 kg

aluminium

length: 200 cm • width: 23 cm • maximum load: 200 kg

► May only be sold in Belgium



TL73105



5 411244 731059



### FOLDABLE LOADING RAMP

**Toolland**  
a land of possibilities

FR RAMPE DE CHARGEMENT PLIABLE

NL INKLAPBARE OPRIJPLAAT

DE ZUSAMMENKLAPPBARE RAMPE

ES RAMPA PLEGABLE

bumpers included

dimensions unfolded: 200 x 25 cm • dimensions closed: 88 x 25 x 15 cm • maximum load closed: 1100 kg • ultimate limit state: 350 kg • working load: 259 kg (safety factor: 1.35) • nominal load: 140 kg (safety factor: 2.5)



TL73102



5 411244 731028



### ALUMINIUM ACCESS RAMP - 2 pcs



- FR RAMPE D'ACCÈS EN ALUMINIUM - 2 pièces
- NL ALUMINIUM OPRIJPLAAT - 2 stuks
- DE ALU-ZUGANGSRAMPE - 2 Stck.
- ES RAMPA DE ACCESO EN ALUMINIO - 2 piezas

aluminium • 2 pieces

dimensions: 32 x 22.5 x 11.5 cm • maximum load: 340 kg



TL73109



5 411244 731097



### RUBBER TRESHOLD RAMP



- FR RAMPE D'ACCÈS EN CAOUTCHOUC
- NL RUBBEREN DREMPEL
- DE BORDSTEIN-RAMPE - AUS GUMMI
- ES RAMPA DE ACCESO DE GOMA

with handle • provides smooth transition for: wheelchair, motorcycle, bike, car... • rubber  
• with 2 fixation holes

size: 490 x 320 x 100 mm • weight: 10.15 kg • dimensions: 50 x 42 x 11 cm • loading capacity: 7.5 ton



TL73108



5 411244 731080



## CABLES

- CÂBLES
- KABELS
- KABEL
- CABLES



### PROTECTOR CASE FOR PLUG CONNECTIONS



- FR BOITIER ETANCHE POUR RALLONGE SECTEUR
- NL BESCHERMHULS VOOR STEKKERVERBINDINGEN
- DE SCHUTZDOSE FÜR STECKERANSCHLÜSSE
- ES CAJA PROTECTORA PARA ENCHUFES

protects connections against humidity, rain, etc... • easy to use in- and outdoors • child-protected



EPP



5 410329 345891